Missouri Vital Statistics 1986

Missouri Department of Health

State Center for Health Statistics

MISSOURI VITAL STATISTICS 1986

MISSOURI DEPARTMENT OF HEALTH

DIVISION OF HEALTH RESOURCES STATE CENTER FOR HEALTH STATISTICS

> P.O. BOX 570 JEFFERSON CITY 65102-0570

MISSOURI CENTER FOR HEALTH STATISTICS PUBLICATION NO. 4.32

| | | 4 |
|---|---|-------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| • | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | i |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | i |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | İ |
| | | |
| | | |
| | | |
| | | |
| | • | |
| | | I |

MISSOURI DEPARTMENT OF HEALTH

Robert G. Harmon, M.D., M.P.H., Director

DIVISION OF HEALTH RESOURCES

Garland Land, Director

STATE CENTER FOR HEALTH STATISTICS

BUREAU OF HEALTH DATA ANALYSIS

Wayne F. Schramm, Chief

July 1987

PREFACE

This report presents the final tabulation of statistical data relating to vital events in Missouri during 1986. Data for the year of the report was accepted through March 15, 1987, allowing information reflecting events in 1986 to be as complete as possible.

Missouri Vital Statistics 1986 is published for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, dissolutions, and abortions. Provisional vital statistics data are available through the publication, Missouri Monthly Vital Statistics. Unpublished detailed annual vital statistics data are available upon request.

TABLE OF CONTENTS

| Table/Gr | raph | | Page |
|----------|------|---|------|
| | | BIRTH AND DEATH TRENDS | |
| | Α | Live Birth and Death Rates per 1,000 Population: Missouri 1911-1986 | 1 |
| 1 | | Population, Recorded Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri 1911-1944 | 2 |
| 2 | | Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri 1945-1986 | 3 |
| | В | Total Fertility Rates: Missouri 1911-1986 | 4 |
| 3 | | Fertility Rates per 1,000 Females by Age of Mother: Missouri 1911-1986 | 5 |
| | С | Crude and Age-Adjusted Death Rates per 1,000 Population: Missouri 1911-1986 | 6 |
| 4 | | Age-Specific Death Rates per 1,000 Population: Missouri 1911-1986 | 7 |
| | | BIRTHS | |
| 5 | | Resident Live Births by Selected Characteristics by Race of Child: Missouri 1986 | 8 |
| 6 | | Resident Live Births by Age of Mother by Live Birth Order by Legitimacy by Race of Child: Missouri 1986 | 9 |
| 7 | | Teen-age Resident Live Births by Age of Mother by Live Birth Order by Legitimacy by Race of Child with Percentages: Missouri 1986 | 10 |
| 8 | | Percent Low Birth Weight and Resident Live Births by Birth Weight by Age of Mother by Race of Child: Missouri 1986 | 11 |
| 9 | | Resident Live Births by Legitimacy by Race with Percentages by County and Cities with 25,000 or More Population: Missouri 1986 | 12 |
| 10 A | | Resident Live Births by Selected Characteristics by Race, Regional Planning Commission: Missouri 1986 | 16 |
| 10 B | | Resident Live Births by Selected Characteristics by County: Missouri 1986 | 20 |
| 10 C | | Resident Live Births by Selected Characteristics by Cities with 25,000 or More Population: Missouri 1986 | 40 |
| 11 | | Resident Teen-age Pregnancies and Abortions by Selected Ages by County of Residence: Missouri 1986 | 44 |
| | | ABORTIONS | |
| | D | Resident Abortion Ratios per 1,000 Live Births: Missouri 1971-1986 | 46 |
| 12 | | Resident Abortions by Race, Age of Woman, Type of Procedure, and Complications by Weeks of Gestation: Missouri 1986 | 47 |
| 13 | | Resident Abortions by Age, Marital Status, and Education, by Race: Missouri 1986 | 48 |
| 14 A | | Resident Abortions and Ratios per 1,000 Live Births by County of Residence: Missouri 1986 | 49 |
| | | | |


Table of Contents (continued)

| Table/Graph | | Page |
|-------------|---|------|
| 14 B | Resident Abortions and Ratios per 1,000 Live Births by Regional Planning Commission of Residence: Missouri 1986 | 50 |
| 15 | Resident Abortions by Age and Marital Status of Woman: Missouri 1986 | 50 |
| 16 | Resident Abortions by Number of Living Children and Number of Previous Abortions: Missouri 1986 | 50 |
| | NATURAL INCREASE | |
| 17 | Resident and Recorded Live Births, Deaths, and Natural Increase with Rates by Counties and Cities with 25,000 or More Population: Missouri 1986 | 51 |
| 18 | Resident and Recorded Live Births and Deaths by Cities with 2,500-24,999 Population: Missouri 1986 | 55 |
| | DEATHS | |
| 19 | Twelve Leading Causes of Death by Race with Percentages and with Rates per 100,000 for all Races, Resident Data: Missouri 1986 | 58 |
| 20 | Five Leading Causes of Death for Selected Age Groups with Percentages, Resident Data: Missouri 1986 | 59 |
| 21 | Resident Deaths, Age Groups by Race by Sex with Age-Specific Rates per 1,000 by Sex: Missouri 1986 | 60 |
| 22 A | Resident Deaths, Age Groups by Selected Causes of Death: Missouri 1986 | 61 |
| 22 B | Male Resident Deaths, Age Groups by Selected Causes of Death: Missouri 1986 | 63 |
| 22 C | Female Resident Deaths, Age Groups by Selected Causes of Death: Missouri 1986 | 65 |
| E | Infant Death Rates per 1,000 Live Births: Missouri 1911-1944 (Recorded), 1945-1986 (Resident) | 67 |
| 23 A | Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 1986 | 68 |
| 23 B | Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission with Rates per 1,000 Live Births: Missouri 1986 | 70 |
| 24 | Resident Infant Deaths by Age, Cause, and Race with Rates per 1,000 Live Births by Cause and Race: Missouri 1986 | 71 |
| 25 | Resident Infant Deaths and Rates per 1,000 Live Births by Age of Mother by Birth Order: Missouri 1986 | 72 |
| 26 | Resident Infant Deaths and Rates per 1,000 Live Births by Birth Weight by Race: Missouri 1986 | 72 |
| 27 A | Resident Deaths by Selected Causes of Death; For State Total by Race with Rates per 100,000 for all Races; and for Regional Planning Commissions: Missouri 1986 | 73 |
| 27 B | Resident Deaths by Selected Causes of Death by County: Missouri 1986 | 76 |
| 27 C | Resident Deaths by Selected Causes of Death by Cities with 25,000 or More | 01 |

Table of Contents (continued)

| Table/Graph | | Page |
|-------------|---|------|
| 28 | Recorded Deaths by Type of Accident, Age, and Sex: Missouri 1986 | 94 |
| 29 | Abridged Life Table for the Total Population and by Sex: Missouri 1986 | 95 |
| | MARRIAGES | |
| F | Marriage Rates per 1,000 Population: Missouri 1949-1986 | 98 |
| 30 | Reported Marriages by Age of Groom; by Age of Bride: Missouri 1986 | 99 |
| 31 | Reported Marriages by Age and Previous Marital Status of Bride and Groom: Missouri 1986 | 101 |
| 32 | Reported Marriages by Previous Marital Status of Bride and Groom: Missouri 1986 | 102 |
| 33 | Reported Marriages by Race of Bride by Race of Groom: Missouri 1986 | 102 |
| 34 A | Reported Marriages by County of Recording with Rates per 1,000 Population: Missouri 1986 | 103 |
| 34 B | Reported Marriages with Rates by Regional Planning Commission of Recording: Missouri 1986 | 104 |
| | DISSOLUTIONS | |
| G | Dissolution Rates per 1,000 Population: Missouri 1949-1986 | 105 |
| 35 | Reported Dissolutions of Marriage by Type of Decree: Missouri 1986 | 106 |
| 36 | Reported Dissolutions and Invalidities by Number of Previous Marriages, Husband by Wife: Missouri 1986 | 106 |
| 37 | Reported Dissolutions and Invalidities by Duration of Marriage: Missouri 1986 | 106 |
| 38 | Reported Dissolutions and Invalidities by Number of Children Affected: Missouri 1986 | 107 |
| 39 | Reported Dissolutions and Invalidities by Petitioner by Disposition of Children: Missouri 1986 | 107 |
| 40 | Reported Dissolutions and Invalidities by Type of Maintenance and Settlement: Missouri 1986 | 107 |
| 41 | Reported Dissolutions and Invalidities by Age of Wife by Age of Husband: Missouri 1986 | 108 |
| 42 | Reported Dissolutions and Invalidities by Race, Wife by Husband: Missouri 1986 | 108 |
| 43 A | Reported Dissolutions and Invalidities by County of Recording with Rates per 1,000 Population: Missouri 1986 | 109 |
| 43 B | Reported Dissolutions and Invalidities with Rates by Regional Planning Commission of Recording: Missouri 1986 | 110 |
| | APPENDIX | 111 |

REGIONAL PLANNING COMMISSION AREAS



Graph A
Live Birth and Death Rates Per 1,000 Population
Missouri 1911-1986




TABLE 1

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND NATURAL INCREASE: MISSOURI 1911-1944

| | Estimated Mid-Year | Bi | rths | Dea | aths | | | Estimated Mid-Year | Bii | ths | Dea | aths | |
|------|-----------------------|----------|------|--------|------|----------|------|-------------------------|--------|------|--------|------|----------|
| V | Population | Monatana | | A4 t | 0.4. | Natural | Vaar | Population (They and a) | Mumbar | Rate | Number | Doto | Natural |
| Year | (Thousands) | Number | Rate | Number | Rate | Increase | Year | (Thousands) | Number | nale | Number | Rate | Increase |
| 1911 | 3,317 | 74,130 | 22.3 | 43,479 | 13.1 | 30,651 | 1928 | 3,601 | 63,401 | 17.6 | 45,219 | 12.6 | 18,182 |
| 1912 | 3,344 | 75,452 | 22.6 | 42,139 | 12.6 | 33,313 | 1929 | 3,622 | 60,980 | 16.8 | 44,262 | 12.2 | 16,718 |
| 1913 | 3,409 | 75,231 | 22.1 | 42,130 | 12.4 | 33,101 | 1930 | 3,646 | 62,011 | 17.0 | 42,924 | 11.8 | 19,087 |
| 1914 | 3,467 | 73,925 | 21.3 | 41,743 | 12.0 | 32,182 | 1931 | 3,711 | 60,201 | 16.2 | 43,999 | 11.9 | 16,202 |
| 1915 | 3,492 | 71,543 | 20.5 | 40,863 | 11.7 | 30,680 | 1932 | 3,746 | 59,755 | 16.0 | 43,695 | 11.7 | 16,060 |
| 1916 | 3,527 | 73,486 | 20.8 | 44,705 | 12.7 | 28,781 | 1933 | 3,773 | 57,717 | 15.3 | 43,368 | 11.5 | 14,349 |
| 1917 | 3,470 | 67,041 | 19.3 | 45,564 | 13.1 | 21,477 | 1934 | 3,784 | 60,317 | 15.9 | 46,685 | 12.3 | 13,632 |
| 1918 | 3,325 | 64,001 | 19.2 | 51,925 | 15.6 | 12,076 | 1935 | 3,798 | 57,299 | 15.1 | 43,201 | 11.4 | 14,098 |
| 1919 | 3,371 | 61,193 | 18.2 | 39,282 | 11.7 | 21,911 | 1936 | 3,801 | 55,916 | 14.7 | 48,767 | 12.8 | 7,149 |
| 1920 | 3,404 | 65,416 | 19.2 | 42,572 | 12.5 | 22,844 | 1937 | 3,794 | 57,270 | 15.1 | 45,160 | 11.9 | 12,110 |
| 1921 | 3,429 | 66,970 | 19.5 | 36,210 | 10.6 | 30,760 | 1938 | 3,781 | 59,365 | 15.7 | 42,578 | 11.3 | 16,787 |
| 1922 | 3,427 | 64,388 | 18.7 | 38,417 | 11.2 | 25,971 | 1939 | 3,783 | 59,688 | 15.8 | 42,693 | 11.3 | 16,995 |
| 1923 | 3,454 | 66,691 | 19.3 | 41,853 | 12.1 | 24,838 | 1940 | 3,786 | 62,545 | 16.5 | 43,950 | 11.6 | 18,595 |
| 1924 | 3,508 | 68,961 | 19.7 | 40,463 | 11.5 | 28,498 | 1941 | 3,811 | 66,268 | 17.4 | 43,295 | 11.4 | 22,973 |
| 1925 | 3,526 | 68,293 | 19.4 | 41,332 | 11.7 | 26,961 | 1942 | 3,829 | 72,575 | 19.0 | 42,117 | 11.0 | 30,458 |
| 1926 | 3,556 | 66,611 | 18.7 | 42,684 | 12.0 | 23,927 | 1943 | 3,705 | 74,820 | 20.2 | 44,437 | 12.0 | 30,383 |
| 1927 | 3,576 | 66,401 | 18.6 | 40,853 | 11.4 | 25,548 | 1944 | 3,560 | 69,982 | 19.7 | 42,347 | 11.9 | 27,635 |

Sources: 1911-1934 and 1937-1944 <u>Vital Statistics Reports</u> of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27,1956.

2

TABLE 2
POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
AND NATURAL INCREASE: MISSOURI 1945-1986


Recorded Resident

| | | Hecoraea | | | nesidetti | | | | | | |
|------|-------------------------------------|----------|------|--------|-----------|------------------|-------|--------|------------|----------|--|
| | Estimated Mid-Year Population | Bir | ths | Deat | hs | В | irths | Deal | ths | Natural | |
| Year | (Thousands) | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Increase | |
| 1945 | 3,516 | 67,693 | 19.3 | 42,757 | 12.2 | 65,691 | 18.7 | 42,496 | 12.1 | 23,195 | |
| 1946 | 3,746 | 82,901 | 22.1 | 42,640 | 11.4 | 80,698 | 21.5 | 42,377 | 11.3 | 38,321 | |
| 1947 | 3,845 | 92,369 | 24.0 | 44,762 | 11.6 | 89,902 | 23.4 | 44,474 | 11.6 | 45,428 | |
| 1948 | 3,844 | 87,005 | | 42,921 | 11.2 | 85,096 | 22.1 | 42,753 | 11.1 | 42,342 | |
| | | 67,005 | 22.6 | | 11.4 | 85,206 | | 43,708 | | | |
| 1949 | 3,955 | 87,372 | 22.1 | 43,995 | 11.1 | 65,206 | 21.5 | 43,708 | 11,1 | 41,498 | |
| 1950 | 3,964 | 87,948 | 22.2 | 43,962 | 11.1 | 85,704 | 21.6 | 43,714 | 11.0 | 41,990 | |
| 1951 | 4,015 | 92,664 | 23.1 | 44,318 | 11.0 | 89,977 | 22.4 | 44,051 | 10.9 | 45,926 | |
| 1952 | 3,972 | 92,931 | 23.4 | 45,245 | 11.4 | 90,118 | 22.7 | 45,051 | 11.3 | 45,067 | |
| 1953 | 4,020 | 94,419 | 23.5 | 45,686 | 11.4 | 91,447 | 22.7 | 45,148 | 11.2 | 46,299 | |
| 1954 | 4,066 | 97,278 | 23.9 | 44,404 | 10.9 | 93,453 | 23.0 | 43,835 | 10.8 | 49,618 | |
| 4055 | 4.404 | 07.504 | 00.0 | 40 504 | 10.5 | 93,797 | 22.7 | 43,000 | 10.4 | 50,797 | |
| 1955 | 4,134 | 97,591 | 23.6 | 43,531 | 10.5 | | 22.7 | 43,000 | | 50,797 | |
| 1956 | 4,163 | 100,163 | 24.1 | 45,003 | 10.8 | 96,099 | 23.1 | 44,458 | 10.7 | 51,641 | |
| 1957 | 4,189 | 101,287 | 24.2 | 47,784 | 11.4 | 97,161 | 23.2 | 47,333 | 11.3 | 49,828 | |
| 1958 | 4,186 | 100,729 | 24.1 | 47,338 | 11.3 | 96,721 | 23.1 | 46,729 | 11.2 | 49,992 | |
| 1959 | 4,258 | 102,461 | 24.1 | 47,099 | 11.1 | 98,537 | 23.1 | 46,465 | 10.9 | 52,072 | |
| 1960 | 4,326 | 101,778 | 23.5 | 48,955 | 11.3 | 97,723 | 22.6 | 48,287 | 11.2 | 49,436 | |
| 1961 | 4,349 | 101,462 | 23.3 | 47,933 | 11.0 | 97,321 | 22.4 | 47,303 | 10.9 | 50,018 | |
| 1962 | 4,357 | 97,658 | 22.4 | 49,685 | 11.4 | 93,879 | 21.5 | 49,016 | 11.2 | 44,863 | |
| | 4,392 | 93,545 | | 51,159 | 11.6 | 90,363 | 20.6 | 50,538 | 11.5 | 39,825 | |
| 1963 | 4,392 | 93,545 | 21.3 | 51,159 | 11.0 | 90,303 | 20.0 | 40,030 | 11.5 | 39,623 | |
| 1964 | 4,442 | 90,918 | 20.5 | 50,271 | 11.3 | 88,335 | 19.9 | 49,617 | 11.2 | 38,718 | |
| 1965 | 4,467 | 84,162 | 18.8 | 51,101 | 11.4 | 81,216 | 18.2 | 50,249 | 11.2 | 30,967 | |
| 1966 | 4,523 | 80,750 | 17.9 | 52,476 | 11.6 | 77,946 | 17.2 | 51,581 | 11.4 | 26,365 | |
| 1967 | 4,539 | 77,940 | 17.2 | 51,245 | 11.3 | 74,823 | 16.5 | 50,544 | 11.1 | 24,279 | |
| | | | | | 11.6 | 74,304 | 16.3 | 52,019 | 11.4 | 22,285 | |
| 1968 | 4,568 | 77,028 | 16.9 | 52,834 | 11.0 | 74,304 | 10.3 | 52,019 | 11.4 | 22,260 | |
| 1969 | 4,640 | 81,313 | 17.5 | 53,172 | 11.5 | 78,396 | 16.9 | 52,314 | 11.3 | 26,082 | |
| 1970 | 4,680 | 83,787 | 17.9 | 52,592 | 11.2 | 80,707 | 17.2 | 51,743 | 11.1 | 28,964 | |
| 1971 | 4,723 | 81,409 | 17.2 | 51,810 | 11.0 | 78,375 | 16.6 | 50,811 | 10.8 | 27,564 | |
| 1972 | 4,753 | 75,127 | 15.8 | 53,249 | 11.2 | 72,597 | 15.3 | 52,287 | 11.0 | 20,310 | |
| 1973 | 4,775 | 70,808 | 14.8 | 53,003 | 11.1 | 68,605 | 14.4 | 51,812 | 10.9 | 16,793 | |
| 1974 | 4,785 | 71,875 | 15.0 | 51,656 | 10.8 | 69,412 | 14.5 | 50,504 | 10.6 | 18,908 | |
| 4075 | 4.705 | 70 700 | 44.0 | 40.000 | 10.4 | 68,442 | 14.3 | 48,984 | 10.2 | 10.450 | |
| 1975 | 4,795 | 70,786 | 14.8 | 49,986 | | | | 40,904 | | 19,458 | |
| 1976 | 4,824 | 71,319 | 14.8 | 50,074 | 10.4 | 68,781 | 14.3 | 49,008 | 10.2 | 19,773 | |
| 1977 | 4,845 | 75,689 | 15.6 | 49,839 | 10.3 | 72,957 | 15.1 | 48,761 | 10.1 | 24,196 | |
| 1978 | 4,871 | 75,283 | 15.5 | 50,439 | 10.4 | 72,654 | 14.9 | 49,207 | 10.1 | 23,447 | |
| 1979 | 4,889 | 78,562 | 16.1 | 48,946 | 10.0 | 76,056 | 15.6 | 47,656 | 9.7 | 28,400 | |
| 1980 | 4,917 | 80,770 | 16.4 | 50,504 | 10.3 | 78,588 | 16.0 | 49,334 | 10.0 | 29,254 | |
| 1004 | 4,939 | | | 49,780 | 10.1 | 76,758 | 15.5 | 48,645 | 9.8 | 28,113 | |
| 1981 | 4,939 | 78,538 | 15.9 | | 10.1 | 76,738 76,648 | 15.5 | 40,040 | 9.0 0.7 | 20,113 | |
| 1982 | 4,943 | 78,334 | 15.8 | 49,145 | 9.9 | 76,648 | | 48,126 | 9.7 | 28,522 | |
| 1983 | 4,965 | 77,061 | 15.5 | 50,540 | 10.2 | 75,505 | 15.2 | 49,381 | 9.9 | 26,124 | |
| 1984 | 5,005 | 76,293 | 15.2 | 50,232 | 10.0 | 74,422 | 14.9 | 48,890 | 9.8 | 25,532 | |
| 1985 | 5,035 | 78,760 | 15.6 | 51,635 | 10.3 | 76,697 | 15.2 | 50,098 | 9.9 | 26,599 | |
| 1986 | 5,066 | 77,105 | 15.2 | 51,350 | 10.1 | 75,116 | 14.8 | 49,971 | 9.9 | 25,145 | |
| 1000 | 0,000 | , | , | , | **** | , | = | , | | , | |

ر. .

Graph B
Total Fertility Rates

Missouri 1911-1986



4

TABLE 3

FERTILITY RATES PER 1,000 FEMALES BY AGE OF MOTHER:
MISSOURI 1911-1986

| | | | Age of Mother | | | | | | | | | | |
|------|----------------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|
| | General Fertility | Under | | 15-19 | | | | | | | | | |
| | Rate | 15 | Total | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | | |
| 1911 | 93.3 | 0.4 | 48.8 | NA | NA | 134.2 | 133.5 | 109.6 | 77.7 | 33.5 | 3.8 | | |
| 1915 | 88.8 | 0.3 | 50.4 | | | 136.4 | 126.2 | 97.5 | 67.7 | 27.7 | 3.2 | | |
| 1920 | 80.6 | 0.4 | 49.6 | | | 129.3 | 113.3 | 85.0 | 59.6 | 25.0 | 3.0 | | |
| 1925 | 81.1 | 0.4 | 56.7 | | | 129.5 | 120.2 | 83.8 | 57.7 | 22.5 | 2.4 | | |
| 1930 | 71.1 | 0.5 | 54.1 | NA | NA | 115.5 | 103.6 | 79.8 | 46.7 | 18.3 | 2.0 | | |
| 1935 | 68.0 | 0.5 | 52.5 | | | 116.0 | 96.9 | 69.3 | 43.6 | 16.8 | 1.6 | | |
| 1940 | 69.1 | 0.4 | 54.5 | | | 123.6 | 104.8 | 69.8 | 37.1 | 13.2 | 1.4 | | |
| 1945 | 73.2 | 0.5 | 50.2 | | | 121.7 | 114.2 | 81.4 | 47.5 | 14.9 | 1.2 | | |
| 1950 | 98.2 | 0.9 | 82.6 | NA | NA | 189.5 | 153.4 | 95.2 | 48.1 | 15.2 | 1.0 | | |
| 1955 | 111.9 | 0.8 | 95.3 | | | 229.0 | 174.2 | 106.9 | 55.7 | 15.6 | 1.0 | | |
| 1960 | 117.7 | 0.9 | 99.0 | | | 254.4 | 187.5 | 110.5 | 56.5 | 16.5 | 1.0 | | |
| 1965 | 92.6 | 0.9 | 75.1 | | | 188.7 | 146.5 | 87.1 | 45.0 | 13.5 | 0.8 | | |
| 1970 | 85.5 | 1.1 | 71.8 | NA | NA | 163.3 | 137.2 | 67.7 | 30.1 | 8.8 | 0.5 | | |
| 1971 | 81.1 | 1.3 | 71.3 | | | 154.2 | 122.7 | 63.6 | 28.7 | 7.5 | 0.3 | | |
| 1972 | 73.6 | 1.4 | 69.5 | 45.4 | 108.5 | 129.6 | 114.3 | 57.4 | 24.8 | 6.8 | 0.4 | | |
| 1973 | 68.3 | 1.4 | 63.9 | 43.4 | 96.3 | 117.6 | 108.0 | 53.4 | 21.4 | 5.5 | 0.5 | | |
| 1974 | 67.9 | 1.4 | 63.0 | 42.4 | 94.5 | 115.5 | 108.4 | 52.6 | 20.2 | 5.3 | 0.3 | | |
| 1975 | 65.9 | 1.3 | 60.0 | 41.1 | 89.0 | 110.1 | 106.6 | 51.1 | 18.8 | 4.6 | 0.2 | | |
| 1976 | 65.0 | 1.2 | 56.9 | 38.1 | 85.5 | 108.3 | 109.7 | 50.0 | 18.4 | 4.5 | 0.2 | | |
| 1977 | 68.1 | 1.2 | 57.4 | 38.6 | 85.9 | 114.7 | 114.2 | 55.6 | 18.7 | 4.3 | 0.2 | | |
| 1978 | 66.8 | 1.1 | 55.6 | 36.3 | 83.8 | 113.7 | 111.6 | 55.5 | 18.0 | 4.0 | 0.3 | | |
| 1979 | 69.2 | 1.1 | 57.3 | 35.9 | 87.7 | 119.7 | 114.9 | 57.2 | 17.9 | 3.7 | 0.3 | | |
| 1980 | 70.6 | 1.2 | 57.5 | 35.6 | 88.0 | 121.9 | 116.9 | 60.5 | 18.3 | 3.7 | 0.2 | | |
| 1981 | 68.2 | 1.1 | 55.2 | 33.5 | 85.5 | 116.4 | 113.2 | 58.7 | 17.1 | 3.7 | 0.1 | | |
| 1982 | 68.0 | 0.8 | 54.9 | 33.6 | 83.5 | 115.6 | 113.6 | 60.1 | 19.3 | 3.4 | 0.3 | | |
| 1983 | 66.7 | 1.0 | 54.4 | 32.8 | 83.3 | 113.0 | 111.1 | 61.1 | 19.3 | 3.6 | 0.2 | | |
| 1984 | 65.1 | 0.9 | 53.6 | 32.1 | 83.8 | 108.9 | 109.0 | 62.3 | 19.2 | 3.3 | 0.1 | | |
| 1985 | 66.7 | 1.2 | 54.4 | 31.1 | 89.3 | 115.2 | 110.8 | 64.0 | 20.0 | 3.2 | 0.2 | | |
| 1986 | 63.9 | 1.0 | 53.1 | 31.4 | 86.3 | 109.3 | 107.0 | 63.1 | 19.8 | 3.2 | 0.1 | | |

Graph C

Crude And Age-adjusted Death Rates Per 1,000 Population

Missouri 1911-1986




TABLE 4

AGE-SPECIFIC DEATH RATES PER 1,000 POPULATION:
MISSOURI 1911-1986

| | | Under | | | | | AGE | | | | | |
|------|--------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Total* | 1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| 1911 | 20.1 | 99.6 | 12.3 | 2.7 | 4.8 | 6.9 | 8.8 | 13.5 | 24.4 | 52.4 | 118.8 | 247.6 |
| 1920 | 18.3 | 87.1 | 10.4 | 2.8 | 5.0 | 7.0 | 7.9 | 11.2 | 21.1 | 47.0 | 104.2 | 249.0 |
| 1930 | 16.6 | 63.9 | 5.1 | 1.8 | 3.3 | 4.4 | 6.4 | 11.9 | 22.2 | 49.5 | 110.0 | 190.0 |
| 1935 | 16.0 | 60.4 | 4.5 | 1.5 | 2.7 | 3.9 | 6.2 | 10.8 | 21.1 | 45.7 | 115.3 | 190.5 |
| 1940 | 15.0 | 51.6 | 3.3 | 1.0 | 1.9 | 2.8 | 4.9 | 9.8 | 20.4 | 44.8 | 110.0 | 207.2 |
| 1945 | 13.6 | 38.9 | 1.9 | 0.9 | 1.5 | 2.0 | 4.1 | 9.2 | 18.5 | 41.7 | 102.5 | 198.7 |
| 1950 | 12.7 | 33.4 | 1.5 | 0.6 | 1.2 | 1.7 | 3.4 | 8.1 | 18.1 | 38.9 | 94.3 | 210.4 |
| 1955 | 11.3 | 26.0 | 1.0 | 0.5 | 1.2 | 1.5 | 2.9 | 7.2 | 15.9 | 36.1 | 84.4 | 188.3 |
| 1960 | 11.6 | 25.5 | 1.0 | 0.4 | 1.1 | 1.5 | 2.9 | 7.2 | 16.6 | 37.1 | 86.5 | 201.1 |
| 1965 | 11.4 | 26.0 | 1.0 | 0.4 | 1.2 | 1.5 | 3.1 | 7.3 | 16.3 | 36.4 | 84.6 | 194.1 |
| 1970 | 11.1 | 20.8 | 0.8 | 0.4 | 1.4 | 1.6 | 3.2 | 7.2 | 16.6 | 35.8 | 81.8 | 181.9 |
| 1971 | 10.7 | 20.2 | 0.8 | 0.4 | 1.3 | 1.5 | 2.9 | 6.8 | 15.6 | 34.2 | 80.4 | 181.2 |
| 1972 | 10.9 | 18.3 | 0.8 | 0.4 | 1.3 | 1.5 | 2.9 | 7.2 | 15.7 | 35.5 | 82.0 | 183.2 |
| 1973 | 10.7 | 17.8 | 8.0 | 0.4 | 1.3 | 1.5 | 2.9 | 6.9 | 16.0 | 34.2 | 79.8 | 178.9 |
| 1974 | 10.3 | 16.9 | 0.7 | 0.4 | 1.2 | 1.4 | 2.7 | 6.7 | 15.2 | 33.3 | 76.1 | 180.5 |
| 1975 | 9.9 | 16.4 | 0.6 | 0.3 | 1.2 | 1.4 | 2.6 | 6.5 | 14.6 | 32.4 | 71.9 | 170.6 |
| 1976 | 9.7 | 15.3 | 0.7 | 0.4 | 1.3 | 1.4 | 2.5 | 6.2 | 14.5 | 31.7 | 70.0 | 170.6 |
| 1977 | 9.5 | 14.2 | 0.7 | 0.4 | 1.2 | 1.3 | 2.4 | 6.3 | 13.9 | 31.8 | 69.3 | 161.5 |
| 1978 | 9.4 | 14.8 | 0.8 | 0.3 | 1.2 | 1.4 | 2.4 | 6.0 | 14.1 | 30.8 | 68.3 | 165.1 |
| 1979 | 9.0 | 13.7 | 0.6 | 0.3 | 1.3 | 1.3 | 2.2 | 5.7 | 13.2 | 30.2 | 64.9 | 157.3 |
| 1980 | 9.2 | 12.3 | 0.7 | 0.3 | 1.3 | 1.3 | 2.2 | 5.8 | 13.4 | 30.5 | 67.1 | 162.4 |
| 1981 | 8.9 | 12.7 | 0.5 | 0.3 | 1.0 | 1.3 | 2.2 | 5.6 | 13.5 | 29.1 | 64.7 | 159.1 |
| 1982 | 8.7 | 11.7 | 0.6 | 0.3 | 1.1 | 1.2 | 2.0 | 5.2 | 13.2 | 29.1 | 63.8 | 152.0 |
| 1983 | 8.8 | 10.7 | 0.5 | 0.3 | 0.9 | 1.2 | 2.0 | 5.4 | 13.5 | 28.9 | 65.2 | 158.9 |
| 1984 | 8.6 | 10.3 | 0.5 | 0.3 | 1.0 | 1.1 | 1.9 | 5.3 | 12.9 | 28.7 | 63.2 | 155.4 |
| 1985 | 8.7 | 10.2 | 0.4 | 0.2 | 1.0 | 1.2 | 1.8 | 5.0 | 13.4 | 28.4 | 64.5 | 160.5 |
| 1986 | 8.6 | 10.6 | 0.5 | 0.2 | 1.0 | 1.1 | 1.8 | 4.9 | 13.3 | 28.4 | 63.4 | 157.6 |

^{*}Age-Adjusted Death Rate

| | ALL RACES | WHITE | BLACK | OTHER | | ALL RACES | WHITE | BLACK | OTHER |
|---------------------|----------------|----------------|------------|------------|--|-----------|----------|-------|--------|
| TOTAL | 75,116 | 62,334 | 11,811 | 971 | CIGARETTES SMOKED PER DAY DURING PREGNANCY | | | | |
| SEX | | | | | NONE | 52,321 | 43,380 | 8,171 | 770 |
| MALE | 38,668 | 32,179 | 5,985 | 504 | LESS THAN 1 PACK | 12,008 | 9,232 | 2,687 | 89 |
| FEMALE | 36,448 | 30,155 | 5,826 | 467 | 1 PACK OR MORE | 8,258 | 7,539 | 678 | 41 |
| | | | | | UNKNOWN | 2,529 | 2,183 | 275 | 71 |
| ATTENDANT | | | | | | | | | |
| M.D. | 67,470 | 55,282 | 11,299 | 889 | CONGENITAL | | | | |
| D.O. | 7,290 | 6,717 | 502 | 71 | MALFORMATIONS | | F4.7 | 139 | 4 |
| MIDWIFE | 165 | 158 | 3 | 4 | TOTAL WITH MALFORMATION | 690 | 547 | 139 | 4 0 |
| OTHER | 191 | 177 | 7 | 7 | NERVOUS SYSTEM | 61 | 53 18 | 7 | 0 |
| | | | | | EYE, EAR, FACE & NECK | 25 69 | 10 59 | 9 | 1 |
| PLACE OF BIRTH | | (- () - | | 0/0 | HEART & CIRC. SYSTEM | 70 | 65 | 5 | 0 |
| HOSPITAL | 74,394 | 61,683 | 11,751 | 960 | CLEFT PALATE OR LIP | 70 | 05 | 5 | U |
| CLINIC | 175 | 170 | 5 | 0 | DICECTIVE CYCTEM | 24 | 23 | 1 | 0 |
| HOME RESIDENCE | 492 | 436 | 46 | 10 | DIGESTIVE SYSTEM | 104 | 83 | 20 | 1 |
| OTHER | 55 | 45 | 9 | 1 | GENITAL, URINARY | 246 | 172 | 73 | i |
| WOUTH OF PIPIU | | | | | MUSCULOSKELETAL | 50 | 49 | 0 | i |
| MONTH OF BIRTH | | F 0F0 | 995 | 78 | CHROMOSOMAL OTHER | 96 | 72 | 24 | ō |
| JANUARY | 6,132 | 5,059 | 877 | 69 | UTHER | 70 | , - | L-T | · |
| FEBRUARY | 5,664 | 4,718 | 984 | 89 | COMPLICATIONS OF | | | | |
| MARCH | 6,225 | 5,152 5,013 | 939 | 95 | PREGNANCY | | | | |
| APRIL | 6,047 | | 939 947 | 8 7 | TOTAL WITH PREG. COMP. | 7,043 | 5,238 | 1,700 | 105 |
| MAY | 6,279 | 5,245 | 940 | 80 | ANTEPARTUM HEMORRHAGE | 1,034 | 782 | 228 | 24 |
| JUNE | 6,214 | 5,194 | 740 | 90 | PREECLAMPSIA/ECLAMP. | 1,454 | 1,080 | 365 | 9 |
| 1111 17 | 4 700 | 5,641 | 1,048 | 101 | OTHER HYPERTENSION | 1,092 | 827 | 254 | ıí |
| JULY AUGUST | 6,790 6,829 | 5,670 | 1,046 | 93 | EARLY OR THREATENED LAB. | 2,441 | 1,686 | 710 | 45 |
| SEPTEMBER | 6,722 | 5,621 | 1,019 | 82 | PROLONGED PREGNANCY | 756 | 652 | 96 | 8 |
| OCTOBER | 6,181 | 5,118 | 999 | 64 | OTHER | 716 | 527 | 176 | 13 |
| NOVEMBER | 5,769 | 4,791 | 914 | 64 | OTHER | | | | |
| DECEMBER | 6,264 | 5,112 | 1,083 | 69 | COMPLICATIONS OF LABOR | | | | |
| DECEMBER | 0,207 | 5,112 | 1,003 | • , | TOTAL WITH LABOR COMP. | 24,967 | 19,884 | 4,729 | 354 |
| NUMBER BORN | | | | | MALPOSITION/PRESENTATION | 3,104 | 2,641 | 410 | 53 |
| SINGLETON | 73,409 | 60,976 | 11,494 | 939 | DISPROPORTION | 3,108 | 2,715 | 348 | 45 |
| THIN | 1,675 | 1,329 | 314 | 32 | ORGAN, PELVIS ABNORMAL. | 6,374 | 5,358 | 939 | 77 |
| TRIPLET | 28 | 25 | 3 | 0 | FETAL ABNORMALITY | 6,479 | 4,578 | 1,818 | 83 |
| QUAD. OR MORE | 4 | 4 | Ō | Ō | PROB. ASSOC. W/AMNIOTIC | | | | |
| doubt, oit tierra | - | • | _ | | CAVITY AND MEMBRANES | 1,838 | 1,295 | 512 | 31 |
| PREV. TERMINATIONS | | | | | UMBILICAL CORD COMPS. | 2,366 | 1,738 | 584 | 44 |
| UNDER 20 WEEKS GEST | | | | | OTHER | 6,418 | 5,042 | 1,274 | 102 |
| NONE | 59,653 | 49,710 | 9,199 | 744 | | | | | |
| 1 | 11,778 | 9,686 | 1,919 | 173 | CONCURRENT CONDITIONS | | | | |
| 2 OR MORE | 3,666 | 2,920 | 692 | 54 | AFFECTING PREGNANCY | | | | |
| UNKNOWN | 19 | 18 | 1 | 0 | TOTAL | 5,179 | 3,688 | 1,424 | 67 |
| | | | | | INFECTIOUS DESEASES | 724 | 516 | 197 | 11 |
| PREV. TERMINATIONS | | | | | DIABETES | 580 | 434 | 134 | 12 |
| 20+ WEEKS GESTATION | | | | | OBESITY | 138 | 108 | 29 | 1 |
| NONE | 73,922 | 61,445 | 11,525 | 952 | ANEMIA | 347 | 142 | 201 | 4 |
| 1 | 1,086 | 814 | 256 | 16 | MENTAL DISORDERS | 393 | 314 | 76 | 3 |
| 2 OR MORE | 84 | 55 | 28 | 1 | HYPERTENSIVE DISEASE | 1,393 | 1,016 | 362 | 15 |
| UNKNOWN | 24 | 20 | 2 | 2 | OTHER | 1,604 | 1,158 | 425 | 21 |
| | | | | | | | | | |

| | LIVE BIF | RTH ORDER | ALL LIVE | BIRTHS | | | ILLEGITIMATE LIVE BIRTHS LIVE BIRTH ORDER | | | | | |
|--------------------------------|----------|-----------|----------|--------|-------|----------------|---|-------|-------|-------|-----|----------------|
| RACE OF CHILD AGE OF MOTHER | TOTAL | 1ST | 2ND | 3RD | 4TH | 5TH OR MORE | TOTAL | 15T | 2ND | 3RD | 4TH | 5TH OR MORE |
| ALL RACES ALL AGES | 75,116 | 31,120 | 25,483 | 12,092 | 4,129 | 2,292 | 16,884 | 8,889 | 4,175 | 2,160 | 979 | 681 |
| UNDER 15 | 172 | 169 | 3 | 0 | 0 | 0 | 165 | 162 | 3 | 0 | 0 | 0 |
| 15-17 | 3,544 | 3,127 | 383 | 33 | 1 | 0 | 2,600 | 2,308 | 265 | 27 | 0 | 0 |
| 18-19 | 6,385 | 4,587 | 1,459 | 289 | 41 | 9 | 3,332 | 2,398 | 712 | 186 | 29 | 7 |
| 20-24 | 23,395 | 11,308 | 8,255 | 2,909 | 717 | 206 | 6,261 | 2,899 | 1,941 | 930 | 361 | 130 |
| 25-29 | 24,176 | 8,292 | 9,320 | 4,551 | 1,417 | 596 | 2,928 | 807 | 870 | 680 | 333 | 238 |
| 30-34 | 13,197 | 2,963 | 4,894 | 3,258 | 1,313 | 769 | 1,174 | 247 | 312 | 247 | 169 | 199 |
| 35-39 | 3,743 | 601 | 1,088 | 947 | 556 | 551 | 361 | 60 | 65 | 76 | 74 | 86 |
| 40-44 | 479 | 69 | 75 | 99 | 80 | 156 | 58 | 5 | 7 | 13 | 13 | 20 |
| 45-49 | 19 | 2 | 5 | 4 | 3 | 5 | 2 | 1 | 0 | 0 | 0 | 1 |
| UNKNOWN | 6 | 2 | 1 | 2 | 1 | 0 | 3 | 2 | 0 | 1 | 0 | 0 |
| WHITES | | | | | | | | | | | | |
| ALL AGES | 62,334 | 26,109 | 21,671 | 9,931 | 3,135 | 1,488 | 8,546 | 5,215 | 1,925 | 875 | 360 | 171 |
| UNDER 15 | 50 | 50 | 0 | 0 | 0 | 0 | 43 | 43 | 0 | 0 | 0 | 0 |
| 15-17 | 2,266 | 2,073 | 184 | 8 | 1 | 0 | 1,382 | 1,295 | . 84 | 3 | 0 | 0 |
| 18-19 | 4,670 | 3,541 | 969 | 143 | 16 | 1 | 1,786 | 1,457 | 282 | 43 | 4 | • 0 |
| 20-24 | 19,086 | 9,703 | 6,811 | 2,106 | 395 | 71 | 3,130 | 1,752 | 922 | 339 | 99 | 18 |
| 25-29 | 21,016 | 7,463 | 8,292 | 3,865 | 1,070 | 326 | 1,412 | 466 | 429 | 329 | 136 | 52 |
| 30-34 | 11,590 | 2,670 | 4,380 | 2,884 | 1,111 | 545 | 567 | 155 | 168 | 110 | 71 | 63 |
| 35-39 | 3,243 | 549 | 968 | 836 | 470 | 420 | 191 | 43 | 36 | 44 | 40 | 28 |
| 40-44 | 396 | 58 | 61 | 85 | 69 | 123 | 34 | 3 | 4 | 7 | 10 | 10 |
| 45-49 | 13 | 1 | 5 | 3 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN | 4 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| BLACK/OTHER | | | | | | | | | | | | |
| ALL AGES | 12,782 | 5,011 | 3,812 | 2,161 | 994 | 804 | 8,338 | 3,674 | 2,250 | 1,285 | 619 | 510 |
| UNDER 15 | 122 | 119 | 3 | 0 | 0 | 0 | 122 | 119 | 3 | 0 | 0 | 0 |
| 15-17 | 1,278 | 1,054 | 199 | 25 | 0 | 0 | 1,218 | 1,013 | 181 | 24 | 0 | 0 |
| 18-19 | 1,715 | 1,046 | 490 | 146 | 25 | 8 | 1,546 | 941 | 430 | 143 | 25 | 7 |
| 20-24 | 4,309 | 1,605 | 1,444 | 803 | 322 | 135 | 3,131 | 1,147 | 1,019 | 591 | 262 | 112 |
| 25-29 | 3,160 | 829 | 1,028 | 686 | 347 | 270 | 1,516 | 341 | 441 | 351 | 197 | 186 |
| 30-34 | 1,607 | 293 | 514 | 374 | 202 | 224 | 607 | 92 | 144 | 137 | 98 | 136 |
| 35-39 | 500 | 52 | 120 | 111 | 86 | 131 | 170 | .17 | 29 | 32 | 34 | 58 |
| 40-44 | 83 | 11 | 14 | 14 | 11 | 33 | 24 | 2 | 3 | 6 | 3 | 10 |
| 45-49 | 6 | 1 | 0 | 1 | 1 | 3 | 2 | 1 | 0 | 0 | 0 | 1 |
| UNKNOWN | 2 | 1 | 0 | 1 | 0 | 0 | 2 | 1 | 0 | 1 | 0 | 0 |

TABLE 7 TEEN-AGE RESIDENT LIVE BIRTHS BY AGE OF MOTHER BY LIVE BIRTH ORDER BY LEGITIMACY BY RACE OF CHILD WITH PERCENTAGES: MISSOURI 1986

| | | ALL LIVE IVE BIRT | | | ILLE | | PERCENT ILLEGITIMATE LIVE BIRTH ORDER | | | | | |
|----------------|---------|----------------------|-------|--------|-------|-------|---------------------------------------|--------|-------|-------|-------|--------|
| RACE OF CHIL | D | | | 3RD OR | | | | 3RD OR | | | | 3RD OR |
| AGE OF MOTHE | R TOTAL | 1ST | 2ND | MORE | TOTAL | 15T | 2ND | MORE | TOTAL | 1ST | 2ND | MORE |
| | | | | | | | | | | | | |
| ALL RACES | | | | | | | | | | | | |
| 10-19 | 10,101 | 7,883 | 1,845 | 373 | 6,097 | 4,868 | 980 | 249 | 60.4 | 61.8 | 53.1 | 66.8 |
| / | | , , , , , , | _, | | •,•, | ., | , | | | | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 11 | ŏ | Õ | Ŏ | Ö | ő | ŏ | ŏ | Ö | | | | |
| 12 | 5 | 5 | Ŏ | Ö | 5 | 5 | Ŏ | Ö | 100.0 | 100.0 | | |
| 13 | 35 | 35 | ō | ŏ | 33 | 33 | ō | ő | 94.3 | 94.3 | | |
| 14 | 132 | 129 | 3 | ŏ | 127 | 124 | 3 | ŏ | 96.2 | 96.1 | 100.0 | |
| - T | 172 | 12, | _ | • | 12, | | - | • | ,0.12 | ,,,, | 200.0 | |
| 15 | 487 | 456 | 26 | 5 | 420 | 394 | 22 | 4 | 86.2 | 86.4 | 84.6 | 80.0 |
| 16 | 1,120 | 1,024 | 89 | 7 | 837 | 769 | 63 | 5 | 74.7 | 75.1 | 70.8 | 71.4 |
| 17 | 1,937 | 1,647 | 268 | 22 | 1,343 | 1,145 | 180 | 18 | 69.3 | 69.5 | 67.2 | 81.8 |
| 18 | 2,754 | 2,130 | 535 | 89 | 1,580 | 1,219 | 301 | 60 | 57.4 | 57.2 | 56.3 | 67.4 |
| 19 | 3,631 | 2,457 | 924 | 250 | 1,752 | 1,179 | 411 | 162 | 48.3 | 48.0 | 44.5 | 64.8 |
| 19 | 2,621 | £,45/ | 744 | 250 | 1,752 | 1,1/7 | 411 | 102 | 40.5 | 40.0 | 44.5 | 04.0 |
| | | | | | | | | | | | | |
| MUTTEC | | | | | | | | | | | | |
| WHITES | (00/ | F ((6 | 1 157 | 1/0 | 7 013 | 0 705 | 366 | 50 | 46.0 | 49.3 | 31.7 | 29.6 |
| 10-19 | 6,986 | 5,664 | 1,153 | 169 | 3,211 | 2,795 | 200 | 50 | 40.0 | 47.5 | 31.7 | 27.0 |
| | _ | _ | _ | _ | | _ | • | • | | | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | Ô | 0 | | | | |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 13 | 7 | . 7 | 0 | 0 | 5 | 5 | 0 | 0 | 71.4 | 71.4 | | |
| 14 | 43 | 43 | 0 | 0 | 38 | 38 | 0 | 0 | 88.4 | 88.4 | | |
| | | | | | | | | | | | | |
| 15 | 256 | 246 | 8 | 2 | 194 | 188 | 5 | 1 | 75.8 | 76.4 | 62.5 | 50.0 |
| 16 | 684 | 645 | 37 | 2 | 425 | 408 | 17 | 0 | 62.1 | 63.3 | 45.9 | 0.0 |
| 17 | 1,326 | 1,182 | 139 | 5 | 763 | 699 | 62 | 2 | 57.5 | 59.1 | 44.6 | 40.0 |
| 18 | 1,990 | 1,628 | 323 | 39 | 874 | 753 | 110 | 11 | 43.9 | 46.3 | 34.1 | 28.2 |
| 19 | 2,680 | 1,913 | 646 | 121 | 912 | 704 | 172 | 36 | 34.0 | 36.8 | 26.6 | 29.8 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| BLACK/OTHER | | | | | | | | | | | | |
| 10-19 | 3,115 | 2,219 | 692 | 204 | 2,886 | 2,073 | 614 | 199 | 92.6 | 93.4 | 88.7 | 97.5 |
| | | | | | | | | | | | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 12 | 5 | 5 | 0 | 0 | 5 | 5 | 0 | 0 | 100.0 | 100.0 | | |
| 13 | 28 | 28 | Ō | Ö | 28 | 28 | Ō | 0 | 100.0 | 100.0 | | |
| 14 | 89 | 86 | 3 | Ö | 89 | 86 | 3 | Ŏ | 100.0 | 100.0 | 100.0 | |
| - , | - , | | _ | • | ٠, | | _ | _ | 200.0 | | | |
| 15 | 231 | 210 | 18 | 3 | 226 | 206 | 17 | 3 | 97.8 | 98.1 | 94.4 | 100.0 |
| 16 | 436 | 379 | 52 | 5 | 412 | 361 | 46 | 5 | 94.5 | 95.3 | 88.5 | 100.0 |
| 17 | 611 | 465 | 129 | 17 | 580 | 446 | 118 | 16 | 94.9 | 95.9 | 91.5 | 94.1 |
| 18 | 764 | 502 | 212 | 50 | 706 | 466 | 191 | 49 | 92.4 | 92.8 | 90.1 | 98.0 |
| 19 | 951 | 544 | 278 | 129 | 840 | 475 | 239 | 126 | 88.3 | 87.3 | 86.0 | 97.7 |
| 47 | 721 | 277 | 210 | 467 | 070 | 715 | 237 | 150 | 00.3 | 01.5 | 55.0 | 71.1 |

TABLE 8 PERCENT LOW BIRTH WEIGHT AND RESIDENT LIVE BIRTHS BY BIRTH WEIGHT BY AGE OF MOTHER BY RACE OF CHILD: MISSOURI 1986

BIRTH WEIGHT

| AGE OF MOTHER AND RACE OF CHILD | PERCENT LOW BIRTH WEIGHT | TOTAL | LESS THAN 500 GRAMS | 500- 999 GRAMS | 1000- 1499 GRAMS | 1500- 1999 GRAMS | 2000- 2499 GRAMS | 2500- 2999 GRAMS | 3000- 3499 GRAMS | 3500- 3999 GRAMS | 4000 4499 Grams | 4500 OR More Grams | UNKNOWN |
|--|-----------------------------------|--------|------------------------------|----------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|-----------------------|-----------------------------|---------|
| ALL RACES ALL AGES | 6.8 | 75,116 | 114 | 352 | 425 | 985 | 3,242 | 11,830 | 27,272 | 22,451 | 6,983 | 1,429 | 33 |
| UNDER 15 | 14.0 | 172 | 1 | 3 | 5 | 7 | 8 | 44 | 54 | 41 | 9 | 0 | 0 |
| 15-17 | 9.8 | 3,544 | 7 | 40 | 30 | 69 | 201 | 773 | 1,367 | 855 | 168 | 33 | 1 |
| 18-19 | 7.8 | 6,385 | 14 | 30 | 43 | 90 | 324 | 1,283 | 2,516 | 1,651 | 373 | 58 | 3 |
| 20-24 | 7.0 | 23,395 | 36 | 103 | 114 | 304 | 1,090 | 4,038 | 8,721 | 6,726 | 1,905 | 351 | 7 |
| 25-29 | 6.2 | 24,176 | 32 | 96 | 131 | 291 | 950 | 3,464 | 8,710 | 7,568 | 2,431 | 490 | 13 |
| 30-34 | 5.9 | 13,197 | 12 | 60 | 63 | 153 | 490 | 1,690 | 4,509 | 4,277 | 1,580 | 357 | 6 |
| 35-39 | 7.5 | 3,743 | 9 | 20 | 35 | 62 | 155 | 476 | 1,221 | 1,188 | 455 | 120 | 2 |
| 40 AND OVER | 7.8 | 499 | 3 | 0 | 4 | 8 | 24 | 62 | 172 | 144 | 61 | 20 | 1 |
| | | | | | | | | | | | | | |
| WHITES | | | | | | | | | | | | | |
| ALL AGES | 5.7 | 62,334 | 58 | 217 | 288 | 685 | 2,310 | 8,835 | 22,340 | 19,796 | 6,421 | 1,355 | 29 |
| UNDER 15 | 14.0 | 50 | 0 | 1 | 2 | 2 | 2 | 11 | 13 | 15 | 4 | 0 | 0 |
| 15-17 | 8.5 | 2,266 | 4 | 20 | 16 | 37 | 116 | 394 | 864 | 640 | 143 | 32 | 0 |
| 18-19 | 6.6 | 4,670 | 6 | 17 | 28 | 52 | 205 | 844 | 1,803 | 1,334 | 325 | 53 | 3 |
| 20-24 | 5.9 | 19,086 | 17 | 63 | 66 | 217 | 765 | 2,984 | 7,071 | 5,849 | 1,721 | 327 | 6 |
| 25-29 | 5.2 | 21,016 | 17 | 65 | 100 | 209 | 707 | 2,783 | 7,492 | 6,889 | 2,273 | 469 | 12 |
| 30-34 | 5.0 | 11,590 | 7 | 38 | 50 | 113 | 376 | 1,393 | 3,898 | 3,881 | 1,490 | 338 | 6 |
| 35-39 | 6.6 | 3,243 | 5 | 13 | 22 | 50 | 124 | 383 | 1,055 | 1,065 | 408 | 117 | 1 |
| 40 AND OVER | 6.1 | 410 | 2 | 0 | 4 | 4 | 15 | 43 | 143 | 122 | 57 | 19 | 1 |
| BLACK/OTHER | | | | | | | | | | | | | |
| ALL AGES | 12.2 | 12,782 | 56 | 135 | 137 | 300 | 932 | 2,995 | 4,932 | 2,655 | 562 | 74 | 4 |
| UNDER 15 | 13.9 | 122 | 1 | 2 | 3 | 5 | 6 | 33 | 41 | 26 | 5 | 0 | 0 |
| 15-17 | 12.1 | 1,278 | 3 | 20 | 14 | 32 | 85 | 379 | 503 | 215 | 25 | 1 | 1 |
| 18-17 | 11.3 | 1,715 | 8 | 13 | 15 | 38 | 119 | 439 | 713 | 317 | 48 | 5 | 0 |
| 20-24 | 12.0 | 4,309 | 19 | 40 | 48 | 87 | 325 | 1,054 | 1,650 | 877 | 184 | 24 | 1 |
| LU24 | 15.0 | 4,307 | 17 | 70 | 40 | 01 | 369 | 1,054 | T > 020 | 9// | 104 | 24 | |
| 25-29 | 12.7 | 3,160 | 15 | 31 | 31 | 82 | 243 | 681 | 1,218 | 679 | 158 | 21 | 1 |
| 30-34 | 12.1 | 1,607 | 5 | 22 | 13 | 40 | 114 | 297 | 611 | 396 | 90 | 19 | 0 |
| 35-39 | 13.4 | 500 | 4 | 7 | 13 | 12 | 31 | 93 | 166 | 123 | 47 | 3 | 1 |
| 40 AND OVER | 15.7 | 89 | 1 | 0 | 0 | 4 | 9 | 19 | 29 | 22 | 4 | 1 | 0 |

ALL AGES INCLUDE UNKNOWN AGE

| | TOTA | L LIVE | BIRTHS BLACK | ILLEG: | ITIMATE LIV | 'E BIRTHS BLACK | PER | CENT ILLEG | ITIMATE BLACK |
|----------------|--------|--------|-----------------|--------|-------------|--------------------|-------|------------|------------------|
| COUNTIES | TOTAL | WHITE | | TOTAL | WHITE | OTHER | TOTAL | WHITE | OTHER |
| STATE TOTAL | 75,116 | 62,334 | 12,782 | 16,884 | 8,546 | 8,338 | 22.5 | 13.7 | 65.2 |
| ADAIR | 275 | 270 | | 33 | 32 | 1 | 12.0 | 11.9 | 20.0 |
| ANDREW | 182 | 179 | 9 3 | 29 | 28 | 1 | 15.9 | 15.6 | 33.3 |
| ATCHISON | 84 | 83 | | 11 | 11 | 0 | 13.1 | 13.3 | 0.0 |
| AUDRAIN | 312 | 289 | 9 23 | 43 | 29 | 14 | 13.8 | 10.0 | 60.9 |
| BARRY | 307 | 299 | 9 8 | 40 | 40 | 0 | 13.0 | 13.4 | 0.0 |
| BARTON | 164 | 163 | 3 1 | 17 | 16 | 1 | 10.4 | 9.8 | 100.0 |
| BATES | 207 | 206 | 5 1 | 29 | 28 | 1 | 14.0 | 13.6 | 100.0 |
| BENTON | 130 | 130 | 0 | 25 | 25 | 0 | 19.2 | 19.2 | |
| BOLLINGER | 136 | 136 | 6 0 | 14 | 14 | 0 | 10.3 | 10.3 | |
| BOONE | 1,676 | 1,433 | 3 243 | 279 | 161 | 118 | 16.6 | 11.2 | 48.6 |
| BUCHANAN | 1,268 | 1,201 | L 67 | 301 | 261 | 40 | 23.7 | 21.7 | 59.7 |
| BUTLER | 494 | 458 | 3 36 | 119 | 95 | 24 | 24.1 | 20.7 | 66.7 |
| CALDWELL | 120 | 120 | 0 | 16 | 16 | 0 | 13.3 | 13.3 | |
| CALLAWAY | 443 | 416 | 5 27 | 81 | 62 | 19 | 18.3 | 14.9 | 70.4 |
| CAMDEN | 294 | 292 | 2 2 | 38 | 38 | 0 | 12.9 | 13.0 | 0.0 |
| CAPE GIRARDEAU | 796 | 727 | 7 69 | 115 | 75 | 40 | 14.4 | 10.3 | 58.0 |
| CARROLL | 136 | 132 | 2 4 | 17 | 15 | 2 | 12.5 | 11.4 | 50.0 |
| CARTER | 84 | 84 | • 0 | 16 | 16 | 0 | 19.0 | 19.0 | |
| CASS | 867 | 849 | 9 18 | 116 | 113 | 3 | 13.4 | 13.3 | 16.7 |
| CEDAR | 133 | 131 | | 13 | 13 | 0 | 9.8 | 9.9 | 0.0 |
| CHARITON | 131 | 126 | 5 5 | 17 | 13 | 4 | 13.0 | 10.3 | 80.0 |
| CHRISTIAN | 403 | 401 | լ 2 | 56 | 56 | 0 | 13.9 | 14.0 | 0.0 |
| CLARK | 78 | 77 | | 14 | 14 | 0 | 17.9 | 18.2 | 0.0 |
| CLAY | 2,100 | 2,023 | 3 77 | 253 | 233 | 20 | 12.0 | 11.5 | 26.0 |
| CLINTON | 206 | 196 | | 31 | 25 | 6 | 15.0 | 12.8 | 60.0 |
| COLE | 870 | 815 | 5 55 | 108 | 85 | 23 | 12.4 | 10.4 | 41.8 |
| COOPER | 198 | 189 | | 29 | 22 | 7 | 14.6 | 11.6 | 77.8 |
| CRAWFORD | 227 | 227 | | 35 | 35 | 0 | 15.4 | 15.4 | |
| DADE | 83 | 81 | | 4 | 4 | 0 | 4.8 | 4.9 | 0.0 |
| DALLAS | 163 | 162 | | 17 | 17 | 0 | 10.4 | 10.5 | 0.0 |
| DAVIESS | 110 | 109 | 9 1 | 15 | 15 | 0 | 13.6 | 13.8 | 0.0 |
| DE KALB | 98 | 98 | | 9 | 9 | 0 | 9.2 | 9.2 | |
| DENT | 171 | 170 | - | 29 | 29 | 0 | 17.0 | 17.1 | 0.0 |
| DOUGLAS | 149 | 148 | | 15 | 15 | 0 | 10.1 | 10.1 | 0.0 |
| DUNKLIN | 418 | 352 | - | 134 | 86 | 48 | 32.1 | 24.4 | 72.7 |

ILLEGITIMATE LIVE BIRTHS

PERCENT ILLEGITIMATE

TOTAL LIVE BIRTHS

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY LEGITIMACY BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1986

| | TOTA | L LIVE BI | | ILLEGI | TIMATE LIV | | PER | CENT ILLEG | ITIMATE BLACK |
|------------------|---------|-----------|-------|------------|------------|----------------|-------|------------|------------------|
| | TOT41 | | BLACK | TOTAL | WHITE | BLACK OTHER | TOTAL | WHITE | OTHER |
| COUNTIES | TOTAL | MHITE | OTHER | IUIAL | MUTIC | OTHER | IOIAL | MILTE | OTHER |
| MORGAN | 216 | 214 | 2 | 26 | 26 | 0 | 12.0 | 12.1 | 0.0 |
| NEW MADRID | 354 | 265 | 89 | 110 | 44 | 66 | 31.1 | 16.6 | 74.2 |
| NEWTON | 592 | 569 | 23 | 65 | 60 | 5 | 11.0 | 10.5 | 21.7 |
| NODAWAY | 258 | 252 | 6 | 31 | 28 | 3 | 12.0 | 11.1 | 50.0 |
| OREGON | 109 | 108 | ì | 12 | 12 | 0 | 11.0 | 11.1 | 0.0 |
| OSAGE | 169 | 169 | 0 | 18 | 18 | 0 | 10.7 | 10.7 | |
| OZARK | 96 | 95 | ì | 13 | 13 | 0 | 13.5 | 13.7 | 0.0 |
| PEMISCOT | 379 | 211 | 168 | 174 | 48 | 126 | 45.9 | 22.7 | 75.0 |
| PERRY | 229 | 226 | 3 | 29 | 29 | 0 | 12.7 | 12.8 | 0.0 |
| PETTIS | 500 | 475 | 25 | 92 | 75 | 17 | 18.4 | 15.8 | 68.0 |
| PETITS | 500 | 4/9 | 25 | , . | ,,, | | 201. | | |
| PHELPS | 468 | 442 | 26 | 67 | 65 | 2 | 14.3 | 14.7 | 7.7 |
| PIKE | 240 | 226 | 14 | 47 | 36 | 11 | 19.6 | 15.9 | 78.6 |
| PLATTE | 755 | 724 | 31 | 85 | 80 | 5 | 11.3 | 11.0 | 16.1 |
| POLK | 261 | 255 | 6 | 29 | 28 | 1 | 11.1 | 11.0 | 16.7 |
| PULASKI | 767 | 594 | 173 | 85 | 67 | 18 | 11.1 | 11.3 | 10.4 |
| · ozneka | • • • • | | | | | | | | |
| PUTNAM | 60 | 60 | 0 | 8 | 8 | 0 | 13.3 | 13.3 | |
| RALLS | 105 | 104 | 1 | 12 | 12 | 0 | 11.4 | 11.5 | 0.0 |
| RANDOLPH | 358 | 333 | 25 | 75 | 59 | 16 | 20.9 | 17.7 | 64.0 |
| RAY | 280 | 276 | 4 | 41 | 39 | 2 | 14.6 | 14.1 | 50.0 |
| REYNOLDS | 63 | 63 | 0 | 13 | 13 | 0 | 20.6 | 20.6 | |
| RIPLEY | 140 | 140 | 0 | 21 | 21 | 0 | 15.0 | 15.0 | |
| | 3,288 | 3,181 | 107 | 326 | 293 | 33 | 9.9 | 9.2 | 30.8 |
| ST. CHARLES | 104 | 101 | 3 | 16 | 14 | 2 | 15.4 | 13.9 | 66.7 |
| ST. CLAIR | 618 | 613 | 5 | 117 | 116 | ī | 18.9 | 18.9 | 20.0 |
| ST. FRANCOIS | | | 2 | 35 | 35 | ō | 16.4 | 16.5 | 0.0 |
| STE. GENEVIEVE | 214 | 212 | 2 | 39 | 25 | U | 10.4 | 10.5 | 0.0 |
| ST. LOUIS CITY | 7,993 | 3,229 | 4,764 | 4,505 | 757 | 3,748 | 56.4 | 23.4 | 78.7 |
| ST. LOUIS COUNTY | 13,928 | 11,251 | 2,677 | 2,378 | 991 | 1,387 | 17.1 | 8.8 | 51.8 |
| SALINE | 311 | 291 | 20 | 62 | 50 | 12 | 19.9 | 17.2 | 60.0 |
| SCHUYLER | 53 | 53 | 0 | 7 | 7 | 0 | 13.2 | 13.2 | |
| SCOTLAND | 80 | 80 | Ō | 9 | 9 | 0 | 11.3 | 11.3 | |
| SCOTLAND | 00 | 00 | • | • | - | | | | |
| SCOTT | 592 | 504 | 88 | 137 | 74 | 63 | 23.1 | 14.7 | 71.6 |
| SHANNON | 108 | 108 | 0 | 18 | 18 | 0 | 16.7 | 16.7 | |
| SHELBY | 91 | 91 | Ō | 10 | 10 | 0 | 11.0 | 11.0 | |
| STODDARD | 353 | 343 | 10 | 61 | 56 | 5 | 17.3 | 16.3 | 50.0 |
| STONE | 186 | 186 | 0 | 32 | 32 | 0 | 17.2 | 17.2 | |
| | | | | | | | | | |

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY LEGITIMACY BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1986

| | TOTAL | LIVE BI | RTHS BLACK | ILLEGI | TIMATE LIV | E BIRTHS BLACK | PER | CENT ILLEG | ITIMATE BLACK |
|----------------------------------|-------|---------|---------------|--------|------------|-------------------|-------|------------|------------------|
| COUNTIES | TOTAL | MHITE | OTHER | TOTAL | WHITE | OTHER | TOTAL | WHITE | OTHER |
| SULLIVAN | 55 | 54 | 1 | 9 | 8 | 1 | 16.4 | 14.8 | 100.0 |
| TANEY | 265 | 258 | 7 | 24 | 23 | 1 | 9.1 | 8.9 | 14.3 |
| TEXAS | 294 | 292 | 2 | 44 | 44 | 0 | 15.0 | 15.1 | 0.0 |
| VERNON | 285 | 281 | 4 | 46 | 45 | 1 | 16.1 | 16.0 | 25.0 |
| WARREN | 314 | 299 | 15 | 54 | 43 | 11 | 17.2 | 14.4 | 73.3 |
| WASHINGTON | 298 | 293 | 5 | 78 | 75 | 3 | 26.2 | 25.6 | 60.0 |
| WAYNE | 139 | 139 | 0 | 25 | 25 | 0 | 18.0 | 18.0 | |
| WEBSTER | 340 | 339 | 1 | 35 | 35 | 0 | 10.3 | 10.3 | 0.0 |
| WORTH | 26 | 26 | 0 | 3 | 3 | 0 | 11.5 | 11.5 | |
| WRIGHT | 259 | 257 | 2 | 43 | 42 | 1 | 16.6 | 16.3 | 50.0 |
| CITIES OVER 25,000 POPULATION | | | | | | | | | |
| BLUE SPRINGS | 544 | 524 | 20 | 58 | 54 | 4 | 10.7 | 10.3 | 20.0 |
| CAPE GIRARDEAU | 431 | 364 | 67 | 85 | 46 | 39 | 19.7 | 12.6 | 58.2 |
| COLUMBIA | 836 | 631 | 205 | 183 | 79 | 104 | 21.9 | 12.5 | 50.7 |
| FLORISSANT | 732 | 707 | 25 | 82 | 72 | 10 | 11.2 | 10.2 | 40.0 |
| INDEPENDENCE | 1,717 | 1,644 | 73 | 305 | 283 | 22 | 17.8 | 17.2 | 30.1 |
| JEFFERSON CITY | 469 | 418 | 51 | 80 | 58 | 22 | 17.1 | 13.9 | 43.1 |
| KIRKWOOD | 399 | 352 | 47 | 29 | 10 | 19 | 7.3 | 2.8 | 40.4 |
| LEES SUMMIT | 608 | 590 | 18 | 58 | 54 | 4 | 9.5 | 9.2 | 22.2 |
| RAYTOWN | 354 | 342 | 12 | 48 | 47 | 1 | 13.6 | 13.7 | 8.3 |
| ST. CHARLES | 696 | 674 | 22 | 92 | 86 | 6 | 13.2 | 12.8 | 27.3 |
| ST. JOSEPH | 1,119 | 1,054 | 65 | 284 | 244 | 40 | 25.4 | 23.1 | 61.5 |
| ST. LOUIS CITY | 7,993 | 3,229 | 4,764 | 4,505 | 757 | 3,748 | 56.4 | 23.4 | 78.7 |
| SPRINGFIELD | 1,955 | 1,882 | 73 | 345 | 323 | 22 | 17.6 | 17.2 | 30.1 |
| UNIVERSITY CITY | 649 | 300 | 349 | 203 | 18 | 185 | 31.3 | 6.0 | 53.0 |
| MULTI-COUNTY CITIES | | | | | | | | | |
| JOPLIN | 620 | 594 | 26 | 120 | 111 | 9 | 19.4 | 18.7 | 34.6 |
| JASPER CO. PART | 587 | 563 | 24 | 116 | 107 | 9 | 19.8 | 19.0 | 37.5 |
| NEWTON CO. PART | 33 | 31 | 2 | 4 | 4 | 0 | 12.1 | 12.9 | 0.0 |
| KANSAS CITY | 7,746 | 4,627 | 3,119 | 2,955 | 785 | 2,170 | 38.1 | 17.0 | 69.6 |
| JACKSON CO. PART | 6,346 | 3,285 | 3,061 | 2,798 | 642 | 2,156 | 44.1 | 19.5 | 70.4 |
| CLAY CO. PART | 1,050 | 1,008 | 42 | 119 | 106 | 13 | 11.3 | 10.5 | 31.0 |
| PLATTE CO. PART | 350 | 334 | 16 | 38 | 37 | 1 | 10.9 | 11.1 | 6.3 |

| | | s | TATE TOT | AL | | | EAST-W | EST | | | SOUTH | WEST |
|---|----------|---------|----------|--------|----------|---------|----------|--------|----------|--------|----------|--------|
| | TOT | AL | MHI | TE | BLACK AN | D OTHER | GATEWA | Y | MID AM | IERICA | MISSO | URI |
| | NUMBER P | PERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT |
| TOTAL LIVE BIRTHS | 75,116 | 100.0 | 62,334 | 100.0 | 12,782 | 100.0 | 29,112 | 100.0 | 14,515 | 100.0 | 5,165 | 100.0 |
| UNDER 2500 GRAMS | 5,118 | 6.8 | 3,558 | 5.7 | 1,560 | 12.2 | 2,039 | 7.0 | 1,080 | 7.4 | 312 | 6.0 |
| OVER 4499 GRAMS | 1,429 | 1.9 | 1,355 | 2.2 | 74 | 0.6 | 586 | 2.0 | 239 | 1.6 | 99 | 1.9 |
| LESS THAN 37 WEEKS GEST. | 6,257 | 8.3 | 4,411 | 7.1 | 1,846 | 14.4 | 2,597 | 8.9 | 1,282 | 8.8 | 379 | 7.3 |
| APGAR SCORE LESS THAN 8 | 2,775 | 3.7 | 2,081 | 3.4 | 694 | 5.5 | 882 | 3.0 | 625 | 4.3 | 182 | 3.6 |
| CONGENITAL MALFORMATIONS | 690 | 0.9 | 547 | 0.9 | 143 | 1.1 | 279 | 1.0 | 121 | 8.0 | 34 | 0.7 |
| NONPHYSICIAN ATTENDED | 356 | 0.5 | 335 | 0.5 | 21 | 0.2 | 39 | 0.1 | 36 | 0.2 | 98 | 1.9 |
| HOME DELIVERIES | 492 | 0.7 | 436 | 0.7 | 56 | 0.4 | 138 | 0.5 | 61 | 0.4 | 87 | 1.7 |
| OPERATIVE DELIVERIES | 26,433 | 35.2 | 22,589 | 36.2 | 3,844 | 30.1 | 12,569 | 43.2 | 4,353 | 30.0 | 1,822 | 35.3 |
| CESAREAN DELIVERIES | 17,589 | 23.4 | 14,674 | 23.5 | 2,915 | 22.8 | 7,376 | 25.3 | 3,353 | 23.1 | 1,087 | 21.0 |
| MOTHER SMOKED DURING PREG | 20,266 | 27.9 | 16,771 | 27.9 | 3,495 | 28.1 | 7,798 | 27.0 | 3,980 | 29.4 | 1,290 | 25.5 |
| MOTHER UNDER 60 INCHES | 1,354 | 1.8 | 898 | 1.5 | 456 | 3.7 | 574 | 2.0 | 286 | 2.0 | 97 | 1.9 |
| MOTHER UNDER 100 LBS | 2,357 | 3.2 | 1,828 | 3.0 | 529 | 4.3 | 822 | 2.9 | 509 | 3.5 | 166 | 3.3 |
| MOTHER 175 LBS OR MORE | 7,497 | 10.3 | 5,987 | 9.9 | 1,510 | 12.2 | 2,758 | 9.5 | 1,442 | 9.9 | 495 | 9.6 |
| MATERNAL EDUCATION UNDER 1 | 2 15,001 | 20.0 | 11,173 | 17.9 | 3,828 | 29.9 | 5,124 | 17.6 | 2,754 | 19.0 | 1,048 | 20.3 |
| ILLEGITIMATE BIRTHS LESS THAN 18 MONTHS SINCE | 16,884 | 22.5 | 8,546 | 13.7 | 8,338 | 65.2 | 7,763 | 26.7 | 3,901 | 26.9 | 727 | 14.1 |
| LAST LIVE BIRTH | 6,345 | 8.4 | 4,704 | 7.5 | 1,641 | 12.8 | 2,465 | 8.5 | 1,311 | 9.0 | 404 | 7.8 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 59,224 | 78.8 | 50,725 | 81.4 | 8,499 | 66.5 | 24,422 | 83.9 | 11,342 | 78.1 | 3,900 | 75.5 |
| 2ND TRIMESTER | 11,613 | 15.5 | 8,663 | 13.9 | 2,950 | 23.1 | 3,546 | 12.2 | 2,292 | 15.8 | 853 | 16.5 |
| 3RD TRIMESTER | 2,268 | 3.0 | 1,624 | 2.6 | 644 | 5.0 | 590 | 2.0 | 497 | 3.4 | 199 | 3.9 |
| NO PRENATAL CARE | 891 | 1.2 | 563 | 0.9 | 328 | 2.6 | 215 | 0.7 | 233 | 1.6 | 188 | 3.6 |
| INADEQUATE PRENATAL CARE | 11,866 | 16.3 | 8,315 | 13.7 | 3,551 | 29.5 | 3,554 | 12.5 | 2,479 | 17.5 | 1,021 | 19.9 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 172 | 0.2 | - 50 | 0.1 | 122 | 1.0 | 81 | 0.3 | 38 | 0.3 | 2 | 0.0 |
| 15-17 | 3,544 | 4.7 | 2,266 | 3.6 | 1,278 | 10.0 | 1,316 | 4.5 | 737 | 5.1 | 202 | 3.9 |
| 18-19 | 6,385 | 8.5 | 4,670 | 7.5 | 1,715 | 13.4 | 2,113 | 7.3 | 1,239 | 8.5 | 448 | 8.7 |
| 20-24 | 23,395 | 31.1 | 19,086 | 30.6 | 4,309 | 33.7 | 7,550 | 25.9 | 4,584 | 31.6 | 1,903 | 36.8 |
| 25-29 | 24,176 | 32.2 | 21,016 | 33.7 | 3,160 | 24.7 | 9,969 | 34.2 | 4,745 | 32.7 | 1,593 | 30.8 |
| 30-34 | 13,197 | 17.6 | 11,590 | 18.6 | 1,607 | 12.6 | 6,066 | 20.8 | 2,435 | 16.8 | 775 | 15.0 |
| 35-39 | 3,743 | 5.0 | 3,243 | 5.2 | 500 | 3.9 | 1,802 | 6.2 | 657 | 4.5 | 216 | 4.2 |
| 40-44 | 479 | 0.6 | 396 | 0.6 | 83 | 0.6 | 208 | 0.7 | 74 | 0.5 | 26 | 0.5 |
| 45-49 | 19 | 0.0 | 13 | 0.0 | 6 | 0.0 | 7 | 0.0 | 5 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 31,120 | 41.4 | 26,109 | 41.9 | 5,011 | 39.2 | 11,991 | 41.2 | 6,270 | 43.2 | 2,179 | 42.2 |
| 2ND | 25,483 | 33.9 | 21,671 | 34.8 | 3,812 | 29.8 | 9,756 | 33.5 | 4,837 | 33.3 | 1,834 | 35.5 |
| 3RD | 12,092 | 16.1 | 9,931 | 15.9 | 2,161 | 16.9 | 4,732 | 16.3 | 2,213 | 15.2 | 783 | 15.2 |
| 4TH | 4,129 | 5.5 | 3,135 | 5.0 | 994 | 7.8 | 1,644 | 5.6 | 779 | 5.4 | 236 | 4.6 |
| 5TH OR MORE | 2,292 | 3.1 | 1,488 | 2.4 | 804 | 6.3 | 989 | 3.4 | 416 | 2.9 | 133 | 2.6 |

| LE 10A (CONT) | MARK | | BOONSL | .ICK | OZAR | !K | KAYSIN | IGER | | | SOUTH CE | NTRAL |
|---|-----------------|-------|----------|--------|-------------------|-------|------------------|-------|-------------------|-------|-------------------|-------|
| N | TWAI UMBER P | | NUMBER F | ERCENT | GATEN NUMBER P | | BASI NUMBER F | | SHOW- NUMBER F | | OZARK NUMBER F | |
| TOTAL LIVE BIRTHS | 1,615 | 100.0 | 896 | 100.0 | 2,291 | 100.0 | 1,195 | 100.0 | 1,535 | 100.0 | 1,464 | 100.0 |
| UNDER 2500 GRAMS | 90 | 5.6 | 46 | 5.1 | 136 | 5.9 | 74 | 6.2 | 98 | 6.4 | 87 | 5.9 |
| OVER 4499 GRAMS | 29 | 1.8 | 18 | 2.0 | 44 | 1.9 | 29 | 2.4 | 29 | 1.9 | 34 | 2.3 |
| LESS THAN 37 WEEKS GEST. | 120 | 7.4 | 59 | 6.6 | 181 | 7.9 | 90 | 7.5 | 121 | 7.9 | 105 | 7.2 |
| APGAR SCORE LESS THAN 8 | 75 | 4.7 | 20 | 2.2 | 87 | 3.9 | 95 | 8.0 | 77 | 5.0 | 47 | 3.2 |
| CONGENITAL MALFORMATIONS | 12 | 0.7 | 5 | 0.6 | 23 | 1.0 | 11 | 0.9 | 19 | 1.2 | 14 | 1.0 |
| NONPHYSICIAN ATTENDED | 17 | 1.1 | 2 | 0.2 | 15 | 0.7 | 9 | 0.8 | 9 | 0.6 | 16 | 1.1 |
| HOME DELIVERIES | 22 | 1.4 | 6 | 0.7 | 13 | 0.6 | 10 | 0.8 | 9 | 0.6 | 13 | 0.9 |
| OPERATIVE DELIVERIES | 485 | 30.0 | 313 | 34.9 | 765 | 33.4 | 376 | 31.5 | 502 | 32.7 | 386 | 26.4 |
| CESAREAN DELIVERIES | 334 | 20.7 | 212 | 23.7 | 553 | 24.1 | 297 | 24.9 | 353 | 23.0 | 274 | 18.7 |
| MOTHER SMOKED DURING PREG | 422 | 29.5 | 311 | 34.8 | 510 | 24.8 | 330 | 30.3 | 405 | 26.9 | 470 | 33.4 |
| MOTHER UNDER 60 INCHES | 22 | 1.6 | 13 | 1.5 | 31 | 1.5 | 24 | 2.1 | 20 | 1.3 | 21 | 1.5 |
| MOTHER UNDER 100 LBS | 50 | 3.6 | 20 | 2.3 | 75 | 3.6 | 34 | 3.1 | 66 | 4.4 | 59 | 4.2 |
| MOTHER 175 LBS OR MORE | 195 | 12.1 | 108 | 12.1 | 217 | 9.5 | 125 | 10.5 | 182 | 11.9 | 148 | 10.1 |
| MATERNAL EDUCATION UNDER 12 | 380 | 23.5 | 171 | 19.1 | 586 | 25.6 | 256 | 21.4 | 271 | 17.7 | 475 | 32.4 |
| ILLEGITIMATE BIRTHS LESS THAN 18 MONTHS SINCE | 274 | 17.0 | 163 | 18.2 | 342 | 14.9 | 176 | 14.7 | 221 | 14.4 | 219 | 15.0 |
| LAST LIVE BIRTH | 137 | 8.5 | 86 | 9.6 | 193 | 8.4 | 107 | 9.0 | 126 | 8.2 | 153 | 10.5 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 1,234 | 76.4 | 683 | 76.2 | 1,562 | 68.2 | 911 | 76.2 | 1,225 | 79.8 | 1,083 | 74.0 |
| 2ND TRIMESTER | 285 | 17.6 | 174 | 19.4 | 441 | 19.2 | 215 | 18.0 | 248 | 16.2 | 291 | 19.9 |
| 3RD TRIMESTER | 57 | 3.5 | 24 | 2.7 | 106 | 4.6 | 27 | 2.3 | 33 | 2.1 | 63 | 4.3 |
| NO PRENATAL CARE | 11 | 0.7 | 8 | 0.9 | 40 | 1.7 | 10 | 0.8 | 16 | 1.0 | 13 | 0.9 |
| INADEQUATE PRENATAL CARE | 275 | 17.6 | 146 | 16.6 | 452 | 23.6 | 174 | 15.0 | 215 | 14.3 | 361 | 25.0 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 3 | 0.2 | 2 | 0.2 | 3 | 0.1 | 2 | 0.2 | 0 | 0.0 | 3 | 0.2 |
| 15-17 | 78 | 4.8 | 34 | 3.8 | 116 | 5.1 | 64 | 5.4 | 53 | 3.5 | 85 | 5.8 |
| 18-19 | 154 | 9.5 | 63 | 7.0 | 246 | 10.7 | 137 | 11.5 | 147 | 9.6 | 186 | 12.7 |
| 20-24 | 560 | 34.7 | 293 | 32.7 | 858 | 37.5 | 463 | 38.7 | 604 | 39.3 | 557 | 38.0 |
| 25-29 | 484 | 30.0 | 324 | 36.2 | 657 | 28.7 | 327 | 27.4 | 459 | 29.9 | 381 | 26.0 |
| 30-34 | 255 | 15.8 | 139 | 15.5 | 312 | 13.6 | 151 | 12.6 | 217 | 14.1 | 177 | 12.1 |
| 35-39 | 64 | 4.0 | 32 | 3.6 | 82 | 3.6 | 44 | 3.7 | 50 | 3.3 | 57 | 3.9 |
| 40-44 | 17 | 1.1 | 9 | 1.0 | 15 | 0.7 | 7 | 0.6 | 4 | 0.3 | 17 | 1.2 |
| 45-49 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | . 0 | 0.0 | 1 | 0.1 | 1 | 0.1 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 607 | 37.6 | 322 | 35.9 | 941 | 41.1 | 504 | 42.2 | 645 | 42.0 | 556 | 38.0 |
| 2ND | 572 | 35.4 | 316 | 35.3 | 778 | 34.0 | 396 | 33.1 | 542 | 35.3 | 517 | 35.3 |
| 3RD | 272 | 16.8 | 162 | 18.1 | 389 | 17.0 | 202 | 16.9 | 239 | 15.6 | 247 | 16.9 |
| 4TH | 106 | 6.6 | 62 | 6.9 | 127 | 5.5 | 63 | 5.3 | 78 | 5.1 | 97 | 6.6 |
| 7111 | 100 | 0.0 | U.E | 0.7 | 14/ | و.و | 0.5 | 9.3 | 70 | 5.1 | 71 | 0.0 |

| LE 10A (CONT) | | | LAKE C | F THE | SOUTH | EAST | | | OZAR | K |
|----------------------------|----------|--------|----------|---------|----------|--------|----------|--------|----------|-------------|
| | MERAM | IEC | OZAR | KS. | MISSO | URI | BOOTH | EEL | FOOTH | ILLS |
| | NUMBER P | ERCENT | NUMBER F | PERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT |
| TOTAL LIVE BIRTHS | 1,454 | 100.0 | 1,952 | 100.0 | 2,297 | 100.0 | 2,315 | 100.0 | 920 | 100.0 |
| UNDER 2500 GRAMS | 106 | 7.3 | 128 | 6.6 | 150 | 6.5 | 178 | 7.7 | 62 | 6.7 |
| OVER 4499 GRAMS | 22 | 1.5 | 38 | 1.9 | 54 | 2.4 | 29 | 1.3 | 16 | 1.7 |
| LESS THAN 37 WEEKS GEST. | 116 | 8.0 | 141 | 7.2 | 180 | 7.8 | 221 | 9.5 | 70 | 7.6 |
| APGAR SCORE LESS THAN 8 | 58 | 4.0 | 80 | 4.1 | 82 | 3.6 | 64 | 2.8 | 67 | 7.3 |
| CONGENITAL MALFORMATIONS | 15 | 1.0 | 16 | 0.8 | 32 | 1.4 | 17 | 0.7 | 5 | 0.5 |
| NONPHYSICIAN ATTENDED | 9 | 0.6 | 10 | 0.5 | 23 | 1.0 | 11 | 0.5 | 2 | 0.2 |
| HOME DELIVERIES | 9 | 0.6 | 9 | 0.5 | 25 | 1.1 | 7 | 0.3 | 2 | 0.2 |
| OPERATIVE DELIVERIES | 481 | 33.1 | 578 | 29.6 | 739 | 32.2 | 602 | 26.0 | 163 | 17.7 |
| CESAREAN DELIVERIES | 351 | 24.1 | 435 | 22.3 | 588 | 25.6 | 490 | 21.2 | 141 | 15.3 |
| MOTHER SMOKED DURING PREG | 434 | 30.0 | 584 | 30.6 | 655 | 28.8 | 684 | 32.6 | 267 | 29.9 |
| MOTHER UNDER 60 INCHES | 18 | 1.3 | 38 | 2.0 | 25 | 1.1 | 54 | 2.6 | 19 | 2.1 |
| MOTHER UNDER 100 LBS | 45 | 3.1 | 55 | 2.9 | 86 | 3.8 | 110 | 5.3 | 41 | 4.6 |
| MOTHER 175 LBS OR MORE | 158 | 10.9 | 198 | 10.1 | 236 | 10.3 | 244 | 10.5 | 118 | 12.8 |
| MATERNAL EDUCATION UNDER 1 | 2 415 | 28.5 | 438 | 22.4 | 536 | 23.3 | 855 | 36.9 | 265 | 28.8 |
| ILLEGITIMATE BIRTHS | 246 | 16.9 | 234 | 12.0 | 361 | 15.7 | 717 | 31.0 | 194 | 21.1 |
| LESS THAN 18 MONTHS SINCE | | | | | | | | | 05 | 70.7 |
| LAST LIVE BIRTH | 99 | 6.8 | 170 | 8.7 | 167 | 7.3 | 242 | 10.5 | 95 | 10.3 |
| PRENATAL CARE | | | | | | | | | | (7.0 |
| 1ST TRIMESTER | 1,023 | 70.4 | 1,439 | 73.7 | 1,826 | 79.5 | 1,422 | 61.4 | 580 | 63.0 |
| 2ND TRIMESTER | 339 | 23.3 | 367 | 18.8 | 371 | 16.2 | 644 | 27.8 | 250 | 27.2 |
| 3RD TRIMESTER | 56 | 3.9 | 85 | 4.4 | 51 | 2.2 | 164 | 7.1 | 73 | 7.9 |
| NO PRENATAL CARE | 17 | 1.2 | 15 | 0.8 | 30 | 1.3 | 40 | 1.7 | 7 | 0.8 |
| INADEQUATE PRENATAL CARE | 297 | 20.8 | 382 | 20.3 | 307 | 13.5 | 683 | 30.2 | 280 | 31.0 |
| AGE OF MOTHER | | | | | | | | | | |
| UNDER 15 | 2 | 0.1 | 4 | 0.2 | 3 | 0.1 | 18 | 0.8 | 3 | 0.3 |
| 15-17 | 87 | 6.0 | 85 | 4.4 | 99 | 4.3 | 214 | 9.2 | 65 | 7.1 |
| 18-19 | 144 | 9.9 | 192 | 9.8 | 198 | 8.6 | 333 | 14.4 | 109 | 11.8 |
| 20-24 | 543 | 37.3 | 737 | 37.8 | 789 | 34.3 | 875 | 37.8 | 327 | 35.5 |
| 25-29 | 418 | 28.7 | 583 | 29.9 | 713 | 31.0 | 554 | 23.9 | 268 | 29.1 |
| 30-34 | 187 | 12.9 | 258 | 13.2 | 388 | 16.9 | 231 | 10.0 | 109 | 11.8 |
| 35-39 | 63 | 4.3 | 77 | 3.9 | 88 | 3.8 | 82 | 3.5 | 33 | 3.6 |
| 40-44 | 10 | 0.7 | 15 | 0.8 | 19 | 0.8 | 8 | 0.3 | 6 | 0.7 |
| 45-49 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | |
| 1ST | 598 | 41.1 | 806 | 41.3 | 903 | 39.3 | 956 | 41.3 | 359 | 39.0 |
| 2ND | 505 | 34.7 | 660 | 33.8 | 803 | 35.0 | 795 | 34.3 | 340 | 37.0 |
| 3RD | 243 | 16.7 | 317 | 16.2 | 386 | 16.8 | 357 | 15.4 | 139 | 15.1 |
| 4TH | 70 | 4.8 | 107 | 5.5 | 134 | 5.8 | 122 | 5.3 | 54 | 5.9 |
| 5TH OR MORE | 38 | 2.6 | 62 | 3.2 | 71 | 3.1 | 85 | 3.7 | 28 | 3.0 |
| | | | | | | | | | | |

Ţ

| TABLE 10B | RESIDENT | LIVE BIRTHS | | ANDR | | STICS BY | | MISSOUR | | BAR | DV. | BART | -ON |
|-----------------|-------------|-------------|-------|----------|-------|----------|-------|---------|-------|----------|-------|----------|-------|
| | | | | NUMBER P | | | | | | NUMBER P | | NUMBER F | |
| TOTAL LIVE BIR | тнѕ | 275 | 100.0 | 182 | 100.0 | 84 | 100.0 | 312 | 100.0 | 307 | 100.0 | 164 | 100.0 |
| UNDER 2500 GRA | | 13 | 4.7 | 9 | 4.9 | 5 | 6.0 | 26 | 8.3 | 21 | 6.8 | 13 | 7.9 |
| OVER 4499 GRA | MS | 4 | 1.5 | 4 | 2.2 | 2 | 2.4 | 5 | 1.6 | 3 | 1.0 | 4 | 2.4 |
| LESS THAN 37 W | EEKS GEST. | 20 | 7.3 | 20 | 11.0 | 5 | 6.0 | 24 | 7.7 | 30 | 9.8 | 11 | 6.7 |
| APGAR SCORE LE | SS THAN 8 | 12 | 4.4 | 7 | 3.8 | 6 | 7.1 | 18 | 6.0 | 15 | 5.0 | 6 | 3.7 |
| CONGENITAL MAL | FORMATIONS | 3 | 1.1 | 4 | 2.2 | 1 | 1.2 | 4 | 1.3 | 6 | 2.0 | 2 | 1.2 |
| NONPHYSICIAN A | TTENDED | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 2.9 | 3 | 1.0 | 0 | 0.0 |
| HOME DELIVERIE | S | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 3.2 | 4 | 1.3 | 0 | 0.0 |
| OPERATIVE DELI | VERIES | 87 | 31.6 | 54 | 29.7 | 10 | 11.9 | 93 | 29.8 | 94 | 30.6 | 62 | 37.8 |
| CESAREAN DELIV | ERIES | 70 | 25.5 | 35 | 19.2 | 8 | 9.5 | 74 | 23.7 | 62 | 20.2 | 51 | 31.1 |
| MOTHER SMOKED | DURING PRE | | 23.9 | 41 | 22.8 | 18 | 25.7 | 87 | 28.7 | 69 | 28.5 | 33 | 22.9 |
| MOTHER UNDER 6 | O INCHES | 2 | 0.7 | 3 | 1.7 | 1 | 1.4 | 5 | 1.7 | 6 | 2.5 | 2 | 1.2 |
| MOTHER UNDER 1 | 00 LBS | 4 | 1.5 | 6 | 3.3 | 1 | 1.4 | 12 | 4.2 | 7 | 2.9 | 4 | 2.5 |
| MOTHER 175 LBS | OR MORE | 38 | 14.1 | 18 | 9.9 | 11 | 15.7 | 43 | 14.9 | 20 | 8.3 | 26 | 16.0 |
| MATERNAL EDUCA | TION UNDER | 12 21 | 7.6 | 26 | 14.3 | 10 | 11.9 | 67 | 21.5 | 85 | 27.7 | 33 | 20.1 |
| ILLEGITIMATE B | | 33 F | 12.0 | 29 | 15.9 | 11 | 13.1 | 43 | 13.8 | 40 | 13.0 | 17 | 10.4 |
| LAST LIVE BIR | | 16 | 5.8 | 9 | 4.9 | 6 | 7.1 | 22 | 7.1 | 24 | 7.8 | 15 | 9.1 |
| PRENATAL CARE | | | | | | | | | | | | | |
| 1ST TRIMESTER | | 217 | 78.9 | 156 | 85.7 | 68 | 81.0 | 239 | 76.6 | 227 | 73.9 | 113 | 68.9 |
| 2ND TRIMESTER | | 48 | 17.5 | 21 | 11.5 | 13 | 15.5 | 48 | 15.4 | 52 | 16.9 | 45 | 27.4 |
| 3RD TRIMESTER | | 4 | 1.5 | 4 | 2.2 | 1 | 1.2 | 9 | 2.9 | 13 | 4.2 | 3 | 1.8 |
| NO PRENATAL C | ADE | 4 | 1.5 | 1 | 0.5 | ì | 1.2 | 2 | 0.6 | -13 | 4.2 | 1 | 0.6 |
| INADEQUATE PR | | - | 18.5 | 20 | 11.0 | 14 | 16.9 | 42 | 14.3 | 57 | 18.8 | 32 | 20.9 |
| INADEQUATE PR | ENATAL CARI | | 10.5 | 20 | 11.0 | 14 | 10.7 | 42 | 14.5 | 51 | 10.0 | | 20.9 |
| AGE OF MOTHER | | | | | | | | | | | | | |
| UNDER 15 | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.6 |
| 15-17 | | 3 | 1.1 | 5 | 2.7 | 2 | 2.4 | 11 | 3.5 | 20 | 6.5 | 4 | 2.4 |
| 18-19 | | 8 | 2.9 | 10 | 5.5 | 7 | 8.3 | 37 | 11.9 | 42 | 13.7 | 11 | 6.7 |
| 20-24 | | 89 | 32.4 | 55 | 30.2 | 32 | 38.1 | 99 | 31.7 | 129 | 42.0 | 58 | 35.4 |
| 25-29 | | 107 | 38.9 | 60 | 33.0 | 24 | 28.6 | 96 | 30.8 | 71 | 23.1 | 49 | 29.9 |
| 30-34 | | 53 | 19.3 | 41 | 22.5 | 13 | 15.5 | 59 | 18.9 | 30 | 9.8 | 31 | 18.9 |
| 35-39 | | 15 | 5.5 | 10 | 5.5 | 4 | 4.8 | 9 | 2.9 | 12 | 3.9 | 9 | 5.5 |
| 40-44 | | 0 | 0.0 | 1 | 0.5 | 2 | 2.4 | 1 | 0.3 | 3 | 1.0 | 1 | 0.6 |
| 45-49 | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDS | ER | | | | | | | | | | | | |
| 1ST | | 105 | 38.2 | 73 | 40.1 | 37 | 44.0 | 114 | 36.5 | 129 | 42.0 | 66 | 40.2 |
| 2ND | | 102 | 37.1 | 65 | 35.7 | 22 | 26.2 | 111 | 35.6 | 103 | 33.6 | 51 | 31.1 |
| 3RD | | 45 | 16.4 | 30 | 16.5 | 16 | 19.0 | 59 | 18.9 | 45 | 14.7 | 27 | 16.5 |
| 4TH | | 19 | 6.9 | 10 | 5.5 | 7 | 8.3 | 21 | 6.7 | 16 | 5.2 | 10 | 6.1 |
| 5TH OR MORE | | 4 | 1.5 | 4 | 2.2 | 2 | 2.4 | 7 | 2.2 | 14 | 4.6 | 10 | 6.1 |

| BLE 10B (CONT) RESIDENT L | BAT | | BENT | ON | BOLLIN | IGER | B00 | NE | BUCHA | NAN | BUTL | .ER |
|--|----------|---------|----------|---------|----------|--------|----------|--------|----------|---------|----------|---------|
| | NUMBER F | PERCENT | NUMBER F | PERCENT | NUMBER P | ERCENT | NUMBER F | ERCENT | NUMBER F | PERCENT | NUMBER F | PERCENT |
| TOTAL LIVE BIRTHS | 207 | 100.0 | 130 | 100.0 | 136 | 100.0 | 1,676 | 100.0 | 1,268 | 100.0 | 494 | 100.0 |
| UNDER 2500 GRAMS | 20 | 9.7 | 7 | 5.4 | 14 | 10.3 | 117 | 7.0 | 103 | 8.1 | 32 | 6.5 |
| DVER 4499 GRAMS | 5 | 2.4 | 5 | 3.8 | 5 | 3.7 | 13 | 0.8 | 32 | 2.5 | 5 | 1.0 |
| LESS THAN 37 WEEKS GEST. | 25 | 12.1 | 4 | 3.1 | 8 | 5.9 | 109 | 6.5 | 105 | 8.3 | 36 | 7.3 |
| APGAR SCORE LESS THAN 8 | 14 | 6.8 | 14 | 11.1 | 4 | 3.0 | 61 | 3.7 | 34 | 2.7 | 34 | 6.9 |
| CONGENITAL MALFORMATIONS | 0 | 0.0 | 2 | 1.5 | 2 | 1.5 | 8 | 0.5 | 24 | 1.9 | 3 | 0.6 |
| NONPHYSICIAN ATTENDED | 2 | 1.0 | 3 | 2.3 | 5 | 3.7 | 14 | 0.8 | 0 | 0.0 | 1 | 0.2 |
| HOME DELIVERIES | 2 | 1.0 | 3 | 2.3 | 5 | 3.7 | 22 | 1.3 | 0 | 0.0 | 1 | 0.2 |
| OPERATIVE DELIVERIES | 68 | 32.9 | 44 | 33.8 | 42 | 30.9 | 488 | 29.1 | 396 | 31.2 | 74 | 15.0 |
| CESAREAN DELIVERIES | 58 | 28.0 | 34 | 26.2 | 35 | 25.7 | 374 | 22.3 | 266 | 21.0 | 67 | 13.6 |
| MOTHER SMOKED DURING PREG | 53 | 28.8 | 34 | 26.4 | 37 | 27.4 | 358 | 22.0 | 404 | 32.7 | 146 | 30.1 |
| OTHER UNDER 60 INCHES | 4 | 2.0 | 3 | 2.4 | 2 | 1.5 | 31 | 2.0 | 15 | 1.2 | 10 | 2.0 |
| 10THER UNDER 100 LBS | 7 | 3.5 | 3 | 2.5 | 6 | 4.5 | 46 | 3.1 | 45 | 3.6 | 24 | 4.9 |
| MOTHER 175 LBS OR MORE | 35 | 17.5 | 11 | 9.2 | 20 | 14.9 | 124 | 8.4 | 134 | 10.6 | 56 | 11.4 |
| MATERNAL EDUCATION UNDER | 12 44 | 21.3 | 33 | 25.4 | 36 | 26.5 | 198 | 11.8 | 317 | 25.0 | 127 | 25.7 |
| ILLEGITIMATE BIRTHS LESS THAN 18 MONTHS SINCE | 29 | 14.0 | 25 | 19.2 | 14 | 10.3 | 279 | 16.6 | 301 | 23.7 | 119 | 24,1 |
| LAST LIVE BIRTH | 20 | 9.7 | 20 | 15.4 | 11 | 8.1 | 116 | 6.9 | 97 | 7.6 | 52 | 10.5 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 146 | 70.5 | 108 | 83.1 | 101 | 74.3 | 1,322 | 78.9 | 1,030 | 81.2 | 331 | 67.0 |
| 2ND TRIMESTER | 49 | 23.7 | 17 | 13.1 | 26 | 19.1 | 206 | 12.3 | 205 | 16.2 | 124 | 25.1 |
| 3RD TRIMESTER | 6 | 2.9 | 1 | 0.8 | 4 | 2.9 | 45 | 2.7 | 21 | 1.7 | 33 | 6.7 |
| NO PRENATAL CARE | 2 | 1.0 | 2 | 1.5 | 3 | 2.2 | 8 | 0.5 | 8 | 0.6 | 5 | 1.0 |
| INADEQUATE PRENATAL CARE | 47 | 23.4 | 13 | 10.3 | 23 | 17.3 | 175 | 11.7 | 204 | 16.2 | 137 | 28.0 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 0 | 0.0 | 1 | 0.7 | 1 | 0.1 | 2 | 0.2 | 2 | 0.4 |
| 15-17 | 11 | 5.3 | 13 | 10.0 | 8 | 5.9 | 51 | 3.0 | 74 | 5.8 | 40 | 8.1 |
| 18-19 | 22 | 10.6 | 14 | 10.8 | 12 | 8.8 | 96 | 5.7 | 139 | 11.0 | 57 | 11.5 |
| 20-24 | 88 | 42.5 | 47 | 36.2 | 48 | 35.3 | 451 | 26.9 | 458 | 36.1 | 171 | 34.6 |
| 25-29 | 59 | 28.5 | 32 | 24.6 | 37 | 27.2 | 577 | 34.4 | 346 | 27.3 | 145 | 29.4 |
| 30-34 | 18 | 8.7 | 17 | 13.1 | 24 | 17.6 | 395 | 23.6 | 191 | 15.1 | 56 | 11.3 |
| 35-39 | 8 | 3.9 | 6 | 4.6 | 4 | 2.9 | 92 | 5.5 | 53 | 4.2 | 19 | 3.8 |
| 40-44 | 1 | 0.5 | 1 | 0.8 | 2 | 1.5 | 10 | 0.6 | 5 | 0.4 | 4 | 0.8 |
| 45-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 83 | 40.1 | 59 | 45.4 | 64 | 47.1 | 802 | 47.9 | 534 | 42.1 | 198 | 40.1 |
| 2ND | 68 | 32.9 | 40 | 30.8 | 30 | 22.1 | 559 | 33.4 | 420 | 33.1 | 191 | 38.7 |
| 3RD | 38 | 18.4 | 19 | 14.6 | 20 | 14.7 | 211 | 12.6 | 225 | 17.7 | 72 | 14.6 |
| 4TH | 13 | 6.3 | 9 | 6.9 | 13 | 9.6 | 65 | 3.9 | 68 | 5.4 | 20 | 4.0 |
| 5TH OR MORE | 5 | 2.4 | 3 | 2.3 | 9 | 6.6 | 39 | 2.3 | 21 | 1.7 | 13 | 2.6 |

| TABLE 10B (CONT) RESIDENT LIV | VE BIRTHS | BY SEL | ECTED CHA | RACTERI | STICS BY | COUNTY: | MISSOUR | I 1986 | | | | |
|-------------------------------|-----------|--------|-----------|---------|----------|---------|------------|--------|----------|--------|----------|--------|
| | CALDW | ELL | CALLA | WAY | CAMD | EN | CAPE GIR | ARDEAU | CARR | OLL | CART | ER |
| | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT |
| TOTAL LIVE BIRTHS | 120 | 100.0 | 443 | 100.0 | 294 | 100.0 | 796 | 100.0 | 136 | 100.0 | 84 | 100.0 |
| UNDER 2500 GRAMS | 5 | 4.2 | 33 | 7.4 | 18 | 6.1 | 48 | 6.0 | 9 | 6.6 | 6 | 7.1 |
| OVER 4499 GRAMS | 4 | 3.3 | 9 | 2.0 | 4 | 1.4 | 21 | 2.6 | 3 | 2.2 | 2 | 2.4 |
| LESS THAN 37 WEEKS GEST. | 5 | 4.2 | 42 | 9.5 | 20 | 6.8 | 70 | 8.8 | 5 | 3.7 | 9 | 10.7 |
| APGAR SCORE LESS THAN 8 | 1 | 0.8 | 23 | 5.2 | 14 | 4.8 | 31 | 3.9 | 4 | 2.9 | 5 | 6.1 |
| CONGENITAL MALFORMATIONS | 0 | 0.0 | 6 | 1.4 | 1 | 0.3 | 10 | 1.3 | 0 | 0.0 | 0 | 0.0 |
| NONPHYSICIAN ATTENDED | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 7 | 0.9 | 0 | 0.0 | 0 | 0.0 |
| HOME DELIVERIES | 0 | 0.0 | 3 | 0.7 | 0 | 0.0 | 7 | 0.9 | 0 | 0.0 | 0 | 0.0 |
| OPERATIVE DELIVERIES | 28 | 23.3 | 127 | 28.7 | 97 | 33.0 | 237 | 29.8 | 32 | 23.5 | 19 | 22.6 |
| CESAREAN DELIVERIES | 21 | 17.5 | 99 | 22.3 | 73 | 24.8 | 207 | 26.0 | 29 | 21.3 | 16 | 19.0 |
| MOTHER SMOKED DURING PREG | 28 | 23.3 | 141 | 32.6 | 88 | 30.8 | 170 | 21.4 | 35 | 25.7 | 23 | 28.4 |
| MOTHER UNDER 60 INCHES | 1 | 0.8 | 6 | 1.4 | 4 | 1.4 | 8 | 1.0 | 4 | 3.0 | 1 | 1.2 |
| MOTHER UNDER 100 LBS | 3 | 2.5 | 13 | 3.2 | 11 | 3.9 | 22 | 2.8 | 4 | 3.0 | 2 | 2.4 |
| MOTHER 175 LBS OR MORE | 18 | 15.1 | 57 | 13.8 | 33 | 11.7 | 7 5 | 9.5 | 14 | 10.4 | 13 | 15.7 |
| | | | | | | | | | | | | |
| MATERNAL EDUCATION UNDER 12 | | 14.2 | 81 | 18.3 | 51 | 17.3 | 128 | 16.1 | 31 | 22.8 | 25 | 29.8 |
| ILLEGITIMATE BIRTHS | 16 | 13.3 | 81 | 18.3 | 38 | 12.9 | 115 | 14.4 | 17 | 12.5 | 16 | 19.0 |
| LESS THAN 18 MONTHS SINCE | | | | | | | | | | | | |
| LAST LIVE BIRTH | 10 | 8.3 | 31 | 7.0 | 32 | 10.9 | 54 | 6.8 | 14 | 10.3 | 10 | 11.9 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 90 | 75.0 | 318 | 71.8 | 238 | 81.0 | 672 | 84.4 | 110 | 80.9 | 46 | 54.8 |
| 2ND TRIMESTER | 24 | 20.0 | 83 | 18.7 | 36 | 12.2 | 93 | 11.7 | 22 | 16.2 | 33 | 39.3 |
| 3RD TRIMESTER | 6 | 5.0 | 15 | 3.4 | 11 | 3.7 | 15 | 1.9 | 4 | 2.9 | 5 | 6.0 |
| NO PRENATAL CARE | 0 | 0.0 | 4 | 0.9 | 1 | 0.3 | 7 | 0.9 | Ó | 0.0 | ō | 0.0 |
| INADEQUATE PRENATAL CARE | 25 | 20.8 | 79 | 19.5 | 56 | 20.1 | 64 | 8.1 | 21 | 15.8 | 41 | 48.8 |
| AGE OF MOTHER | | | | | | | | | | | | |
| | 0 | | , | | • | 0.7 | • | | • | | • | |
| UNDER 15 | _ | 0.0 | 1 | 0.2 | 2 | 0.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 8 | 6.7 | 20 | 4.5 | 7 | 2.4 | 32 | 4.0 | 3 | 2.2 | 5 | 6.0 |
| 18-19 | 9 | 7.5 | 45 | 10.2 | 21 | 7.1 | 50 | 6.3 | 16 | 11.8 | 12 | 14.3 |
| 20-24 | 47 | 39.2 | 139 | 31.4 | 99 | 33.7 | 252 | 31.7 | 46 | 33.8 | 29 | 34.5 |
| 25-29 | 30 | 25.0 | 149 | 33.6 | 90 | 30.6 | 257 | 32.3 | 46 | 33.8 | 15 | 17.9 |
| 30-34 | 23 | 19.2 | 70 | 15.8 | 58 | 19.7 | 160 | 20.1 | 18 | 13.2 | 19 | 22.6 |
| 35-39 | 1 | 0.8 | 18 | 4.1 | 15 | 5.1 | 38 | 4.8 | 7 | 5.1 | 3 | 3.6 |
| 40-44 | 1 | 0.8 | 0 | 0.0 | 1 | 0.3 | 7 | 0.9 | 0 | 0.0 | 1 | 1.2 |
| 45-49 | 1 | 0.8 | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 49 | 40.8 | 186 | 42.0 | 121 | 41.2 | 338 | 42.5 | 51 | 37.5 | 33 | 39.3 |
| 2ND | 36 | 30.0 | 155 | 35.0 | 97 | 33.0 | 306 | 38.4 | 54 | 39.7 | 29 | 34.5 |
| 3RD | 16 | 13.3 | 71 | 16.0 | 45 | 15.3 | 100 | 12.6 | 22 | 16.2 | 10 | 11.9 |
| 4TH | 13 | 10.8 | 24 | 5.4 | 45 21 | 7.1 | 34 | 4.3 | 5 | 3.7 | | 7.1 |
| 5TH OR MORE | 6 | 5.0 | 7 | | 10 | | 34 18 | | 4 | | 6 | |
| SIR OK HORE | 0 | 9.0 | / | 1.6 | 10 | 3.4 | 10 | 2.3 | 4 | 2.9 | 6 | 7.1 |

| ABLE 10B (CONT) RESIDENT LI | VE BIRTHS CAS | | ECTED CHA. CEI | | STICS BY CHARI | | MISSOUF CHRIS | | CLA | NDK | CLA | v |
|--|------------------|-------|-------------------|-------|-------------------|-------|------------------|-------|----------|-------|----------|-------|
| | | _ | NUMBER F | | | | | | NUMBER F | | NUMBER F | |
| TOTAL LIVE BIRTHS | 867 | 100.0 | 133 | 100.0 | 131 | 100.0 | 403 | 100.0 | 78 | 100.0 | 2,100 | 100.0 |
| UNDER 2500 GRAMS | 47 | 5.4 | 0 | 0.0 | 11 | 8.4 | 19 | 4.7 | 2 | 2.6 | 108 | 5.1 |
| OVER 4499 GRAMS | 14 | 1.6 | 3 | 2.3 | 1 | 0.8 | 7 | 1.7 | 3 | 3.8 | 33 | 1.6 |
| LESS THAN 37 WEEKS GEST. | 57 | 6.6 | 8 | 6.0 | 9 | 6.9 | 18 | 4.5 | 2 | 2.6 | 151 | 7.2 |
| APGAR SCORE LESS THAN 8 | 44 | 5.1 | 18 | 13.6 | 7 | 5.4 | 9 | 2.2 | 4 | 5.4 | 70 | 3.3 |
| CONGENITAL MALFORMATIONS | 6 | 0.7 | 1 | 8.0 | 1 | 0.8 | 2 | 0.5 | 2 | 2.6 | 14 | 0.7 |
| NONPHYSICIAN ATTENDED | 2 | 0.2 | 1 | 0.8 | 1 | 0.8 | 3 | 0.7 | 2 | 2.6 | 3 | 0.1 |
| HOME DELIVERIES | 3 | 0.3 | 2 | 1.5 | 0 | 0.0 | 1 | 0.2 | 2 | 2.6 | 4 | 0.2 |
| OPERATIVE DELIVERIES | 242 | 27.9 | 34 | 25.6 | 29 | 22.1 | 145 | 36.0 | 11 | 14.1 | 719 | 34.2 |
| CESAREAN DELIVERIES | 193 | 22.3 | 23 | 17.3 | 21 | 16.0 | 87 | 21.6 | 10 | 12.8 | 509 | 24.2 |
| MOTHER SMOKED DURING PREG | 265 | 33.8 | 28 | 22.6 | 26 | 20.3 | 94 | 23.5 | 10 | 47.6 | 567 | 28.2 |
| MOTHER UNDER 60 INCHES | 14 | 1.6 | 1 | 0.8 | 1 | 0.8 | 7 | 1.8 | 0 | 0.0 | 31 | 1.5 |
| MOTHER UNDER 100 LBS | 28 | 3.2 | 6 | 5.0 | 2 | 1.6 | 10 | 2.5 | 2 | 9.5 | 66 | 3.2 |
| MOTHER 175 LBS OR MORE | 122 | 14.1 | 11 | 9.2 | 15 | 11.6 | 31 | 7.8 | 4 | 19.0 | 178 | 8.5 |
| MATERNAL EDUCATION UNDER 1 | 2 150 | 17.3 | 27 | 20.3 | 16 | 12.2 | 62 | 15.4 | 25 | 32.1 | 263 | 12.5 |
| ILLEGITIMATE BIRTHS LESS THAN 18 MONTHS SINCE | 116 | 13.4 | 13 | 9.8 | 17 | 13.0 | 56 | 13.9 | 14 | 17.9 | 253 | 12.0 |
| LAST LIVE BIRTH | 81 | 9.3 | 12 | 9.0 | 13 | 9.9 | 21 | 5.2 | 5 | 6.4 | 140 | 6.7 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 679 | 78.3 | 99 | 74.4 | 102 | 77.9 | 320 | 79.4 | 54 | 69.2 | 1,780 | 84.8 |
| 2ND TRIMESTER | 145 | 16.7 | 25 | 18.8 | 15 | 11.5 | 59 | 14.6 | 14 | 17.9 | 256 | 12.2 |
| 3RD TRIMESTER | 26 | 3.0 | 5 | 3.8 | 9 | 6.9 | 12 | 3.0 | 6 | 7.7 | 46 | 2.2 |
| NO PRENATAL CARE | 7 | 0.8 | 1 | 0.8 | 0 | 0.0 | 10 | 2.5 | 1 | 1.3 | 11 | 0.5 |
| INADEQUATE PRENATAL CARE | 130 | 15.3 | 22 | 16.9 | 18 | 15.0 | 72 | 18.0 | 17 | 23.0 | 226 | 10.8 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 1 | 0.1 | 0 | 0.0 | 0 | 0.0 | 2 | 0.5 | 0 | 0.0 | 1 | 0.0 |
| 15-17 | 31 | 3.6 | 13 | 9.8 | 3 | 2.3 | 12 | 3.0 | 7 | 9.0 | 58 | 2.8 |
| 18-19 | 68 | 7.8 | 14 | 10.5 | 12 | 9.2 | 32 | 7.9 | 7 | 9.0 | 132 | 6.3 |
| 20-24 | 319 | 36.8 | 51 | 38.3 | 47 | 35.9 | 153 | 38.0 | 24 | 30.8 | 643 | 30.6 |
| 25-29 | 279 | 32.2 | 26 | 19.5 | 44 | 33.6 | 130 | 32.3 | 25 | 32.1 | 760 | 36.2 |
| 30-34 | 130 | 15.0 | 22 | 16.5 | 19 | 14.5 | 60 | 14.9 | 12 | 15.4 | 402 | 19.1 |
| 35-39 | 37 | 4.3 | 7 | 5.3 | 6 | 4.6 | 13 | 3.2 | 2 | 2.6 | 94 | 4.5 |
| 40-44 | 2 | 0.2 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 1 | 1.3 | 9 | 0.4 |
| 45-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| IST | 342 | 39.4 | 56 | 42.1 | 45 | 34.4 | 162 | 40.2 | 36 | 46.2 | 932 | 44.4 |
| 2ND | 304 | 35.1 | 42 | 31.6 | 46 | 35.1 | 157 | 39.0 | 19 | 24.4 | 722 | 34.4 |
| 3RD . | 156 | 18.0 | 23 | 17.3 | 31 | 23.7 | 68 | 16.9 | 16 | 20.5 | 320 | 15.2 |
| 4TH | 47 | 5.4 | 7 | 5.3 | 4 | 3.1 | 13 | 3.2 | 5 | 6.4 | 99 | 4.7 |
| 5TH OR MORE | 18 | 2.1 | 5 | 3.8 | 5 | 3.8 | 3 | 0.7 | 2 | 2.6 | 27 | 1.3 |

| TABLE 10B (CONT) RESIDENT LIV | E BIRTHS | | ECTED CHA | | STICS BY | | MISSOUR | | DAD | ne . | DALL | ۸¢ |
|--|----------|-------|-----------|-------|----------|-------|---------|-------|-----|-------|------|-------|
| | | | NUMBER P | _ | | | | | | | | |
| TOTAL LIVE BIRTHS | 206 | 100.0 | 870 | 100.0 | 198 | 100.0 | 227 | 100.0 | 83 | 100.0 | 163 | 100.0 |
| UNDER 2500 GRAMS | 17 | 8.3 | 45 | 5.2 | 14 | 7.1 | 17 | 7.5 | 7 | 8.4 | 8 | 4.9 |
| OVER 4499 GRAMS | 7 | 3.4 | 17 | 2.0 | 2 | 1.0 | 1 | 0.4 | 2 | 2.4 | 4 | 2.5 |
| LESS THAN 37 WEEKS GEST. | 15 | 7.3 | 53 | 6.1 | 12 | 6.1 | 15 | 6.6 | 7 | 8.4 | 9 | 5.5 |
| APGAR SCORE LESS THAN 8 | 6 | 2.9 | 28 | 3.2 | 5 | 2.5 | 10 | 4.4 | 4 | 4.8 | 8 | 5.0 |
| CONGENITAL MALFORMATIONS | 5 | 2.4 | 8 | 0.9 | 1 | 0.5 | 4 | 1.8 | 0 | 0.0 | 1 | 0.6 |
| NONPHYSICIAN ATTENDED | 0 | 0.0 | 0 | 0.0 | 3 | 1.5 | 0 | 0.0 | 1 | 1.2 | 2 | 1.2 |
| HOME DELIVERIES | 0 | 0.0 | 2 | 0.2 | 3 | 1.5 | 0 | 0.0 | 1 | 1.2 | 2 | 1.2 |
| OPERATIVE DELIVERIES | 54 | 26.2 | 255 | 29.3 | 49 | 24.7 | 89 | 39.2 | 38 | 45.8 | 54 | 33.1 |
| CESAREAN DELIVERIES | 46 | 22.3 | 184 | 21.1 | 32 | 16.2 | 67 | 29.5 | 23 | 27.7 | 33 | 20.2 |
| MOTHER SMOKED DURING PREG | 66 | 33.0 | 195 | 22.8 | 39 | 20.2 | 81 | 35.7 | 15 | 18.3 | 46 | 28.2 |
| MOTHER UNDER 60 INCHES | 3 | 1.5 | 11 | 1.3 | 2 | 1.1 | 2 | 0.9 | 0 | 0.0 | 6 | 3.7 |
| MOTHER UNDER 100 LBS | 6 | 2.9 | 16 | 1.9 | 5 | 2.8 | 6 | 2.7 | 0 | 0.0 | 4 | 2.5 |
| MOTHER 175 LBS OR MORE | 21 | 10.2 | 69 | 8.4 | 31 | 17.6 | 23 | 10.2 | 9 | 10.8 | 21 | 13.0 |
| MATERNAL EDUCATION UNDER 12 | 36 | 17.5 | 105 | 12.1 | 39 | 19.7 | 81 | 35.7 | 13 | 15.7 | 54 | 33.1 |
| ILLEGITIMATE BIRTHS LESS THAN 18 MONTHS SINCE | 31 | 15.0 | 108 | 12.4 | 29 | 14.6 | 35 | 15.4 | 4 | 4.8 | 17 | 10.4 |
| LAST LIVE BIRTH | 19 | 9.2 | 48 | 5.5 | 13 | 6.6 | 18 | 7.9 | 4 | 4.8 | 16 | 9.8 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 167 | 81.1 | 713 | 82.0 | 149 | 75.3 | 145 | 63.9 | 64 | 77.1 | 124 | 76.1 |
| 2ND TRIMESTER | 29 | 14.1 | 110 | 12.6 | 31 | 15.7 | 65 | 28.6 | 17 | 20.5 | 34 | 20.9 |
| 3RD TRIMESTER | 7 | 3.4 | 19 | 2.2 | 6 | 3.0 | 12 | 5.3 | 1 | 1.2 | 4 | 2.5 |
| NO PRENATAL CARE | 1 | 0.5 | 4 | 0.5 | 1 | 0.5 | 2 | 0.9 | 1 | 1.2 | 1 | 0.6 |
| INADEQUATE PRENATAL CARE | 24 | 11.8 | 88 | 10.5 | 24 | 13.1 | 53 | 23.9 | 13 | 16.0 | 30 | 18.4 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 1 | 0.1 | 2 | 1.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 6 | 2.9 | 21 | 2.4 | 9 | 4.5 | 18 | 7.9 | 2 | 2.4 | 9 | 5.5 |
| 18-19 | 15 | 7.3 | 56 | 6.4 | 18 | 9.1 | 26 | 11.5 | 11 | 13.3 | 16 | 9.8 |
| 20-24 | 77 | 37.4 | 251 | 28.9 | 60 | 30.3 | 90 | 39.6 | 32 | 38.6 | 65 | 39.9 |
| 25-29 | 69 | 33.5 | 311 | 35.7 | 69 | 34.8 | 59 | 26.0 | 24 | 28.9 | 40 | 24.5 |
| 30-34 | 33 | 16.0 | 171 | 19.7 | 26 | 13.1 | 26 | 11.5 | 11 | 13.3 | 20 | 12.3 |
| 35-39 | 6 | 2.9 | 54 | 6.2 | 13 | 6.6 | 7 | 3.1 | 2 | 2.4 | 11 | 6.7 |
| 40-44 | 0 | 0.0 | 4 | 0.5 | 1 | 0.5 | 1 | 0.4 | 1 | 1.2 | 2 | 1.2 |
| 45-49 | 0 | 0.0 | Ô | 0.0 | 0 | 0.0 | Ō | 0.0 | Ō | 0.0 | Ō | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 81 | 39.3 | 356 | 40.9 | 84 | 42.4 | 95 | 41.9 | 35 | 42.2 | 68 | 41.7 |
| 2ND | 70 | 34.0 | 314 | 36.1 | 72 | 36.4 | 79 | 34.8 | 29 | 34.9 | 50 | 30.7 |
| 3RD | 38 | 18.4 | 143 | 16.4 | 25 | 12.6 | 36 | 15.9 | 12 | 14.5 | 26 | 16.0 |
| 4TH | 14 | 6.8 | 39 | 4.5 | 13 | 6.6 | 11 | 4.8 | 5 | 6.0 | 6 | 3.7 |
| 5TH OR MORE | 3 | 1.5 | 18 | 2.1 | 4 | 2.0 | 6 | 2.6 | 2 | 2.4 | 13 | 8.0 |

| BLE 10B (CONT) RESIDENT | DAVI | ESS | DE K | ALB | DEN | IT | DOUG | | DUNK | | FRANK | |
|---|----------|--------|----------|--------|----------|--------|----------|--------|----------|--------|----------|------|
| | NUMBER 1 | ERCENI | NUMBER F | ERCENI | NUMBER F | ERCENT | NUMBER F | ERCENT | NUMBER F | ERCENI | NUMBER I | PERC |
| TOTAL LIVE BIRTHS | 110 | 100.0 | 98 | 100.0 | 171 | 100.0 | 149 | 100.0 | 418 | 100.0 | 1,236 | 10 |
| UNDER 2500 GRAMS | 6 | 5.5 | 5 | 5.1 | 14 | 8.2 | 11 | 7.4 | 20 | 4.8 | 62 | |
| OVER 4499 GRAMS | 4 | 3.6 | 3 | 3.1 | 2 | 1.2 | 2 | 1.3 | 4 | 1.0 | 22 | |
| LESS THAN 37 WEEKS GEST. | 10 | 9.1 | 11 | 11.2 | 16 | 9.4 | 15 | 10.1 | 36 | 8.6 | 98 | |
| APGAR SCORE LESS THAN 8 | 2 | 2.0 | 3 | 3.1 | 5 | 2.9 | 7 | 4.7 | 15 | 3.6 | 44 | |
| CONGENITAL MALFORMATIONS | 0 | 0.0 | 1 | 1.0 | 1 | 0.6 | 1 | 0.7 | 3 | 0.7 | 11 | |
| NONPHYSICIAN ATTENDED | 2 | 1.8 | 1 | 1.0 | 1 | 0.6 | 3 | 2.0 | 2 | 0.5 | 1 | |
| HOME DELIVERIES | 5 | 4.5 | 0 | 0.0 | 0 | 0.0 | 2 | 1.3 | 1 | 0.2 | 3 | |
| OPERATIVE DELIVERIES | 26 | 23.6 | 21 | 21.4 | 50 | 29.2 | 47 | 31.5 | 103 | 24.6 | 539 | |
| CESAREAN DELIVERIES | 23 | 20.9 | 16 | 16.3 | 34 | 19.9 | 33 | 22.1 | 92 | 22.0 | 309 | |
| MOTHER SMOKED DURING PRE | G 28 | 25.7 | 30 | 30.6 | 45 | 26.5 | 38 | 25.5 | 109 | 34.5 | 379 | |
| MOTHER UNDER 60 INCHES | 1 | 0.9 | 1 | 1.0 | 3 | 1.8 | 2 | 1.4 | 10 | 3.3 | 16 | |
| MOTHER UNDER 100 LBS | 1 | 0.9 | 2 | 2.0 | 4 | 2.4 | 4 | 2.7 | 17 | 5.6 | 39 | |
| MOTHER 175 LBS OR MORE | 11 | 10.1 | 9 | 9.2 | 28 | 16.7 | 18 | 12.2 | 43 | 14.1 | 139 | |
| MATERNAL EDUCATION UNDER | 12 38 | 34.5 | 13 | 13.3 | 52 | 30.4 | 47 | 31.5 | 186 | 44.5 | 281 | |
| ILLEGITIMATE BIRTHS LESS THAN 18 MONTHS SINC | 15 | 13.6 | 9 | 9.2 | 29 | 17.0 | 15 | 10.1 | 134 | 32.1 | 174 | |
| LAST LIVE BIRTH | 9 | 8.2 | 11 | 11.2 | 7 | 4.1 | 17 | 11.4 | 47 | 11.2 | 74 | |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 73 | 66,4 | 81 | 82.7 | 104 | 60.8 | 106 | 71.1 | 247 | 59.1 | 1,031 | |
| 2ND TRIMESTER | 25 | 22.7 | 14 | 14.3 | 55 | 32.2 | 35 | 23.5 | 128 | 30.6 | 163 | |
| 3RD TRIMESTER | 11 | 10.0 | 3 | 3.1 | 8 | 4.7 | 7 | 4.7 | 32 | 7.7 | 28 | |
| NO PRENATAL CARE | 1 | 0.9 | ō | 0.0 | 2 | 1.2 | i | 0.7 | 6 | 1.4 | 7 | |
| INADEQUATE PRENATAL CARI | | 31.8 | 15 | 15.3 | 34 | 20.5 | 31 | 20.9 | 150 | 36.5 | 176 | |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 0 | 0.0 | 1 | 0.6 | 0 | 0.0 | 2 | 0.5 | 3 | |
| 15-17 | 2 | 1.8 | 4 | 4.1 | 9 | 5.3 | 5 | 3.4 | 44 | 10.5 | 47 | |
| 18-19 | 7 | 6.4 | 6 | 6.1 | 18 | 10.5 | 16 | 10.7 | 67 | 16.0 | 108 | |
| 20-24 | 44 | 40.0 | 34 | 34.7 | 59 | 34.5 | 61 | 40.9 | 165 | 39.5 | 410 | |
| 25-29 | 26 | 23.6 | 38 | 38.8 | 53 | 31.0 | 40 | 26.8 | 90 | 21.5 | 392 | |
| 30-34 | 23 | 20.9 | 12 | 12.2 | 21 | 12.3 | 21 | 14.1 | 40 | 9.6 | 207 | |
| 35-39 | 7 | 6.4 | 3 | 3.1 | 7 | 4.1 | 5 | 3.4 | 9 | 2.2 | 66 | |
| 40-44 | 1 | 0.9 | 1 | 1.0 | 3 | 1.8 | 1 | 0.7 | 1 | 0.2 | 3 | |
| 45-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| IST | 34 | 30.9 | 37 | 37.8 | 65 | 38.0 | 48 | 32.2 | 166 | 39.7 | 474 | 2 |
| 2ND | 36 | 32.7 | 33 | 33.7 | 68 | 39.8 | 62 | 41.6 | 157 | 37.6 | 423 | 3 |
| 3RD | 22 | 20.0 | 22 | 22.4 | 30 | 17.5 | 26 | 17.4 | 60 | 14.4 | 225 | |
| 4TH | 5 | 4.5 | 4 | 4.1 | 5 | 2.9 | 9 | 6.0 | 23 | 5.5 | 72 | |
| 5TH OR MORE | 13 | 11.8 | 2 | 2.0 | 3 | 1.8 | 4 | 2.7 | 12 | 2.9 | 42 | |

| TABLE 10B (CONT) RESIDENT LIV | /E BIRTHS GASCO | | ECTED CHA | STICS BY | | MISSOURI 1986 GRUNDY | | HARRISON | | HENRY | | |
|---|--------------------|-------|-----------|----------|----------------|-------------------------|-----|----------|----------------|-------|-----|-------|
| | | | | | NUMBER PERCENT | | | | NUMBER PERCENT | | | |
| TOTAL LIVE BIRTHS | 177 | 100.0 | 85 | 100.0 | 2,749 | 100.0 | 127 | 100.0 | 93 | 100.0 | 259 | 100.0 |
| UNDER 2500 GRAMS | 7 | 4.0 | 4 | 4.7 | 180 | 6.5 | 3 | 2.4 | . 6 | 6.5 | 22 | 8.5 |
| OVER 4499 GRAMS | 1 | 0.6 | 2 | 2.4 | 54 | 2.0 | 4 | 3,1 | 2 | 2.2 | 6 | 2.3 |
| LESS THAN 37 WEEKS GEST. | 9 | 5.1 | 5 | 5.9 | 199 | 7.2 | 9 | 7.1 | 7 | 7.5 | 24 | 9.3 |
| APGAR SCORE LESS THAN 8 | 7 | 4.0 | 4 | 4.8 | 95 | 3.5 | 6 | 4.8 | 7 | 7.5 | 13 | 5.1 |
| CONGENITAL MALFORMATIONS | 2 | 1.1 | 0 | 0.0 | 10 | 0.4 | 1 | 0.8 | 3 | 3.2 | 3 | 1.2 |
| NONPHYSICIAN ATTENDED | 0 | 0.0 | 1 | 1.2 | 39 | 1.4 | 2 | 1.6 | 0 | 0.0 | 2 | 8.0 |
| HOME DELIVERIES | 1 | 0.6 | 1 | 1.2 | 31 | 1.1 | 2 | 1.6 | 0 | 0.0 | 2 | 0.8 |
| OPERATIVE DELIVERIES | 57 | 32.2 | 17 | 20.0 | 1,059 | 38.5 | 35 | 27.6 | 28 | 30.1 | 90 | 34.7 |
| CESAREAN DELIVERIES | 37 | 20.9 | 16 | 18.8 | 613 | 22.3 | 29 | 22.8 | 26 | 28.0 | 78 | 30.1 |
| MOTHER SMOKED DURING PREG | 48 | 27.3 | 20 | 23.8 | 709 | 25.9 | 37 | 29.6 | 21 | 26.6 | 88 | 34.6 |
| MOTHER UNDER 60 INCHES | 0 | 0.0 | 0 | 0.0 | 44 | 1.6 | 1 | 0.8 | 2 | 2.5 | 8 | 3.2 |
| MOTHER UNDER 100 LBS | 0 | 0.0 | 3 | 3.6 | 89 | 3.3 | 6 | 4.8 | 0 | 0.0 | 10 | 4.0 |
| MOTHER 175 LBS OR MORE | 19 | 10.9 | 9 | 10.8 | 258 | 9.4 | 15 | 11.9 | 16 | 20.3 | 23 | 9.1 |
| MATERNAL EDUCATION UNDER 12 | 31 | 17.5 | 13 | 15.3 | 495 | 18.0 | 19 | 15.0 | 16 | 17.2 | 64 | 24.7 |
| ILLEGITIMATE BIRTHS LESS THAN 18 MONTHS SINCE | 21 | 11.9 | 8 | 9.4 | 424 | 15.4 | 10 | 7.9 | 14 | 15.1 | 35 | 13.5 |
| LAST LIVE BIRTH | 11 | 6.2 | 5 | 5.9 | 208 | 7.6 | 9 | 7.1 | 6 | 6.5 | 17 | 6.6 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 135 | 76.3 | 61 | 71.8 | 2,152 | 78.3 | 99 | 78.0 | 71 | 76.3 | 216 | 83.4 |
| 2ND TRIMESTER | 30 | 16.9 | 19 | 22.4 | 396 | 14.4 | 22 | 17.3 | 19 | 20.4 | 34 | 13.1 |
| 3RD TRIMESTER | 5 | 2.8 | 4 | 4.7 | 85 | 3.1 | 5 | 3.9 | 1 | 1.1 | 3 | 1.2 |
| NO PRENATAL CARE | 0 | 0.0 | 0 | 0.0 | 107 | 3.9 | 1 | 0.8 | 1 | 1.1 | 1 | 0.4 |
| INADEQUATE PRENATAL CARE | 30 | 17.9 | 21 | 25.3 | 485 | 17.8 | 17 | 13.4 | 22 | 24.2 | 21 | 8.3 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 |
| 15-17 | 8 | 4.5 | 5 | 5.9 | 94 | 3.4 | 8 | 6.3 | 3 | 3.2 | 11 | 4.2 |
| 18-19 | 14 | 7.9 | 6 | 7.1 | 190 | 6.9 | 5 | 3.9 | 11 | 11.8 | 33 | 12.7 |
| 20-24 | 63 | 35.6 | 22 | 25.9 | 950 | 34.6 | 49 | 38.6 | 30 | 32.3 | 99 | 38.2 |
| 25-29 | 51 | 28.8 | 33 | 38.8 | 919 | 33.4 | 47 | 37.0 | 33 | 35.5 | 68 | 26.3 |
| 30-34 | 31 | 17.5 | 14 | 16.5 | 462 | 16.8 | 15 | 11.8 | 13 | 14.0 | 37 | 14.3 |
| 35-39 | 10 | 5.6 | 5 | 5.9 | 123 | 4.5 | 3 | 2.4 | 2 | 2.2 | 8 | 3.1 |
| 40-44 | 0 | 0.0 | 0 | 0.0 | 11 | 0.4 | Ō | 0.0 | ĩ | 1.1 | 2 | 0.8 |
| 45-49 | 0 | 0.0 | Ö | 0.0 | 0 | 0.0 | ō | 0.0 | ō | 0.0 | Ō | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 75 | 42.4 | 29 | 34.1 | 1,174 | 42.7 | 53 | 41.7 | 44 | 47.3 | 111 | 42.9 |
| 2ND | 63 | 35.6 | 21 | 24.7 | 997 | 36.3 | 43 | 33.9 | 29 | 31.2 | 91 | 35.1 |
| 3RD | 30 | 16.9 | 28 | 32.9 | 404 | 14.7 | 19 | 15.0 | 12 | 12.9 | 39 | 15.1 |
| 4TH | 7 | 4.0 | 5 | 5.9 | 129 | 4.7 | 10 | 7.9 | 7 | 7.5 | 13 | 5.0 |
| 5TH OR MORE | 2 | 1.1 | 2 | 2.4 | 45 | 1.6 | 2 | 1.6 | i | 1.1 | 5 | 1.9 |

| | TABLE 10B (CONT) RESIDENT LIV | HICKORY | | ELECTED CHARACTER. HOLT T NUMBER PERCENT | | HOWARD | | HOWELL | | IRON | | JACKSON | |
|----------|---|----------|---------|--|--------|----------|--------|----------|--------|----------|---------|----------|---------|
| | | NUMBER P | PERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER F | ERCENT | NUMBER F | PERCENT | NUMBER F | PERCENT |
| | TOTAL LIVE BIRTHS | 77 | 100.0 | 90 | 100.0 | 142 | 100.0 | 449 | 100.0 | 142 | 100.0 | 10,513 | 100.0 |
| | UNDER 2500 GRAMS | 3 | 3.9 | 4 | 4.4 | 9 | 6.3 | 25 | 5.6 | 12 | 8.5 | 864 | 8.2 |
| | OVER 4499 GRAMS | 2 | 2.6 | 1 | 1.1 | 4 | 2.8 | 11 | 2.4 | 1 | 0.7 | 171 | 1.6 |
| | LESS THAN 37 WEEKS GEST. | 6 | 7.8 | 5 | 5.6 | 6 | 4.2 | 27 | 6.0 | 14 | 9.9 | 979 | 9.3 |
| | APGAR SCORE LESS THAN 8 | 1 | 1.3 | 5 | 5.6 | 7 | 4.9 | 10 | 2.2 | 4 | 2.8 | 467 | 4.5 |
| | CONGENITAL MALFORMATIONS | 1 | 1.3 | 0 | 0.0 | 1 | 0.7 | 5 | 1.1 | 3 | 2.1 | 92 | 0.9 |
| | NONPHYSICIAN ATTENDED | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 1 | 0.7 | 26 | 0.2 |
| | HOME DELIVERIES | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 1 | 0.7 | 48 | 0.5 |
| | OPERATIVE DELIVERIES | 26 | 33.8 | 22 | 24.4 | 41 | 28.9 | 116 | 25.8 | 57 | 40.1 | 3,014 | 28.7 |
| | CESAREAN DELIVERIES | 16 | 20.8 | 15 | 16.7 | 29 | 20.4 | 90 | 20.0 | 41 | 28.9 | 2,387 | 22.7 |
| | MOTHER SMOKED DURING PREG | 23 | 30.3 | 25 | 28.4 | 38 | 27.1 | 150 | 34.9 | 58 | 41.1 | 2,915 | 29.7 |
| | MOTHER UNDER 60 INCHES | 0 | 0.0 | 0 | 0.0 | 3 | 2.2 | 8 | 1.9 | 2 | 1.4 | 229 | 2,2 |
| | MOTHER UNDER 100 LBS | 0 | 0.0 | 2 | 2.3 | 2 | 1.6 | 25 | 5.9 | 9 | 6.5 | 382 | 3.7 |
| | MOTHER 175 LBS OR MORE | 5 | 6.8 | 8 | 9.1 | 14 | 10.9 | 37 | 8.7 | 20 | 14.4 | 1,040 | 10.0 |
| | MATERNAL EDUCATION UNDER 12 | 13 | 16.9 | 11 | 12.2 | 30 | 21.1 | 148 | 33.0 | 45 | 31.7 | 2,209 | 21.0 |
| | ILLEGITIMATE BIRTHS | 12 | 15.6 | 11 | 12.2 | 31 | 21.8 | 74 | 16.5 | 28 | 19.7 | 3,406 | 32.4 |
| | LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH | 9 | 11.7 | 8 | 8.9 | 8 | 5.6 | 60 | 13.4 | 9 | 6.3 | 1,007 | 9.6 |
| ı | | | | | | | | | | | | - | |
| ` | PRENATAL CARE 1ST TRIMESTER | 57 | 74.0 | 82 | 91.1 | 100 | 70.4 | 346 | 77.1 | 91 | 64.1 | 8,012 | 76.2 |
| 7 | 2ND TRIMESTER | 15 | 19.5 | 7 | 7.8 | 29 | 20.4 | 83 | 18.5 | 41 | 28.9 | 1,768 | 16.8 |
| ı | 3RD TRIMESTER | 3 | 3.9 | ó | 0.0 | 3 | 20.4 | 11 | 2.4 | 7 | 4.9 | 400 | 3.8 |
| • | NO PRENATAL CARE | 1 | 1.3 | 1 | 1.1 | 3 | 2.1 | 3 | 0.7 | 2 | 1.4 | 205 | 1.9 |
| | INADEQUATE PRENATAL CARE | 16 | 21.1 | 6 | 6.7 | 22 | 16.5 | 107 | 24.3 | 34 | 24.1 | 2,010 | 19.7 |
| | INADEQUATE PREMATAL CARE | 10 | 21.1 | 0 | 0.7 | 22 | 10.5 | 107 | 27.3 | 74 | 27.1 | 2,010 | 17.7 |
| | AGE OF MOTHER UNDER 15 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 35 | 0.3 |
| | 15-17 | 3 | 3.9 | 0 | 0.0 | 7 | 4.9 | 21 | 4.7 | 8 | 5.6 | 616 | 5.9 |
| | 18-19 | 10 | 13.0 | 5 | 5.6 | 14 | 9.9 | 65 | 14.5 | 16 | 11.3 | 971 | 9.2 |
| | 20-24 | 24 | 31.2 | 32 | 35.6 | 55 | 38.7 | 176 | 39.2 | 58 | 40.8 | 3,324 | 31.6 |
| | 25-29 | 28 | 36.4 | 33 | 36.7 | 31 | 21.8 | 100 | 22.3 | 35 | 24.6 | 3,325 | 31.6 |
| | | | | 33 | | | | | | | | - | |
| | 30-34 | 10 | 13.0 | 19 | 21.1 | 31 | 21.8 | 63 | 14.0 | 20 | 14.1 | 1,708 | 16.2 |
| | 35-39 | . 2 | 2.6 | 1 | 1.1 | 2 | 1.4 | 17 | 3.8 | 4 | 2.8 | 468 | 4.5 |
| | 40-44 | 0 | 0.0 | 0 | 0.0 | 2 | 1.4 | 7 | 1.6 | 1 | 0.7 | 61 | 0.6 |
| | 45-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.0 |
| | LIVE BIRTH ORDER | | | | | | | | | | | | |
| | IST | 33 | 42.9 | 38 | 42.2 | 49 | 34.5 | 165 | 36.7 | 50 | 35.2 | 4,533 | 43.1 |
| | 2ND | 25 | 32.5 | 30 | 33.3 | 53 | 37.3 | 168 | 37.4 | 57 | 40.1 | 3,457 | 32.9 |
| | 3RD | 14 | 18.2 | 15 | 16.7 | 23 | 16.2 | 73 | 16.3 | 22 | 15.5 | 1,584 | 15.1 |
| | 4TH | 3 | 3.9 | 3 | 3.3 | 11 | 7.7 | 30 | 6.7 | 9 | 6.3 | 583 | 5.5 |
| | 5TH OR MORE | 2 | 2.6 | 4 | 4.4 | 6 | 4.2 | 13 | 2.9 | 4 | 2.8 | 356 | 3.4 |

| NAMES PREVENT NUMBER PR | TABLE 10B (CONT) RESIDENT LI | | | | | | | | | I ACI | ENE | LAEAV | 'CTTC |
|--|------------------------------|-------|-------|-------|-------|-----|-------|----|-------|-------|-------|-------|-------|
| UNDER 2500 GRAMS 73 5.6 135 5.1 37 5.8 6 10.9 20 5.5 26 6.6 OVER 4499 GRAMS 23 1.8 74 2.8 12 1.9 2 3.6 4 1.1 11 2.8 LESS THAN 37 MEEKS GEST. 107 8.2 184 6.9 40 6.2 6 10.9 21 5.8 39 9.9 APGAR SCORE LESS THAN 8 55 4.3 66 2.5 36 5.6 1 2.0 18 5.0 15 3.8 CONSENITAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.9 27 1.0 1.0 1.0 0.0 9 2.5 5 1.3 NOMPHYSICIAL MALFORMATIONS 12 0.0 2 1.6 0.6 4 0.6 0 2.6 1.0 9 0.0 2.1 0.3 1 0.3 OPERATIVE DELIVERIES 20 2 2.9 1.0 1.0 0 0.0 0 0.0 0 0.0 2.1 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 | | | | | | | | | | | | | |
| Duer 4499 Grams 23 1.8 74 2.8 12 1.9 2 3.6 4 1.1 1.1 2.8 | TOTAL LIVE BIRTHS | 1,305 | 100.0 | 2,667 | 100.0 | 641 | 100.0 | 55 | 100.0 | 362 | 100.0 | 394 | 100.0 |
| APPAR SCORE LESS THAN 8 | UNDER 2500 GRAMS | 73 | 5.6 | 135 | 5.1 | 37 | 5.8 | 6 | | 20 | | 26 | |
| APGAR SCORE LESS THAN 8 CONGENITAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 NONPHYSICIAN ATTENDED 5 0.4 9 0.3 17 1.1 2 3.6 2 0.6 2 0.6 0 0.0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 | OVER 4499 GRAMS | 23 | 1.8 | 74 | 2.8 | 12 | 1.9 | 2 | 3.6 | 4 | 1.1 | 11 | 2.8 |
| CONGENITAL MALFORMATIONS 12 0.9 27 1.0 7 1.1 0 0.0 9 2.5 5 1.3 | LESS THAN 37 WEEKS GEST. | 107 | 8.2 | 184 | 6.9 | 40 | 6.2 | 6 | 10.9 | 21 | 5.8 | 39 | 9.9 |
| NONPHYSICIAN ATTENDED 5 0.4 9 0.3 7 1.1 2 3.6 2 0.6 0 0.0 | APGAR SCORE LESS THAN 8 | 55 | 4.3 | 66 | 2.5 | 36 | | | | | | | |
| HONE DELIVERIES 2 | CONGENITAL MALFORMATIONS | 12 | 0.9 | 27 | 1.0 | 7 | 1.1 | 0 | 0.0 | 9 | 2.5 | 5 | 1.3 |
| OPERATIVE DELIVERIES | | | | | | | | | | | | _ | |
| CESAREAN DELIVERIES 325 24.9 756 28.3 160 25.0 6 10.9 80 22.1 82 20.8 | HOME DELIVERIES | 2 | | 16 | | 4 | | | | | | | |
| MOTHER SMOKED DURING PREG 338 26.6 863 32.5 139 22.1 8 19.5 103 29.0 119 30.9 MOTHER UNDER 60 INCHES 16 1.3 38 1.4 9 1.4 1 2.4 6 1.7 5 1.3 MOTHER UNDER 100 LBS 54 4.3 77 2.9 30 4.7 1 2.4 12 3.4 15 3.8 MOTHER TJS LBS OR MORE 120 9.5 272 10.4 75 11.8 3 7.3 45 12.6 62 15.9 MATERNAL EDUCATION UNDER 12 329 25.2 508 19.0 84 13.1 11 20.0 100 27.6 74 18.8 ILLEGITHMATE BIRTHS 217 16.6 380 14.2 62 9.7 5 9.1 39 10.8 67 17.0 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 107 8.2 194 7.3 56 8.7 7 12.7 29 8.0 33 8.4 PREMATAL CARE 1ST TRIMESTER 870 66.7 2,242 84.1 509 79.4 44 80.0 274 75.7 309 78.4 2ND TRIMESTER 244 18.7 345 12.9 110 17.2 9 16.4 68 18.8 64 16.2 3ND TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PRENATAL CARE 25 24.1 280 10.8 85 13.3 8 15.4 67 18.8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 25 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-344 9 0.7 14 0.5 119 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 47 3.6 122 4.6 18 2.8 4.7 3 11 3.0 17 4.5 35-59 42 1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0 | OPERATIVE DELIVERIES | 471 | 36.1 | 1,154 | 43.3 | 216 | 33.7 | 7 | 12.7 | 124 | 34.3 | 115 | 29.2 |
| MOTHER UNDER 10 INCHES 16 1.3 38 1.4 9 1.4 1 2.4 6 1.7 5 1.3 | CESAREAN DELIVERIES | 325 | 24.9 | 756 | 28.3 | 160 | 25.0 | 6 | 10.9 | 80 | 22.1 | 82 | 20.8 |
| MOTHER UNDER 100 LBS 54 4.3 77 2.9 30 4.7 1 2.4 12 3.4 15 3.8 MOTHER 175 LBS OR MORE 120 9.5 272 10.4 75 11.8 3 7.3 45 12.6 62 15.9 MATERNAL EDUCATION UNDER 12 329 25.2 508 19.0 84 13.1 11 20.0 100 27.6 74 18.8 ILLEGITIMATE BIRTHS 217 16.6 380 14.2 62 9.7 5 9.1 39 10.8 67 17.0 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 107 8.2 194 7.3 56 8.7 7 12.7 29 8.0 33 8.4 PRENATAL CARE 1ST TRIMESTER 870 66.7 2,242 84.1 509 79.4 44 80.0 274 75.7 309 78.4 2ND TRIMESTER 244 18.7 345 12.9 110 17.2 9 16.4 68 18.8 64 16.2 3ND TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 20 NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 12 3.3 8 20 NO PRENATAL CARE 25 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER 151 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 55.1 278 43.4 20 36.4 144 39.8 11.9 41 10.4 20-24 477 36.6 935 55.1 278 43.4 20 36.4 144 39.8 11.9 41 10.4 20-24 477 36.6 935 55.1 278 43.4 20 36.4 144 39.8 11.9 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 17.9 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 10.0 10.0 10.0 10.0 10.0 10.0 10.0 1 | MOTHER SMOKED DURING PREG | 338 | 26.6 | 863 | | 139 | | 8 | | 103 | 29.0 | | |
| MATERNAL EDUCATION UNDER 12 329 25.2 508 19.0 84 13.1 11 20.0 100 27.6 74 18.8 ILLEGITIMATE BIRTHS 217 16.6 380 14.2 62 9.7 5 9.1 39 10.8 67 17.0 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 107 8.2 194 7.3 56 8.7 7 12.7 29 8.0 33 8.4 PREMATAL CARE 1ST TRIMESTER 870 66.7 2,242 84.1 509 79.4 44 80.0 274 75.7 309 78.4 2ND TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PREMATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 1S 2 0.2 1 0.0 0 0.0 0 0.0 12 3.3 8 2.0 NO PREMATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20.24 477 36.6 935 35.1 278 43.4 20.3 64.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30.3 4 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 47.7 36.6 122 4.6 18 2.8 47.3 31 3.8 2.0 10.0 13 23.6 10.4 28.7 118 29.9 10.0 13 23.6 10.4 28.7 118 29.9 10.0 13 23.6 10.4 28.7 118 29.9 10.0 13 23.6 10.4 28.7 118 29.9 10.0 10.0 10.0 10.0 13 23.6 10.4 28.7 118 29.9 10.0 10.0 10.0 10.0 10.0 10.0 10.0 1 | MOTHER UNDER 60 INCHES | 16 | 1.3 | 38 | 1.4 | 9 | 1.4 | 1 | 2.4 | 6 | 1.7 | 5 | 1.3 |
| MATERNAL EDUCATION UNDER 12 329 25.2 508 19.0 84 13.1 11 20.0 100 27.6 74 18.8 ILLEGITIMATE BIRTHS 217 16.6 380 14.2 62 9.7 5 9.1 39 10.8 67 17.0 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 107 8.2 194 7.3 56 8.7 7 12.7 29 8.0 33 8.4 PRENATAL CARE 1ST TRIMESTER 870 66.7 2,242 84.1 509 79.4 44 80.0 274 75.7 309 78.4 2ND TRIMESTER 244 18.7 345 12.9 110 17.2 9 16.4 68 18.8 64 16.2 3RD TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 25 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 69 35 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 30 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0.0 0 0.0 | MOTHER UNDER 100 LBS | 54 | 4.3 | 77 | 2.9 | 30 | 4.7 | 1 | 2.4 | 12 | 3.4 | 15 | 3.8 |
| Tilegitimate Births | MOTHER 175 LBS OR MORE | 120 | 9.5 | 272 | 10.4 | 75 | 11.8 | 3 | 7.3 | 45 | 12.6 | 62 | 15.9 |
| LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 107 8.2 194 7.3 56 8.7 7 12.7 29 8.0 33 8.4 PRENATAL CARE 1ST TRIMESTER 870 66.7 2,242 84.1 509 79.4 44 80.0 274 75.7 309 78.4 2ND TRIMESTER 244 18.7 345 12.9 110 17.2 9 16.4 68 18.8 64 16.2 3RD TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 550 42.1 1,101 41.3 282 44.0 21 38.2 169 46.7 157 39.8 2ND 455 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 455 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 4 16 5 50 42.1 1,101 41.3 282 44.0 21 38.2 169 46.7 157 39.8 2ND 455 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 4 16 5 50 13.8 66 16.8 | MATERNAL EDUCATION UNDER 1 | 2 329 | 25.2 | 508 | 19.0 | 84 | 13.1 | 11 | 20.0 | 100 | 27.6 | 74 | 18.8 |
| PRENATAL CARE STO G6.7 2,242 84.1 509 79.4 44 80.0 274 75.7 309 78.4 200 TRIMESTER 244 18.7 345 12.9 110 17.2 9 16.4 68 18.8 64 16.2 3RD TRIMESTER 241 18.7 345 12.9 110 17.2 9 16.4 68 18.8 64 16.2 3RD TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 0 | | 217 | 16.6 | 380 | 14.2 | 62 | 9.7 | 5 | 9.1 | 39 | 10.8 | 67 | 17.0 |
| IST TRIMESTER 870 66.7 2,242 84.1 509 79.4 44 80.0 274 75.7 309 78.4 2ND TRIMESTER 244 18.7 345 12.9 110 17.2 9 16.4 68 18.8 64 16.2 3RD TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0. | | 107 | 8.2 | 194 | 7.3 | 56 | 8.7 | 7 | 12.7 | 29 | 8.0 | 33 | 8.4 |
| 2ND TRIMESTER 244 18.7 345 12.9 110 17.2 9 16.4 68 18.8 64 16.2 3RD TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 17.9 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0.1 0 0.0 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 | PRENATAL CARE | | | | | | | | | | | | |
| 3RD TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0. | 1ST TRIMESTER | 870 | 66.7 | 2,242 | 84.1 | 509 | 79.4 | 44 | 80.0 | 274 | 75.7 | 309 | 78.4 |
| 3RD TRIMESTER 65 5.0 45 1.7 16 2.5 0 0.0 12 3.3 8 2.0 NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0. | 2ND TRIMESTER | 244 | 18.7 | 345 | 12.9 | 110 | 17.2 | 9 | 16.4 | 68 | 18.8 | 64 | 16.2 |
| NO PRENATAL CARE 24 1.8 12 0.4 4 0.6 0 0.0 4 1.1 10 2.5 INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 17.9 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0.1 0 0.0 0.0 0 0. | | 65 | 5.0 | 45 | 1.7 | 16 | 2.5 | 0 | 0.0 | 12 | 3.3 | 8 | 2.0 |
| INADEQUATE PRENATAL CARE 252 24.1 280 10.8 85 13.3 8 15.4 67 18.8 66 17.0 AGE OF MOTHER UNDER 15 2 0.2 1 0.0 0 0.0 0 0.0 2 0.6 0 0.0 15-17 66 5.1 86 3.2 16 2.5 3 5.5 18 5.0 14 3.6 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 550 42.1 1,101 41.3 282 44.0 21 38.2 169 46.7 157 39.8 2ND 453 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 215 16.5 450 16.9 86 13.4 8 14.5 50 13.8 66 16.8 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | | 24 | | 12 | | | | 0 | 0.0 | 4 | | 10 | |
| UNDER 15 | | | | | | - | | - | | - | | | |
| UNDER 15 | AGE OF MOTHER | | | | | | | | | | | | |
| 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 550 42.1 1,101 41.3 282 44.0 21 38.2 169 46.7 157 39.8 2ND 453 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 215 16.5 450 16.9 86 13.4 8 14.5 50 13.8 66 16.8 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | UNDER 15 | 2 | 0.2 | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.6 | 0 | 0.0 |
| 18-19 131 10.0 190 7.1 53 8.3 6 10.9 43 11.9 41 10.4 20-24 477 36.6 935 35.1 278 43.4 20 36.4 144 39.8 145 36.8 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 550 42.1 1,101 41.3 282 44.0 21 38.2 169 46.7 157 39.8 2ND 453 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 215 16.5 450 16.9 86 13.4 8 14.5 50 13.8 66 16.8 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | 15-17 | 66 | 5.1 | 86 | 3.2 | 16 | 2.5 | 3 | 5.5 | 18 | 5.0 | 14 | 3.6 |
| 20-24 | 18-19 | 131 | 10.0 | 190 | 7.1 | 53 | 8.3 | 6 | | 43 | 11.9 | 41 | 10.4 |
| 25-29 393 30.1 920 34.5 199 31.0 13 23.6 104 28.7 118 29.9 30-34 179 13.7 399 15.0 76 11.9 9 16.4 37 10.2 57 14.5 35-39 47 3.6 122 4.6 18 2.8 4 7.3 11 3.0 17 4.3 40-44 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 550 42.1 1,101 41.3 282 44.0 21 38.2 169 46.7 157 39.8 2ND 453 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 215 16.5 450 16.9 86 13.4 8 14.5 50 13.8 66 16.8 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | | | 36.6 | 935 | | 278 | 43.4 | 20 | 36.4 | 144 | 39.8 | 145 | 36.8 |
| 35-39 | | | | | | | | | | | | | |
| 35-39 | 30-34 | 179 | 13.7 | 399 | 15.0 | 76 | 11.9 | 9 | 16.4 | 37 | 10.2 | 57 | 14.5 |
| 40-44 9 0.7 14 0.5 1 0.2 0 0.0 3 0.8 2 0.5 45-49 1 0.1 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0.0 0 0.0 0 | 35-39 | | 3.6 | 122 | 4.6 | 18 | 2.8 | 4 | 7.3 | 11 | 3.0 | 17 | 4.3 |
| 45-49 1 0.1 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0. | • | | | | | | | | | | | | |
| 1ST 550 42.1 1,101 41.3 282 44.0 21 38.2 169 46.7 157 39.8 2ND 453 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 215 16.5 450 16.9 86 13.4 8 14.5 50 13.8 66 16.8 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | | | | | | | | | | | | | |
| 1ST 550 42.1 1,101 41.3 282 44.0 21 38.2 169 46.7 157 39.8 2ND 453 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 215 16.5 450 16.9 86 13.4 8 14.5 50 13.8 66 16.8 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | LIVE BIRTH ORDER | | | | | | | | | | | | |
| 2ND 453 34.7 918 34.4 228 35.6 24 43.6 124 34.3 143 36.3 3RD 215 16.5 450 16.9 86 13.4 8 14.5 50 13.8 66 16.8 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | | 550 | 42.1 | 1,101 | 41.3 | 282 | 44.0 | 21 | 38.2 | 169 | 46.7 | 157 | 39.8 |
| 3RD 215 16.5 450 16.9 86 13.4 8 14.5 50 13.8 66 16.8 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | | | | | | | | | | | | | |
| 4TH 64 4.9 125 4.7 36 5.6 1 1.8 12 3.3 19 4.8 | | | | | | | | | | | | | |
| | - · · | | | | | | | - | | | | | |
| | | - • | | | | | | | | | | | |

| | LAWRE NUMBER P | | LEM NUMBER P | | LINC NUMBER F | | LIN NUMBER F | | LIVING NUMBER F | | MC DO | |
|---|-------------------|-------|-----------------|-------|------------------|-------|-----------------|-------|--------------------|-------|-------|-----|
| TOTAL LIVE BIRTHS | 408 | 100.0 | 121 | 100.0 | 433 | 100.0 | 181 | 100.0 | 196 | 100.0 | 230 | 100 |
| JNDER 2500 GRAMS | 29 | 7.1 | 8 | 6.6 | 25 | 5.8 | 8 | 4.4 | 12 | 6.1 | 11 | 4 |
| OVER 4499 GRAMS | 7 | 1.7 | 2 | 1.7 | 8 | 1.8 | 0 | 0.0 | 2 | 1.0 | 6 | 2 |
| LESS THAN 37 WEEKS GEST. | 38 | 9.3 | 12 | 9.9 | 31 | 7.2 | 7 | 3.9 | 20 | 10.2 | 17 | 7 |
| APGAR SCORE LESS THAN 8 | 24 | 5.9 | 3 | 2.5 | 14 | 3.2 | 7 | 3.9 | 8 | 4.1 | 7 | 3 |
| CONGENITAL MALFORMATIONS | 8 | 2.0 | 0 | 0.0 | 2 | 0.5 | 2 | 1.1 | 0 | 0.0 | 4 | 1 |
| NONPHYSICIAN ATTENDED | 5 | 1.2 | 1 | 0.8 | 0 | 0.0 | 2 | 1.1 | 0 | 0.0 | 2 | 0 |
| HOME DELIVERIES | 5 | 1.2 | 4 | 3.3 | 2 | 0.5 | 2 | 1.1 | 2 | 1.0 | 2 | 0 |
| PERATIVE DELIVERIES | 137 | 33.6 | 4 | 3.3 | 146 | 33.7 | 49 | 27.1 | 43 | 21.9 | 48 | 20 |
| ESAREAN DELIVERIES | 82 | 20.1 | 3 | 2.5 | 103 | 23.8 | 39 | 21.5 | 37 | 18.9 | 41 | 17 |
| NOTHER SMOKED DURING PREG | 110 | 27.1 | 7 | 46.7 | 158 | 36.6 | 50 | 27.8 | 54 | 28.0 | 13 | 16 |
| OTHER UNDER 60 INCHES | 11 | 2.7 | 0 | 0.0 | 5 | 1.2 | 6 | 3.4 | 2 | 1.0 | 1 | 3 |
| NOTHER UNDER 100 LBS | 25 | 6.2 | 0 | 0.0 | 11 | 2.6 | 6 | 3.5 | 5 | 2.6 | ī | 1 |
| NOTHER 175 LBS OR MORE | 38 | 9.4 | 1 | 6.7 | 57 | 13.3 | 24 | 14.0 | 27 | 13.8 | 10 | 13 |
| ATERNAL EDUCATION UNDER 12 | 2 91 | 22.3 | 22 | 18.2 | 70 | 16.2 | 41 | 22.7 | 36 | 18.4 | 82 | 3! |
| LLEGITIMATE BIRTHS | 66 | 16.2 | 18 | 14.9 | 73 | 16.9 | 27 | 14.9 | 30 | 15.3 | 43 | 18 |
| ESS THAN 18 MONTHS SINCE LAST LIVE BIRTH | 30 | 7.4 | 13 | 10.7 | 43 | 9.9 | 13 | 7.2 | 8 | 4.1 | 23 | 10 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 310 | 76.0 | 87 | 71.9 | 333 | 76.9 | 140 | 77.3 | 169 | 86.2 | 168 | 73 |
| 2ND TRIMESTER | 67 | 16.4 | 27 | 22.3 | 81 | 18.7 | 28 | 15.5 | 22 | 11.2 | 43 | 18 |
| 3RD TRIMESTER | 12 | 2.9 | 6 | 5.0 | 11 | 2.5 | 11 | 6.1 | 3 | 1.5 | 12 | 10 |
| | | | | | | | | | _ | | | |
| NO PRENATAL CARE | 11 | 2.7 | 0 | 0.0 | 5 | 1.2 | 0 | 0.0 | 0 | 0.0 | 3 | |
| INADEQUATE PRENATAL CARE | 76 | 19.2 | 29 | 24.8 | 71 | 16.6 | 43 | 24.9 | 20 | 10.4 | 53 | 23 |
| GE OF MOTHER | , | | _ | | _ | | _ | • • | _ | | | |
| UNDER 15 | 0 | 0.0 | 1 | 0.8 | 1 | 0.2 | 1 | 0.6 | 0 | 0.0 | 0 | 9 |
| 15-17 | 24 | 5.9 | 3 | 2.5 | 12 | 2.8 | _5 | 2.8 | 9 | 4.6 | 19 | |
| 18-19 | 39 | 9.6 | 12 | 9.9 | 31 | 7.2 | 13 | 7.2 | 17 | 8.7 | 37 | 10 |
| 20-24 | 151 | 37.0 | 50 | 41.3 | 144 | 33.3 | 60 | 33.1 | 71 | 36.2 | 95 | 4: |
| 25-29 | 114 | 27.9 | 37 | 30.6 | 169 | 39.0 | 62 | 34.3 | 51 | 26.0 | 54 | 2 |
| 30-34 | 58 | 14.2 | 11 | 9.1 | 60 | 13.9 | 29 | 16.0 | 35 | 17.9 | 19 | |
| 35-39 | 19 | 4.7 | 7 | 5.8 | 11 | 2.5 | 10 | 5.5 | 12 | 6.1 | 3 | 1 |
| 40-44 | 3 | 0.7 | 0 | 0.0 | 5 | 1.2 | 0 | 0.0 | 1 | 0.5 | 3 | 1 |
| 45-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.6 | 0 | 0.0 | 0 | C |
| IVE BIRTH ORDER | | | | | | | | | | | | |
| IST | 157 | 38.5 | 37 | 30.6 | 142 | 32.8 | 66 | 36.5 | 66 | 33.7 | 92 | 40 |
| 2ND | 146 | 35.8 | 52 | 43.0 | 164 | 37.9 | 63 | 34.8 | 74 | 37.8 | 75 | 32 |
| 3RD | 68 | 16.7 | 20 | 16.5 | 90 | 20.8 | 33 | 18.2 | 37 | 18.9 | 36 | 15 |
| 4TH | 20 | 4.9 | 9 | 7.4 | 22 | 5.1 | 12 | 6.6 | 12 | 6.1 | 20 | 8 |
| 5TH OR MORE | 17 | 4.2 | 3 | 2.5 | 15 | 3.5 | 7 | 3.9 | 7 | 3.6 | 7 | 3 |

| TABLE 10B (CONT) RESIDENT LI | VE BIRTHS MAC | | ECTED CHA MADI | | STICS BY MARI | COUNTY: | MISSOUR MARI | | MERO | ER | MILL | .ER |
|------------------------------|------------------|-------|-------------------|-------|------------------|---------|-----------------|--------|----------|--------|----------|--------|
| | | | NUMBER P | | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT |
| TOTAL LIVE BIRTHS | 189 | 100.0 | 162 | 100.0 | 113 | 100.0 | 383 | 100.0 | 48 | 100.0 | 313 | 100.0 |
| UNDER 2500 GRAMS | 12 | 6.3 | 8 | 4.9 | 7 | 6.2 | 21 | 5.5 | 1 | 2.1 | 17 | 5.4 |
| OVER 4499 GRAMS | 6 | 3.2 | 3 | 1.9 | 2 | 1.8 | 1 | 0.3 | 2 | 4.2 | 7 | 2.2 |
| LESS THAN 37 WEEKS GEST. | 13 | 6.9 | 13 | 8.0 | 9 | 8.0 | 37 | 9.7 | 3 | 6.3 | 14 | 4.5 |
| APGAR SCORE LESS THAN 8 | 6 | 3.2 | 6 | 3.7 | 4 | 3.7 | 20 | 5.3 | 0 | 0.0 | 16 | 5.1 |
| CONGENITAL MALFORMATIONS | 1 | 0.5 | 2 | 1.2 | 0 | 0.0 | 2 | 0.5 | 1 | 2.1 | 4 | 1.3 |
| NONPHYSICIAN ATTENDED | 0 | 0.0 | 1 | 0.6 | 2 | 1.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| HOME DELIVERIES | 0 | 0.0 | 1 | 0.6 | 2 | 1.8 | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 |
| OPERATIVE DELIVERIES | 51 | 27.0 | 70 | 43.2 | 33 | 29.2 | 128 | 33.4 | 11 | 22.9 | 86 | 27.5 |
| CESAREAN DELIVERIES | 42 | 22.2 | 54 | 33.3 | 24 | 21.2 | 64 | 16.7 | 11 | 22.9 | 67 | 21.4 |
| MOTHER SMOKED DURING PREG | 41 | 21.8 | 54 | 33.3 | 28 | 25.2 | 124 | 37.3 | 9 | 23.1 | 100 | 32.6 |
| MOTHER UNDER 60 INCHES | 3 | 1.6 | 1 | 0.6 | 0 | 0.0 | 6 | 1.8 | 0 | 0.0 | 3 | 1.0 |
| MOTHER UNDER 100 LBS | 6 | 3.3 | 7 | 4.4 | 4 | 3.7 | 17 | 5.1 | 0 | 0.0 | 6 | 2.0 |
| MOTHER 175 LBS OR MORE | 25 | 13.7 | 18 | 11.3 | 19 | 17.4 | 44 | 13.3 | 5 | 12.8 | 43 | 14.4 |
| MATERNAL EDUCATION UNDER 1 | 2 35 | 18.5 | 57 | 35.2 | 23 | 20.4 | 97 | 25.3 | 6 | 12.5 | 79 | 25.2 |
| ILLEGITIMATE BIRTHS | 19 | 10.1 | 23 | 14.2 | 16 | 14.2 | 83 | 21.7 | 4 | 8.3 | 46 | 14.7 |
| LESS THAN 18 MONTHS SINCE | -/ | 10.1 | | 2712 | | | | | • | | | |
| LAST LIVE BIRTH | 13 | 6.9 | 11 | 6.8 | 9 | 8.0 | 28 | 7.3 | 4 | 8.3 | 23 | 7.3 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 137 | 72.5 | 126 | 77.8 | 78 | 69.0 | 320 | 83.6 | 28 | 58.3 | 222 | 70.9 |
| 2ND TRIMESTER | 41 | 21.7 | 35 | 21.6 | 21 | 18.6 | 52 | 13.6 | 20 | 41.7 | 63 | 20.1 |
| 3RD TRIMESTER | 7 | 3.7 | 1 | 0.6 | 7 | 6.2 | 9 | 2.3 | 0 | 0.0 | 15 | 4.8 |
| NO PRENATAL CARE | 1 | 0.5 | 0 | 0.0 | 4 | 3.5 | 0 | 0.0 | 0 | 0.0 | 2 | 0.6 |
| INADEQUATE PRENATAL CARE | 39 | 21.3 | 22 | 13.6 | 22 | 20.2 | 47 | 12.4 | 15 | 31.9 | 65 | 21.9 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 11 | 5.8 | 11 | 6.8 | 1 | 0.9 | 21 | 5.5 | 2 | 4.2 | 19 | 6.1 |
| 18-19 | 13 | 6.9 | 24 | 14.8 | 10 | 8.8 | 35 | 9.1 | 4 | 8.3 | 34 | 10.9 |
| 20-24 | 65 | 34.4 | 48 | 29.6 | 39 | 34.5 | 123 | 32.1 | 9 | 18.8 | 113 | 36.1 |
| 25-29 | 50 | 26.5 | 52 | 32.1 | 41 | 36.3 | 128 | 33.4 | 21 | 43.8 | 92 | 29.4 |
| 30-34 | 37 | 19.6 | 22 | 13.6 | 12 | 10.6 | 54 | 14.1 | 8 | 16.7 | 43 | 13.7 |
| 35-39 | 8 | 4.2 | 4 | 2.5 | 9 | 8.0 | 19 | 5.0 | 4 | 8.3 | 12 | 3.8 |
| 40-44 | 5 | 2.6 | 1 | 0.6 | i | 0.9 | 2 | 0.5 | 0 | 0.0 | 0 | 0.0 |
| 45-49 | ő | 0.0 | ō | 0.0 | ō | 0.0 | ō | 0.0 | Ō | 0.0 | Ō | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| | 78 | 41.3 | 67 | 41.4 | 42 | 37.2 | 145 | 37.9 | 15 | 31.3 | 122 | 39.0 |
| 1ST | 78 56 | 29.6 | 67 55 | 34.0 | 41 | 36.3 | 140 | 36.6 | 18 | 37.5 | 107 | 34.2 |
| 2ND | 31 | 16.4 | 20 | 12.3 | 16 | 14.2 | 66 | 17.2 | 11 | 22.9 | 53 | 16.9 |
| 3RD | 19 | 10.1 | 20 14 | 8.6 | 7 | 6.2 | 21 | 5.5 | 3 | 6.3 | 23 | 7.3 |
| 4TH | 19 5 | 2.6 | 6 | 3.7 | 7 | 6.2 | 11 | 2.9 | 1 | 2.1 | 8 | 2.6 |
| 5TH OR MORE | 5 | 2.0 | 0 | 3.1 | , | 0.2 | 11 | £.7 | - | 2.1 | Ū | L.0 |

| TABLE 10B (CONT) RESIDENT LI | MISSIS | SIPPI | MONIT | EAU | MONE | OE | MONTGO | MERY | MORG | | NEW MA | |
|------------------------------|----------|--------|----------|--------|----------|--------|----------|---------|----------|---------|----------|---------|
| | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER F | PERCENT | NUMBER F | PERCENT | NUMBER F | PERCENT |
| TOTAL LIVE BIRTHS | 219 | 100.0 | 169 | 100.0 | 128 | 100.0 | 149 | 100.0 | 216 | 100.0 | 354 | 100.0 |
| UNDER 2500 GRAMS | 28 | 12.8 | 5 | 3.0 | 10 | 7.8 | 4 | 2.7 | 17 | 7.9 | 26 | 7.3 |
| OVER 4499 GRAMS | 1 | 0.5 | 4 | 2.4 | 2 | 1.6 | 2 | 1.3 | 5 | 2.3 | 3 | 0.8 |
| LESS THAN 37 WEEKS GEST. | 26 | 11.9 | 11 | 6.5 | 8 | 6.3 | 9 | 6.0 | 20 | 9.3 | 29 | 8.2 |
| APGAR SCORE LESS THAN 8 | 2 | 0.9 | 7 | 4.2 | 4 | 3.2 | 3 | 2.0 | 5 | 2.3 | 8 | 2.3 |
| CONGENITAL MALFORMATIONS | 1 | 0.5 | 2 | 1.2 | 1 | 0.8 | 1 | 0.7 | 0 | 0.0 | 5 | 1.4 |
| NONPHYSICIAN ATTENDED | 0 | 0.0 | 7 | 4.1 | 1 | 0.8 | 0 | 0.0 | 6 | 2.8 | 0 | 0.0 |
| HOME DELIVERIES | 0 | 0.0 | 11 | 6.5 | 2 | 1.6 | 0 | 0.0 | 5 | 2.3 | 2 | 0.6 |
| OPERATIVE DELIVERIES | 74 | 33.8 | 39 | 23.1 | 51 | 39.8 | 44 | 29.5 | 65 | 30.1 | 81 | 22.9 |
| CESAREAN DELIVERIES | 53 | 24.2 | 24 | 14.2 | 35 | 27.3 | 34 | 22.8 | 49 | 22.7 | 68 | 19.2 |
| MOTHER SMOKED DURING PREG | 75 | 35.4 | 37 | 22.2 | 30 | 24.4 | 50 | 33.6 | 65 | 30.8 | 117 | 33.7 |
| MOTHER UNDER 60 INCHES | 7 | 3.4 | 2 | 1.2 | 2 | 1.6 | 5 | 3.6 | 5 | 2.5 | 10 | 2.9 |
| MOTHER UNDER 100 LBS | 8 | 3.8 | 3 | 1.9 | Õ | 0.0 | 3 | 2.2 | 2 | 1.0 | 32 | 9.4 |
| MOTHER 175 LBS OR MORE | 27 | 13.0 | 19 | 11.7 | 23 | 19.3 | 13 | 9.4 | 18 | 8.9 | 39 | 11.4 |
| | | | | | | | | | | | | |
| MATERNAL EDUCATION UNDER 1 | 2 89 | 40.6 | 46 | 27.2 | 18 | 14.1 | 44 | 29.5 | 70 | 32.4 | 128 | 36.2 |
| ILLEGITIMATE BIRTHS | 101 | 46.1 | 21 | 12.4 | 10 | 7.8 | 36 | 24.2 | 26 | 12.0 | 110 | 31.1 |
| LESS THAN 18 MONTHS SINCE | | | | | | | | | | | | |
| LAST LIVE BIRTH | 25 | 11.4 | 5 | 3.0 | 6 | 4.7 | 13 | 8.7 | 20 | 9.3 | 38 | 10.7 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 97 | 44.3 | 117 | 69.2 | 105 | 82.0 | 102 | 68.5 | 140 | 64.8 | 222 | 62.7 |
| 2ND TRIMESTER | 75 | 34.2 | 40 | 23.7 | 17 | 13.3 | 37 | 24.8 | 53 | 24.5 | 91 | 25.7 |
| 3RD TRIMESTER | 27 | 12.3 | 9 | 5.3 | 3 | 2.3 | 7 | 4.7 | 8 | 3.7 | 30 | 8.5 |
| NO PRENATAL CARE | 8 | 3.7 | 1 | 0.6 | 2 | 1.6 | 1 | 0.7 | 3 | 1.4 | 6 | 1.7 |
| INADEQUATE PRENATAL CARE | 77 | 37.7 | 51 | 31.1 | 16 | 12.8 | 28 | 19.6 | 39 | 19.4 | 110 | 31.7 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 5 | 2.3 | 0 | 0.0 | 0 | 0.0 | 1 | 0.7 | 0 | 0.0 | 1 | 0.3 |
| 15-17 | 27 | 12.3 | 14 | 8.3 | 3 | 2.3 | 8 | 5.4 | 12 | 5.6 | 33 | 9.3 |
| 18-19 | 39 | 17.8 | 20 | 11.8 | 7 | 5.5 | 15 | 10.1 | 17 | 7.9 | 62 | 17.5 |
| 20-24 | 83 | 37.9 | 48 | 28.4 | 37 | 28.9 | 53 | 35.6 | 85 | 39.4 | 141 | 39.8 |
| 25-29 | 35 | 16.0 | 53 | 31.4 | 49 | 38.3 | 43 | 28.9 | 55 | 25.5 | 83 | 23.4 |
| 30-34 | 21 | 9.6 | 22 | 13.0 | 23 | 18.0 | 19 | 12.8 | 29 | 13.4 | 23 | 6.5 |
| 35-39 | 9 | 4.1 | 9 | 5.3 | 5 | 3.9 | 9 | 6.0 | 13 | 6.0 | 10 | 2.8 |
| 40-44 | Ó | 0.0 | 3 | 1.8 | 4 | 3.1 | í | 0.7 | 5 | 2.3 | 1 | 0.3 |
| 45-49 | Ō | 0.0 | 0 | 0.0 | 0 | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 93 | 42.5 | 67 | 39.6 | 40 | 31.3 | 64 | 43.0 | 84 | 38.9 | 151 | 42.7 |
| 2ND | 72 | 32.9 | 56 | 33.1 | 47 | 36.7 | 43 | 28.9 | 72 | 33.3 | 110 | 31.1 |
| 3RD | 36 | 16.4 | 33 | 19.5 | 30 | 23.4 | 24 | 16.1 | 34 | 15.7 | 63 | 17.8 |
| 4TH | 11 | 5.0 | 4 | 2.4 | 7 | 5.5 | 12 | 8.1 | 14 | 6.5 | 15 | 4.2 |
| 5TH OR MORE | 7 | 3.2 | 9 | 5.3 | 4 | 3.1 | 6 | 4.0 | 12 | 5.6 | 15 | 4.2 |
| | | | | | | | | | | | | |

| TABLE 10B (CONT) RESIDENT LI | EVE BIRTHS | | ECTED CHA Noda | | STICS BY | | MISSOUF OSA | | 0Z# | N DIV | PEMIS | COT |
|--|------------|-------|-------------------|-------|----------|-------|----------------|-----------|----------|-------|----------|-------|
| | | | NUMBER P | | | | | | NUMBER F | | NUMBER P | |
| TOTAL LIVE BIRTHS | 592 | 100.0 | 258 | 100.0 | 109 | 100.0 | 169 | 100.0 | 96 | 100.0 | 379 | 100.0 |
| UNDER 2500 GRAMS | 39 | 6.6 | 10 | 3.9 | 1 | 0.9 | 13 | 7.7 | 6 | 6.3 | 43 | 11.3 |
| OVER 4499 GRAMS | 11 | 1.9 | 3 | 1.2 | 3 | 2.8 | 2 | 1.2 | 4 | 4.2 | 3 | 0.8 |
| LESS THAN 37 WEEKS GEST. | 46 | 7.8 | 17 | 6.6 | 6 | 5.5 | 16 | 9.5 | 7 | 7.3 | 53 | 14.0 |
| APGAR SCORE LESS THAN 8 | 19 | 3.4 | 18 | 7.0 | 4 | 3.8 | 7 | 4.1 | 3 | 3.2 | 9 | 2.4 |
| CONGENITAL MALFORMATIONS | 5 | 0.8 | 2 | 0.8 | 0, | 0.0 | 0 | 0.0 | 2 | 2.1 | 3 | 8.0 |
| NONPHYSICIAN ATTENDED | 8 | 1.4 | 1 | 0.4 | 3 | 2.8 | 0 | 0.0 | 1 | 1.0 | 7 | 1.8 |
| HOME DELIVERIES | 9 | 1.5 | 1 | 0.4 | 3 | 2.8 | 1 | 0.6 | 1 | 1.0 | 1 | 0.3 |
| OPERATIVE DELIVERIES | 184 | 31.1 | 52 | 20.2 | 32 | 29.4 | 50 | 29.6 | 23 | 24.0 | 80 | 21.1 |
| CESAREAN DELIVERIES | 136 | 23.0 | 50 | 19.4 | 20 | 18.3 | 31 | 18.3 | 18 | 18.8 | 74 | 19.5 |
| MOTHER SMOKED DURING PREG | 126 | 22.5 | 48 | 19.4 | 28 | 28.0 | 33 | 19.6 | 21 | 28.8 | 100 | 34.5 |
| MOTHER UNDER 60 INCHES | 12 | 2.1 | 0 | 0.0 | 1 | 1.0 | 2 | 1.2 | 0 | 0.0 | 10 | 3.4 |
| MOTHER UNDER 100 LBS | 16 | 2.9 | 5 | 2.0 | 1 | 1.0 | 3 | 1.8 | 1 | 1.4 | 22 | 7.6 |
| MOTHER 175 LBS OR MORE | 61 | 10.9 | 34 | 13.7 | 14 | 13.9 | 16 | 9.8 | 8 | 11.0 | 40 | 13.8 |
| MATERNAL EDUCATION UNDER 1 | 142 | 24.0 | 20 | 7.8 | 33 | 30.3 | 17 | 10.1 | 29 | 30.2 | 174 | 45.9 |
| ILLEGITIMATE BIRTHS | 65 | 11.0 | 31 | 12.0 | 12 | 11.0 | 18 | 10.7 | 13 | 13.5 | 174 | 45.9 |
| LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH | 48 | 8.1 | 21 | 8.1 | 9 | 8.3 | 15 | 8.9 | 10 | 10.4 | 55 | 14.5 |
| DOENATAL CADE | | | | | | | | | | | | |
| PRENATAL CARE | | | | | | | | - | | | | |
| 1ST TRIMESTER | 411 | 69.4 | 208 | 80.6 | 83 | 76.1 | 133 | 78.7 | 68 | 70.8 | 244 | 64.4 |
| 2ND TRIMESTER | 109 | 18.4 | 46 | 17.8 | 17 | 15.6 | 26 | 15.4 | 17 | 17.7 | 107 | 28.2 |
| 3RD TRIMESTER | 26 | 4.4 | 4 | 1.6 | 6 | 5.5 | 6 | 3.6 | 7 | 7.3 | 21 | 5.5 |
| NO PRENATAL CARE | 12 | 2.0 | 0 | 0.0 | 2 | 1.8 | 0 | 0.0 | 2 | 2.1 | 7 | 1.8 |
| INADEQUATE PRENATAL CARE | 115 | 23.0 | 30 | 11.6 | 32 | 29.6 | 16 | 9.9 | 27 | 28.7 | 121 | 32.1 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 1.6 |
| 15-17 | 27 | 4.6 | 2 | 0.8 | 9 | 8.3 | 4 | 2.4 | 8 | 8.3 | 36 | 9.5 |
| 18-19 | 67 | 11.3 | 13 | 5.0 | 18 | 16.5 | 15 | 8.9 | 8 | 8.3 | 66 | 17.4 |
| 20-24 | 228 | 38.5 | 100 | 38.8 | 38 | 34.9 | 58 | 34.3 | 36 | 37.5 | 136 | 35.9 |
| 25-29 | 161 | 27.2 | 88 | 34.1 | 26 | 23.9 | 55 | 32.5 | 25 | 26.0 | 83 | 21.9 |
| 30-34 | 83 | 14.0 | 43 | 16.7 | 13 | 11.9 | 24 | 14.2 | 11 | 11.5 | 32 | 8.4 |
| 35-39 | 23 | 3.9 | 11 | 4.3 | 3 | 2.8 | 9 | 5.3 | 6 | 6.3 | 18 | 4.7 |
| 40-44 | 2 | 0.3 | 1 | 0.4 | 2 | 1.8 | 4 | 2.4 | 2 | 2.1 | 2 | 0.5 |
| 45-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 233 | 39.4 | 95 | 36.8 | - 53 | 48.6 | 69 | 40.8 | 35 | 36.5 | 141 | 37.2 |
| 2ND | 199 | 33.6 | 81 | 31.4 | 32 | 29.4 | 43 | 25.4 | 29 | 30.2 | 113 | 29.8 |
| 3RD | 111 | 18.8 | 52 | 20.2 | 14 | 12.8 | 36 | 21.3 | 19 | 19.8 | 62 | 16.4 |
| 4TH | 33 | 5.6 | 22 | 8.5 | 6 | 5.5 | 13 | 7.7 | 8 | 8.3 | 32 | 8.4 |
| 5TH OR MORE | 16 | 2.7 | 8 | 3.1 | 4 | 3.7 | 8 | 4.7 | 5 | 5.2 | 31 | 8.2 |
| 2111 611 110114 | 10 | | | ٠. ـ | 7 | ٠., | 3 | -4 + 1 | د | ٠. د | | 5.2 |

| PERTIS PHENS PHE | TABLE 10B (CONT) RESIDENT LI | | | | | STICS BY | COUNTY: | MISSOUR PIK | | PLAT | TF | POL | ĸ |
|--|------------------------------|------|-------|-----|-------|----------|---------|----------------|-------|-----------------|-------|-----|-------|
| UNDER 2500 GRAMS B 3.1.5 OVER 4499 GRAMS D 3.1 OVER 4499 GRAMS D 4.1 OVER 449 GRAMS D 4.1 OVER 4499 GRAMS D 4.1 OVER 4410 D 4.1 OVER 449 GRAMS D 4.1 OVER 4499 GRAMS D 4.1 OVER 4404 D 4.1 OVER | | | | | | | | | | | | | |
| OVER 4499 GRANS 8 3.5 6 1.2 8 1.7 8 3.3 16 2.1 8 3.1 LESS THAN 37 MEEKS GEST. 12 5.2 42 8.4 39 8.3 20 8.3 72 9.5 20 7.7 APGAR SCORE LESS THAN 8 5 2.2 2 26 5.2 21 4.5 11 4.9 33 4.4 5 1.9 CONGENITAL MALFORMATIONS 0 0.0 7 1.4 3 0.6 4 1.7 6 0.8 1 0.4 NOMPHYSICIAN ATTENDED 7 3.1 2 0.4 3 0.6 13 5.4 4 0.5 1 0.4 OPERATIVE DELIVERIES 8 3.5 4 0.8 3 0.6 13 5.4 5 0.7 1 0.4 OPERATIVE DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 0.7 1 0.4 OPERATIVE DELIVERIES 47 20.5 111 22.2 101 21.6 49 19.2 204 27.0 63 24.1 MOTHER SMOKED DURING PREG 59 27.6 147 29.9 142 30.7 64 27.6 162 24.9 53 20.3 MOTHER UNDER 60 INCHES 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER UNDER 100 LDS 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 15 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 15 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 15 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 15 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 15 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 15 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 100 LDS 3 1.4 6 1.2 15 1.1 2 0.9 9 1.2 7 2.7 MOTHER INDER 10 LOCATION UNDER 12 10.6 45 9.2 40 8.8 33 14.5 67 8.9 44 16.9 MATERNAL EDUCATION UNDER 12 10.6 45 9.2 40 8.8 33 14.5 67 8.9 44 16.9 ELSS THAN 18 MONTHS SINCE LAST LUVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 653 86.5 180 69.2 11.1 INDER 101 LEGITHATE EDITES 3 1.3 9 1.4 8.7 1.1 158 65.8 653 86.5 180 69.2 11.1 INDER 101 LEGITHATE EDITES 3 1.3 9 1.4 8.7 1.7 1.8 1.8 1.7 1.8 1.7 1.8 1.8 1.7 1.8 1.8 1.7 1.8 1.8 1.7 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 | TOTAL LIVE BIRTHS | 229 | 100.0 | 500 | 100.0 | 468 | 100.0 | 240 | 100.0 | 755 | 100.0 | 261 | 100.0 |
| RESS THAM 37 NEEKS GEST. 12 5.2 42 6.4 39 6.3 20 8.3 72 9.5 20 7.7 | | 5 | | | | - | | | | | | | |
| LESS THAN 37 MEEKS GEST, 12 5.2 42 8.4 39 8.3 20 8.3 72 9.5 20 7.7 APGAR SCORE LESS THAN 8 5 2.2 26 5.2 21 4.5 11 4.9 33 4.4 5 1.9 CONGENTIAL MALFORMATIONS 0 0.0 7 1.4 3 0.6 4 1.7 6 0.8 1 0.4 NONPHYSICIAN ATTENDED 7 3.1 2 0.4 3 0.6 13 5.4 4 0.5 1 0.4 HOME DELIVERIES 8 3.5 4 0.8 3 0.6 13 5.4 5 0.7 1 0.4 HOME DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESAREAN DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESAREAN DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESAREAN DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESAREAN DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESAREAN DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 MOTHER SMOKED DURING PREG 59 27.6 147 29.9 142 30.7 64 27.6 162 24.9 63 24.1 MOTHER SMOKED DURING PREG 59 27.6 147 29.9 142 30.7 64 27.6 162 24.9 53 20.3 MOTHER LUNDER 100 LBS 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER UNDER 100 LBS 3 1.4 21 4.3 18 3.9 8 3.5 22 2.9 6 2.3 MOTHER UNDER 10 LBS 3 1.4 21 4.3 18 3.9 8 3.5 22 2.9 6 2.3 MATERNAL EDUCATION UNDER 12 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 23.0 ILLEGITHATE BURING LESS THAN 18 MONTHS SINCE LAST ILIVE BIRTHS LESS THAN 18 MONTHS SINCE LAST LIVE BIRTHS LAST LIVE BIRTHS LAST LIVE BIRTHS 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 653 86.5 180 69.0 PRENATAL CARE 1ST TERMESTER 204 89.1 407 81.4 342 73.1 158 65.8 653 86.5 180 69.0 2NO TRINESTER 3 1.3 2 0.4 6 1.3 3 1.8 10.7 66 25.3 SRD TERMESTER 3 1.3 2 0.4 6 1.3 83 18.0 68 29.6 66 8.8 59 22.1 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0.5 3 1.1 1ST 17 5 5 2.2 23 4.6 23 4.6 23 3.7 4.5 1.7 4 0.5 3 1.1 1B-19 15 6.6 5 51 10.6 56 7.7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 350 TERMESTER 1 1 0.4 0 0.0 0 0.0 1 0.0 0 0. | OVER 4499 GRAMS | 8 | 3.5 | 6 | 1.2 | | | _ | | | | _ | |
| CONGENIZAL MALFORMATIONS 0 0.0 7 1.4 3 0.6 4 1.7 6 0.8 1 0.4 NOMPHYSICIAN ATTENDED 7 3.1 2 0.4 3 0.6 13 5.4 4 0.5 1 0.4 OPERATIVE DELIVERIES 8 3.5 4 0.8 3 0.6 13 5.4 5 0.7 1 0.4 OPERATIVE DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESABEAN DELIVERIES 47 20.5 111 22.2 101 21.6 46 19.2 204 27.0 63 24.1 MOTHER SHOKED DURING PREG 59 27.6 147 29.9 142 30.7 64 27.6 162 249.9 53 20.3 MOTHER UNDER 60 INCHES 3 1.4 6 1.2 1 4.3 18 3.9 8 3.5 22 2.9 6 2.3 MOTHER UNDER 100 LBS 3 1.4 6 1.2 1 4.3 18 3.9 8 3.5 22 2.9 6 2.3 MOTHER UNDER 100 LBS 3 1.4 6 1.2 1 4.3 18 3.9 8 3.5 5 22 2.9 6 2.3 MOTHER UNDER 100 LBS 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 25.0 ILESS TIAN 18 MONTHS SINCE LAST LIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 204 89.1 407 81.4 896 20.5 52 21.7 81 10.7 66 25.3 SRD TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 SRD TRIMESTER 21 1.3 9 1.8 20 4.5 18 7.5 15 2.0 12 40.5 11.1 10.7 66 25.3 SRD TRIMESTER 22 9.6 66 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER LAST LIVE BIRTH 10 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0 15-1-1 10.7 66 25.3 SRD TRIMESTER 21 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 15-17 5 2.2 25 4.6 23 4.9 8 3.3 19 2.5 13 5.0 20-24 74 32.3 181 3.2 24.6 13 32.7 68 29.4 5.8 32 22.7 AGE OF MOTHER LAST TIVE BIRTH 15 6.6 65 51 10.6 36 7.7 22 9.2 44 5.8 32 22.7 AGE OF MOTHER LAST TIVE BIRTH 16 16 84 11.3 84 1.7 4 0.5 5 3 1.1 18 1-19 15 6.6 65 51 10.6 36 7.7 22 9.2 44 5.8 32 22.7 AGE OF MOTHER LAST 1.0 4 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 0.0 15-17 5 2.2 25 4.6 23 4.9 8 3.3 19 2.5 13 5.0 20-24 74 32.3 181 36.2 173 37.0 62 34.2 207 27.4 10.0 38.3 20-24 74 32.3 181 36.2 173 37.0 62 34.2 207 27.4 10.0 38.3 30 0.4 17.9 84 16.8 62 13.2 46 11.2 207 44.2 81 33.2 10.5 33.2 10.5 38.7 20-24 74 32.3 181 36.2 173 37.0 62 34.2 207 27.4 10.0 38.3 30 0.5 22.7 87 17.4 71 15.2 35 14.6 10.2 13.5 35 11.4 210 0.7 4.7 11.5 2.5 11.5 1.6 11.5 1.5 11.5 1.5 1.5 1.5 1.5 1.5 1.5 1 | | 12 | 5.2 | 42 | 8.4 | 39 | 8.3 | 20 | 8.3 | 72 | 9.5 | 20 | 7.7 |
| MONPHYSICIAN ATTENDED 7 3.1 2 0.4 3 0.6 13 5.4 4 0.5 1 0.4 HOWE DELIVERIES 8 3.5 4 0.8 3 0.6 13 5.4 5 0.7 1 0.4 OPERATIVE DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESAREAN DELIVERIES 47 20.5 111 22.2 101 21.6 46 19.2 204 27.0 63 24.1 MOTHER SMOKED DURING PREG 59 27.6 147 29.9 142 30.7 64 27.6 162 24.9 53 20.3 MOTHER UNDER 60 INCHES 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER UNDER 100 LBS 3 1.4 21 4.5 18 5.9 8 3.5 22 2.9 6 2.3 MOTHER THORE 100 LBS 3 1.4 21 4.5 18 5.9 8 3.5 22 2.9 6 2.5 MOTHER THORE 100 LBS 2 12.7 92 18.4 67 14.3 18 5.9 8 3.5 22 2.9 14 14.5 MATERNAL EDUCATION UNDER 12 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 23.0 ILLEGITHATE BIRTHS 29 12.7 92 18.4 67 14.3 47 19.6 85 11.5 29 11.1 LESS THAN 18 MONTHS SINCE LAST LUYE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 3RO TRIMESTER 3 1.3 2 0.4 6 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 100 LBS 1 1 0.4 0 0.0 1 0.2 1 0.4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 2 3.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 3 1.3 2 0.4 6 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 5 1 0.4 0 0.0 1 0.2 1 0.4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 1.3 1.3 2 0.4 6 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 5 1 0.4 0 0.0 1 0.2 1 0.4 0.5 0.0 0.0 DESTANCE OF TRIMESTER 3 1.3 1.3 2 0.4 6 1.3 3 1.3 1.0 6.8 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 5 1 0.4 0 0.0 0 1 0.2 1 0.4 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 | APGAR SCORE LESS THAN 8 | 5 | | | | | | | | | | | |
| HOME DELIVERIES 8 3.5 4 0.8 3 0.6 13 5.4 5 0.7 1 0.4 OPERATIVE DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESARRAN DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 1 34.9 CESARRAN DELIVERIES 50 21.8 171 34.2 101 21.6 46 19.2 204 27.0 63 24.1 MOTHER SMOKED DURING PREG 59 27.6 147 29.9 142 30.7 64 27.6 162 24.9 53 20.3 MOTHER UNDER 60 INCHES 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER UNDER 100 LBS 3 1.4 21 4.3 18 3.9 8 3.5 22 24.9 6 2.3 MOTHER 175 LBS OR MORE 27 12.6 45 9.2 40 8.8 33 14.5 67 8.9 44 16.9 MATERNAL EDUCATION UNDER 12 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 23.0 ILLEGITHMATE BIRTHS 29 12.7 92 18.4 67 14.3 47 19.6 65 11.3 29 11.1 LESS THAN 18 MONTHS SINCE LAST LLIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 204 89.1 407 81.4 342 73.1 158 65.8 653 86.5 180 69.0 2ND TRIMESTER 1 8 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 3RD TRIMESTER 3 1.3 2 0.4 6 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGG OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 2 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGG OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 2 3.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGG OF MOTHER 15 1 0.4 0 0.0 0 1 0.2 1 0.4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 2 3.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGG OF MOTHER 15 1 0.4 0 0.0 0 1 0.2 1 0.4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 2 3.6 6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGG OF MOTHER 15 1 0.4 0 0.0 0 0.0 1 0.2 1 0.4 0.5 3 1.1 18.19 15 6.6 6.6 55 10.6 56 7.7 22 9.2 44 5.8 32 12.5 13.5 20 0.4 6 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGG OF MOTHER 15 1 0.4 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 | CONGENITAL MALFORMATIONS | 0 | 0.0 | 7 | 1.4 | 3 | 0.6 | 4 | 1.7 | 6 | 0.8 | 1 | 0.4 |
| OPERATIVE DELIVERIES 50 21.8 171 34.2 145 31.0 69 28.8 291 38.5 91 34.9 CESAREAN DELIVERIES 47 20.5 111 22.2 101 21.6 46 19.2 204 27.0 63 24.1 MOTHER SMOKED DURING PREG 59 27.6 147 29.9 142 30.7 64 27.6 162 24.9 53 20.3 MOTHER UNDER 100 LBS 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER UNDER 100 LBS 3 1.4 21 4.3 18 3.9 8 3.5 22 2.9 6 2.3 MOTHER UNDER 100 LBS 3 1.4 21 4.3 18 3.9 8 3.5 22 2.9 6 2.3 MOTHER TS LBS OR MORE 27 12.6 45 9.2 40 8.8 31 14.5 67 6.9 44 16.9 MATERNAL EDUCATION UNDER 12 17 2.7 92 18.4 67 14.3 47 19.6 85 11.3 29 11.1 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTHS LAST LIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 38D TRIMESTER 3 1.3 2 0.4 6 13.3 4 1.7 4 0.5 3 1.1 INDEQUATE PRENATAL CARE 3 1.3 2 0.4 6 13.3 4 1.7 4 0.5 3 1.1 INDEQUATE PRENATAL CARE 3 1.3 2 0.4 6 13.3 8 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.2 1 0.4 0.5 3 1.1 INDEQUATE PRENATAL CARE 2 2 9.6 64 15.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0.5 15-17 5 2.0 12 4.6 5 18-17 5 2.0 12 4.6 6 15-17 5 2.2 2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 12.3 20.2 2.7 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 | NONPHYSICIAN ATTENDED | 7 | | | | _ | | | | - | | | |
| MOTHER SMOKED DURING PREG | HOME DELIVERIES | 8 | 3.5 | 4 | 0.8 | 3 | | 13 | | _ | | _ | |
| MOTHER SMOKED DURING PREG 59 27.6 147 29.9 142 30.7 64 27.6 162 24.9 53 20.3 MOTHER UNDER 60 INCHES 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER UNDER 100 LBS 3 1.4 21 4.3 18 3.9 8 3.5 22 2.9 6 2.3 MOTHER T75 LBS OR MORE 27 12.6 45 9.2 40 8.8 33 14.5 67 8.9 44 16.9 MATERNAL EDUCATION UNDER 12 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 23.0 ILLEGITHATE BIRTHS 29 12.7 92 18.4 67 14.3 47 19.6 85 11.3 29 11.1 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 204 89.1 407 81.4 342 73.1 158 65.8 655 86.5 180 69.0 2ND TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 3RD TRIMESTER 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 2 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 1.7 4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 7.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.5 19 2.5 13 5.0 15-17 15-17 5 2.2 23 4.6 23 4.9 8 3.5 19 2.5 13 5.0 15-17 15-17 5 2.2 23 4.6 23 4.9 8 3.5 19 2.5 13 5.0 15-18-19 15 6.6 53 10.6 36 7.7 22 9.2 44 5.8 32 2.3 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 | OPERATIVE DELIVERIES | 50 | 21.8 | 171 | 34.2 | 145 | 31.0 | 69 | 28.8 | 291 | | | |
| MOTHER UNDER 60 INCHES 3 1.4 6 1.2 5 1.1 2 0.9 9 1.2 7 2.7 MOTHER UNDER 100 LBS 3 1.4 21 4.3 118 3.9 8 3.5 22 2.9 6 2.3 MOTHER TJ75 LBS OR MORE 27 12.6 45 9.2 40 8.8 33 14.5 67 8.9 44 16.9 MATERNAL EDUCATION UNDER 12 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 23.0 ILLEGITHMATE BIRTHS 29 12.7 92 18.4 67 14.3 47 19.6 85 11.3 29 11.1 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 204 89.1 407 81.4 342 73.1 158 65.8 653 86.5 180 69.0 2ND TRIMESTER 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 2 0.4 6 1.3 4 1.7 4 0.5 3 1.1 INADEQUATE PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 15 6.6 53 11.3 14.2 28.4 153 32.7 68 28.3 279 37.0 84 32.2 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 35-39 11 4.8 15 3.0 17 3.6 21 3.7 3.6 2.0 4.2 4.2 81 33.8 354 46.9 10.3 32.2 10.4 45-49 0 0.0 0 1 0.2 3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0 | CESAREAN DELIVERIES | 47 | 20.5 | 111 | 22.2 | 101 | 21.6 | 46 | 19.2 | 204 | 27.0 | 63 | 24.1 |
| MOTHER UNDER 100 LBS 3 1.4 21 4.3 18 3.9 8 3.5 22 2.9 6 2.3 MOTHER LYDE LBS OR MORE 27 12.6 45 9.2 40 8.8 33 14.5 67 8.9 44 16.9 MATERNAL EDUCATION UNDER 12 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 23.0 ILLEGITIMATE BIRTHS 29 12.7 92 18.4 67 14.3 47 19.6 85 11.3 29 11.1 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 204 89.1 407 81.4 342 73.1 158 65.8 653 86.5 180 69.0 2ND TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 3RD TRIMESTER 3 1.3 9 1.8 20 4 4 3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 9 1.8 20 4 4 3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 9 1.8 20 4 6 1.3 4 1.7 4 0.5 3 1.1 INADEQUATE PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 ABC OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 15 6.6 53 10.6 36.7 7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 18 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 6 2.3 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 6 2.3 35-3 35 3.0 50 6 2 3.0 5 3.0 5 3.0 5 3.0 5 3.0 5 3.0 5 3.0 5 3.0 5 3.0 5 3.0 | MOTHER SMOKED DURING PREG | 59 | 27.6 | 147 | 29.9 | | | | | | | | |
| MOTHER 175 LBS OR MORE 27 12.6 45 9.2 40 8.8 33 14.5 67 8.9 44 16.9 MATERNAL EDUCATION UNDER 12 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 23.0 ILLEGITHATE BIRTHS 29 12.7 92 18.4 67 14.3 47 19.6 85 11.3 29 11.1 LEST THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 204 89.1 407 81.4 342 73.1 158 65.8 65.8 65.5 86.5 180 69.0 2ND TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 3RD TRIMESTER 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 15 6.6 53 10.6 53 10.6 36 7.7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 41 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 4 1.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 0 0.0 0 0.0 1 0.2 1 0.2 0 0.0 0 0.0 0 0.0 0.0 0.0 0.0 0.0 0 | MOTHER UNDER 60 INCHES | 3 | 1.4 | 6 | 1.2 | 5 | | 2 | | - | | | |
| MATERNAL EDUCATION UNDER 12 40 17.5 113 22.6 90 19.2 80 33.3 78 10.3 60 23.0 ILLEGITIMATE BIRTHS 29 12.7 92 18.4 67 14.3 47 19.6 85 11.3 29 11.1 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRIMESTER 204 89.1 407 81.4 342 73.1 158 65.8 653 86.5 180 69.0 2ND TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 SRD TRIMESTER 3 1.3 2 0.4 6 1.3 4 1.7 4 0.5 3 1.1 INADEQUATE PRENATAL CARE 2 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-17 15 6.6 6 55 10.6 36 7.7 22 9.2 44 45.8 32 12.3 20-24 74 32.3 181 36.2 17.3 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 25.2 3 0.4 4 1.7 1 0.2 0 0.0 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 | MOTHER UNDER 100 LBS | 3 | 1.4 | 21 | 4.3 | 18 | 3.9 | 8 | 3.5 | 22 | | • | |
| TILEGITIMATE BIRTHS | MOTHER 175 LBS OR MORE | 27 | 12.6 | 45 | 9.2 | 40 | 8.8 | 33 | 14.5 | 67 | 8.9 | 44 | 16.9 |
| LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 7.0 37 7.4 24 5.1 27 11.3 65 8.6 26 10.0 PRENATAL CARE 1ST TRINESTER 18 7.9 74 14.8 36 20.5 52 21.7 81 10.7 66 25.3 38.0 TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 38.0 TRIMESTER 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0.0 15-17 1 | MATERNAL EDUCATION UNDER 1 | 2 40 | 17.5 | 113 | 22.6 | 90 | 19.2 | 80 | | | | | |
| PRENATAL CARE 1ST TRIMESTER 204 89.1 407 81.4 342 73.1 158 65.8 653 86.5 180 69.0 2ND TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 3RD TRIMESTER 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 36-49 0 0.0 1 0.2 0 0.0 0 0.0 0 0.0 38.3 25-29 0 0.0 1 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 10.4 45-49 0 0.0 1 0.2 0 0.0 0 0.0 0 0.0 0.0 0.0 0.0 0.0 0 | | 29 | 12.7 | 92 | 18.4 | 67 | 14.3 | 47 | 19.6 | 85 | 11.3 | 29 | 11.1 |
| 1ST TRIMESTER 204 89.1 407 81.4 342 73.1 158 65.8 653 86.5 180 69.0 2ND TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 3RD TRIMESTER 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 2 0.4 6 1.3 4 1.7 4 0.5 3 1.1 INADEQUATE PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 15 6.6 53 10.6 36 7.7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 41 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 4 1.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 0 0 0.0 1 0.2 3 0.6 2 0.8 2 0.8 2 0.3 1 0.4 45-49 10 0 0.0 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 1 0.2 1 0.4 1 0.4 1.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 10 0 0.0 1 0.2 0 0.0 0.0 0 | | 16 | 7.0 | 37 | 7.4 | 24 | 5.1 | 27 | 11.3 | 65 | 8.6 | 26 | 10.0 |
| 2ND TRIMESTER 18 7.9 74 14.8 96 20.5 52 21.7 81 10.7 66 25.3 3RD TRIMESTER 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 2 0.4 6 1.3 4 1.7 4 0.5 3 1.1 INADEQUATE PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0 0.5 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 15 6.6 53 10.6 36 7.7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 41 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 4 1.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 0 0 0.0 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 10 0 0.0 1 0.2 20 0.0 0 0 0.0 0 0.0 0 0.0 1 0.2 1 0.4 46.9 10.9 41.8 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 74 74 71 15.2 35 14.6 102 13.5 35 13.4 47H 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 4.8 11 4.2 20 8.7 21 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 21 4.8 11 4.2 20 8.7 21 17 7.1 36 4.8 11 4.2 21 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 20 8.7 20 20 20 20 20 20 20 20 20 20 20 20 20 | PRENATAL CARE | | | | | | | | | | | | |
| 3 1.3 9 1.8 20 4.3 18 7.5 15 2.0 12 4.6 NO PRENATAL CARE 3 1.3 2 0.4 6 1.3 4 1.7 4 0.5 3 1.1 INADEQUATE PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 15 6.6 53 10.6 36 7.7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 41 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 4 17.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 0 0 0.0 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0. | 1ST TRIMESTER | 204 | 89.1 | 407 | | | | | | | | | |
| NO PRENATAL CARE 3 1.3 2 0.4 6 1.3 4 1.7 4 0.5 3 1.1 INADEQUATE PRENATAL CARE 22 9.6 64 13.3 83 18.0 68 29.6 66 8.8 59 22.7 AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 15 6.6 53 10.6 36 7.7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 41 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 4 1.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 0 0 0.0 1 0.2 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 77 33.6 206 41.2 207 44.2 81 33.8 354 46.9 109 41.8 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | 2ND TRIMESTER | 18 | 7.9 | 74 | 14.8 | 96 | 20.5 | 52 | | | | | |
| AGE OF MOTHER UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 1 0.0 1 0.2 1 0.4 0 0.0 1 0.0 1 0.2 1 0.4 0 0.0 1 0.0 1 0.2 1 0.4 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 0 0.0 1 0.2 1 0.4 0 0.0 0 0.0 0 0.0 0 0.0 1 0.2 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.0 1 0.2 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.0 1 0.2 1 0.4 | 3RD TRIMESTER | 3 | 1.3 | 9 | 1.8 | 20 | 4.3 | 18 | | | | | |
| AGE OF MOTHER UNDER 15 | | 3 | 1.3 | 2 | 0.4 | 6 | 1.3 | 4 | 1.7 | 4 | 0.5 | | |
| UNDER 15 1 0.4 0 0.0 1 0.2 1 0.4 0 0.0 0.0 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 15 6.6 53 10.6 36 7.7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 41 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 4 1.7 1 0.2 3 0.6 11 4.6 50 6.6 6 2.3 40-49 0 0.0 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 77 33.6 206 41.2 207 44.2 81 33.8 354 46.9 109 41.8 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | INADEQUATE PRENATAL CARE | 22 | 9.6 | 64 | 13.3 | 83 | 18.0 | 68 | 29.6 | 66 | 8.8 | 59 | 22.7 |
| 15-17 5 2.2 23 4.6 23 4.9 8 3.3 19 2.5 13 5.0 18-19 | AGE OF MOTHER | | | | | | | | | | | | |
| 15-17 18-19 15 6.6 53 10.6 36 7.7 22 9.2 44 5.8 32 12.3 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 45-49 10 0 0.0 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 LIVE BIRTH ORDER 1ST 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | UNDER 15 | 1 | 0.4 | 0 | 0.0 | 1 | 0.2 | 1 | | 0 | | | |
| 20-24 74 32.3 181 36.2 173 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 41 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 4 1.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 0 0 0.0 1 0.2 0 0.0 0 0. | 15-17 | 5 | 2.2 | 23 | 4.6 | 23 | 4.9 | 8 | 3.3 | 19 | | | |
| 20-24 25-29 78 34.1 142 28.4 153 37.0 82 34.2 207 27.4 100 38.3 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 45-49 0 0 0.0 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 LIVE BIRTH ORDER 1ST 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | 18-19 | 15 | 6.6 | 53 | 10.6 | 36 | 7.7 | 22 | 9.2 | 44 | 5.8 | 32 | |
| 25-29 78 34.1 142 28.4 153 32.7 68 28.3 279 37.0 84 32.2 30-34 41 17.9 84 16.8 62 13.2 46 19.2 154 20.4 25 9.6 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 4 1.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 0 0.0 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 77 33.6 206 41.2 207 44.2 81 33.8 354 46.9 109 41.8 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | | 74 | 32.3 | 181 | 36.2 | 173 | 37.0 | 82 | 34.2 | 207 | 27.4 | 100 | |
| 35-39 11 4.8 15 3.0 17 3.6 11 4.6 50 6.6 6 2.3 40-44 41.7 1 0.2 3 0.6 2 0.8 2 0.3 1 0.4 45-49 0 0 0.0 1 0.2 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 | | 78 | 34.1 | 142 | 28.4 | 153 | 32.7 | 68 | 28.3 | 27 9 | 37.0 | 84 | 32.2 |
| 35-39 40-44 45-49 LIVE BIRTH ORDER 1ST 2ND 2ND 3RD 3SD 40-44 41.7 11 0.2 3 0.6 2 0.8 2 0.3 1 0.4 20.6 2 0.8 2 0.3 1 0.4 20.6 2 0.8 2 0.3 1 0.4 2 0.8 2 0.3 2 0.8 2 0.3 2 0.8 2 0.3 2 0.8 2 0.3 2 0.8 2 0.3 2 0.8 2 0.3 2 0.8 2 0.3 2 0.8 2 0.3 2 0.8 2 0.8 2 0.3 2 0.8 2 0.8 2 0.3 2 0.8 2 0.8 2 0.3 2 0.8 2 0.8 2 0.3 2 0.8 2 0.8 2 0.8 2 0.8 2 0.3 2 0.8 2 0.8 2 0.8 2 0.8 2 0.3 2 0.8 | 30-34 | 41 | 17.9 | 84 | 16.8 | 62 | 13.2 | 46 | 19.2 | 154 | 20.4 | 25 | |
| 40-44 45-49 LIVE BIRTH ORDER 1ST 77 33.6 206 41.2 207 44.2 81 33.8 354 46.9 109 41.8 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | | 11 | 4.8 | 15 | 3.0 | 17 | 3.6 | 11 | 4.6 | 50 | 6.6 | 6 | 2.3 |
| 45-49 0 0.0 1 0.2 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0. | | 4 | 1.7 | 1 | 0.2 | 3 | 0.6 | 2 | 0.8 | 2 | 0.3 | 1 | |
| 1ST 77 33.6 206 41.2 207 44.2 81 33.8 354 46.9 109 41.8 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | • | 0 | 0.0 | 1 | | 0 | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1ST 77 33.6 206 41.2 207 44.2 81 33.8 354 46.9 109 41.8 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | LIVE BIRTH ORDER | | | | | | | | | | | | |
| 2ND 75 32.8 171 34.2 171 36.5 89 37.1 251 33.2 101 38.7 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | | 77 | 33.6 | 206 | 41.2 | 207 | 44.2 | 81 | 33.8 | 354 | | | |
| 3RD 52 22.7 87 17.4 71 15.2 35 14.6 102 13.5 35 13.4 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | | | 32.8 | 171 | 34.2 | 171 | 36.5 | 89 | 37.1 | 251 | | | |
| 4TH 20 8.7 23 4.6 15 3.2 17 7.1 36 4.8 11 4.2 | | | | | 17.4 | 71 | 15.2 | 35 | 14.6 | 102 | 13.5 | 35 | |
| 7/11 | _ | | | | | | 3.2 | 17 | 7.1 | 36 | 4.8 | 11 | 4.2 |
| | | | | | | | | 18 | 7.5 | 12 | 1.6 | 5 | 1.9 |

| BLE 10B (CONT) RESIDENT LI | PUI ASKT | | ECTED CHA. PUTN | RACTERI | STICS BY | COUNTY | MISSOUR RANDO | I 1986 LPH | R.A | Y | REYNO | DLDS |
|----------------------------|----------|--------|--------------------|---------|----------|--------|------------------|---------------|-----|-------|----------|---------|
| | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER F | ERCENT | | | | | NUMBER P | PERCENT |
| TOTAL LIVE BIRTHS | 767 | 100.0 | 60 | 100.0 | 105 | 100.0 | 358 | 100.0 | 280 | 100.0 | 63 | 100.0 |
| UNDER 2500 GRAMS | 56 | 7.3 | 2 | 3.3 | 8 | 7.6 | 19 | 5.3 | 13 | 4.6 | 5 | 7.9 |
| OVER 4499 GRAMS | 18 | 2.3 | 4 | 6.7 | 1 | 1.0 | 6 | 1.7 | 5 | 1.8 | 2 | 3.2 |
| LESS THAN 37 WEEKS GEST. | 66 | 8.6 | 3 | 5.0 | 6 | 5.7 | 20 | 5.6 | 23 | 8.2 | 9 | 14.3 |
| APGAR SCORE LESS THAN 8 | 27 | 3.5 | 5 | 8.6 | 4 | 3.8 | 25 | 7.0 | 11 | 4.0 | 4 | 6.5 |
| CONGENITAL MALFORMATIONS | 2 | 0.3 | 0 | 0.0 | 1 | 1.0 | 3 | 0.8 | 3 | 1.1 | 1 | 1.6 |
| NONPHYSICIAN ATTENDED | 2 | 0.3 | 2 | 3.3 | 0 | 0.0 | 1 | 0.3 | 1 | 0.4 | 0 | 0.0 |
| HOME DELIVERIES | 2 | 0.3 | 1 | 1.7 | 0 | 0.0 | 2 | 0.6 | 1 | 0.4 | 0 | 0.0 |
| OPERATIVE DELIVERIES | 206 | 26.9 | 10 | 16.7 | 48 | 45.7 | 108 | 30.2 | 87 | 31.1 | 20 | 31. |
| CESAREAN DELIVERIES | 166 | 21.6 | 9 | 15.0 | 27 | 25.7 | 99 | 27.7 | 60 | 21.4 | 19 | 30. |
| MOTHER SMOKED DURING PREG | 228 | 30.3 | 14 | 25.9 | 29 | 27.6 | 105 | 30.0 | 71 | 25.8 | 14 | 23.3 |
| MOTHER UNDER 60 INCHES | 20 | 2.7 | 0 | 0.0 | 4 | 3.8 | 4 | 1.2 | 3 | 1.1 | 2 | 3.3 |
| MOTHER UNDER 100 LBS | 24 | 3.2 | Ō | 0.0 | 1 | 1.0 | 16 | 4.7 | 11 | 3.9 | 3 | 5. |
| MOTHER 175 LBS OR MORE | 59 | 7.9 | 8 | 14.8 | 14 | 13.6 | 45 | 13.3 | 35 | 12.5 | 9 | 15. |
| MATERNAL EDUCATION UNDER 1 | .2 138 | 18.0 | 12 | 20.0 | 28 | 26.7 | 82 | 22.9 | 54 | 19.3 | 21 | 33. |
| ILLEGITIMATE BIRTHS | 85 | 11.1 | 8 | 13.3 | 12 | 11.4 | 75 | 20.9 | 41 | 14.6 | 13 | 20. |
| LESS THAN 18 MONTHS SINCE | | | _ | | | | | | | | | |
| LAST LIVE BIRTH | 66 | 8.6 | 5 | 8.3 | 11 | 10.5 | 35 | 9.8 | 18 | 6.4 | 4 | 6. |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 565 | 73.7 | 45 | 75.0 | 92 | 87.6 | 261 | 72.9 | 218 | 77.9 | 40 | 63. |
| 2ND TRIMESTER | 147 | 19.2 | 12 | 20.0 | 9 | 8.6 | 74 | 20.7 | 42 | 15.0 | 14 | 22. |
| 3RD TRIMESTER | 39 | 5.1 | 2 | 3.3 | 3 | 2.9 | 9 | 2.5 | 10 | 3.6 | 7 | 11. |
| NO PRENATAL CARE | 5 | 0.7 | 1 | 1.7 | 0 | 0.0 | 3 | 0.8 | 6 | 2.1 | 1 | 1. |
| INADEQUATE PRENATAL CARE | 155 | 20.6 | 12 | 20.0 | 11 | 10.8 | 51 | 15.0 | 47 | 17.2 | 17 | 27. |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0. |
| 15-17 | 29 | 3.8 | 3 | 5.0 | 6 | 5.7 | 22 | 6.1 | 13 | 4.6 | 1 | 1. |
| 18-19 | 77 | 10.0 | . 6 | 10.0 | 10 | 9.5 | 45 | 12.6 | 24 | 8.6 | 8 | 12. |
| 20-24 | 296 | 38.6 | 30 | 50.0 | 37 | 35.2 | 125 | 34.9 | 91 | 32.5 | 22 | 34. |
| 25-29 | 242 | 31.6 | 11 | 18.3 | 37 | 35.2 | 89 | 24.9 | 102 | 36.4 | 23 | 36. |
| 30-34 | 91 | 11.9 | 8 | 13.3 | 14 | 13.3 | 62 | 17.3 | 41 | 14.6 | 8 | 12. |
| 35-39 | 26 | 3.4 | ĭ | 1.7 | ī | 1.0 | 11 | 3.1 | 8 | 2.9 | 1 | 1. |
| 40-44 | 6 | 0.8 | ĩ | 1.7 | ō | 0.0 | 4 | 1.1 | 0 | 0.0 | 0 | 0. |
| 45-49 | ŏ | 0.0 | ō | 0.0 | Ō | 0.0 | Ö | 0.0 | 0 | 0.0 | 0 | 0. |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 310 | 40.4 | 27 | 45.0 | 42 | 40.0 | 149 | 41.6 | 109 | 38.9 | 21 | 33. |
| 2ND | 260 | 33.9 | 23 | 38.3 | 33 | 31.4 | 123 | 34.4 | 103 | 36.8 | 26 | 41. |
| 3RD | 135 | 17.6 | 8 | 13.3 | 21 | 20.0 | 55 | 15.4 | 51 | 18.2 | 8 | 12. |
| 4TH | 37 | 4.8 | 1 | 13.3 | 6 | 5.7 | 20 | 5.6 | 14 | 5.0 | 5 | 7. |
| | | | | | | | | | | | | |

| TOTAL LIVE BIRTHS 140 100.0 3.288 100.0 104 100.0 618 100.0 214 100.0 7,993 100.0 100 100 100 100 100 100 100 100 1 | TABLE 10B (CONT) RESIDENT LI | | | | | | | | | | | | |
|--|------------------------------|-------|-------|-------|-------|-----|-------|-----|-------|-----|-------|-------|-------|
| UNDER 2500 GRAMS UNDER 4499 GRAMS 2 1.4 96 2.9 0 0.0 10 1.6 6 2.8 95 1.2 LESS THAN AS THEEKS GEST. 8 5.7 244 7.4 4 3.8 52 8.4 11 5.1 1,010 12.6 APGAR SCORE LESS THAN 8 11 8.0 72 2.2 7 6.7 27 4.4 5 2.3 339 4.3 COMERNITAL MALFORMATIONS 0 0.0 19 0.6 1 1.0 13 2.1 2 0.9 95 1.2 MONPHYSICIAL ATTENDED 1 0.7 18 0.5 0 0.0 2 0.5 0.0 0.0 27 0.1 HOWE BELIVERIES 1 0.7 18 0.5 34 32.7 22.2 MOTHER SHOKED DURING PREG 41 31.8 760 23.8 31 29.8 219 35.6 58 27.1 2,743 34.6 MOTHER INSURE NOBER BOOKED STAM | | | | | | | | | | | | | |
| OVER 4499 GRAMS LESS THAN 37 WERKS GEST. 8 5.7 244 7.4 4 3.8 52 8.4 11 5.1 1,010 12.6 APGAR SCORE LESS THAN 8 11 8.0 72 2.2 7 6.7 27 4.4 5 2.3 339 4.3 CONGENITAL MALFORMATIONS 0 0.0 19 0.6 1 1.0 13 2.1 2 0.9 95 1.2 NONPHYSICIAN ATTENDED 1 0.7 4 0.1 0 0.0 2 0.3 0 0.0 7 0.1 HOME DELIVERIES 1 1 0.7 18 0.5 0 0.0 3 0.5 0 0.0 27 0.3 OPERATIVE DELIVERIES 2 18.6 1,497 45.5 34 32.7 220 35.6 63 29.4 2,653 33.2 CESAREAN DELIVERIES 2 14.3 910 27.7 25 24.0 155 25.1 49 22.9 1,777 22.2 MOTHER SHOKED DURING PREG 41 31.8 780 23.8 31 29.8 219 55.6 58 27.1 2,743 34.6 MOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 100 LBS 6 4.6 83 2.5 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 100 LBS 6 4 4.6 83 2.5 1 1.0 3 1.3 1 0.5 265 3.4 MOTHER LEVIANTE DELIVERIES 2 15.0 326 9.9 16 15.4 11.0 37 1.3 1 0.5 265 3.4 MATERNAL EDUCATION UNDER 12 1 1.0 32 1.0 3 1.2 37 1.7 3 2.604 32.6 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE IST TRIMESTER 34 24.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SAB DIRIMESTER 34 29.4 29.7 9.1 15 14.7 11.2 18.5 30 14.2 1,752 19.4 SAB DIRIMESTER 34 29.4 29.7 9.1 15 14.7 11.2 18.5 30 14.2 1,752 25.5 APGE OF MOTHER UNDER 10 LB BIRTH ARE STAN 18 MONTHS SINCE LAST LIVE BIRTH 1 1 7.9 699 21.3 12 15.5 66 10.7 12 1.9 3 1.4 6.9 3.1 2.5 APGE OF MOTHER UNDER 15 1 1 0.7 1 0.0 0 0 0 0 0 1 0 2 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | TOTAL LIVE BIRTHS | 140 | 100.0 | 3,288 | 100.0 | 104 | 100.0 | 618 | 100.0 | 214 | 100.0 | 7,993 | 100.0 |
| LESS THAN 37 MERS GEST. 8 5.7 244 7.4 4 3.8 52 8.4 11 5.1 1,010 12.6 APRAR SCORE LESS THAN 8 11 8.0 72 2.2 7 6.7 27 4.4 5 2.3 339 4.3 CONGENITAL MALFORMATIONS 0 0.0 19 0.6 1 1.0 13 2.1 2 0.9 339 4.3 NOMPHYSICIAN ATTENDED 1 1 0.7 4 0.1 0 0.0 2 0.3 0 0.0 7 0.1 HOWE DELIVERIES 1 1 0.7 18 0.5 0 0.0 3 0.5 0 0.0 27 0.3 OPERATIVE DELIVERIES 2 1 1.0,7 18 0.5 0 0.0 3 0.5 0 0.0 27 0.3 CESAREAN DELIVERIES 20 14.3 910 27.7 25 24.0 155 25.1 49 22.9 1,777 22.2 MOTHER SHOKED DURING PREG 41 31.8 780 23.8 31 29.8 219 35.6 58 27.1 2,743 54.6 MOTHER UNDER 60 INCHES 2 1.6 57 1.1 1 0.0 37 6.0 2 0.9 300 3.8 MOTHER 175 LBS OR MORE 20 15.4 288 8.8 11 10.7 50 8.2 26 12.1 899 11.4 MATERNAL EDUCATION UNDER 12 41 29.3 330 10.0 21 20.2 193 31.2 37 17.3 2,604 32.6 LESS THAN 18 MONTHS SINCE LAST LIVE BITH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE 1ST TRINESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,768 72.4 2ND TRINESTER 34 24.3 352 10.7 19 18.3 125 20.2 33 15.4 1,555 19.4 SROT REINESTER 40 29.4 297 9.1 15 14.7 11.8 18.3 14.1 1.6 25 1.6 NORRESTER 4 22.1 15.0 62 1.9 3 2.9 14 2.5 7 3.3 278 3.5 NO PRENATAL CARE 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 LAST LIVE BITH 11 7.9 699 21.3 15.5 16.7 11.2 18.3 39 14.2 15.7 15.7 2.604 32.6 LIMBUSER 15 1 0.7 1 0.0 0 0.0 12 1.9 3 1.4 125 1.6 SROT REINESTER 5 3 22.1 15.0 62 1.9 3 2.9 14 2.5 7 3.3 278 3.5 NO PRENATAL CARE 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 LAST LIVE BITH 11 7.9 699 21.3 15.5 14.7 112 18.3 30 14.2 17.7 2.7 2.7 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 12 1.9 3 1.4 125 1.6 LIMBUSER 15 1 0.7 1 0.0 0 0.0 12 1.9 3 1.4 125 1.6 LIMBUSER 15 1 0.7 1 0.0 0 0.0 12 1.9 3 1.4 125 1.6 LIMBUSER 15 1 0.7 1 0.0 0 0.0 12 1.9 3 1.4 125 1.6 LIMBUSER 15 1 0.7 1 0.0 0 0.0 0 0.0 12 1.9 3 1.4 125 1.6 LIMBUSER 15 1 0.7 1 0.0 0 0.0 0 0.0 12 1.9 3 1.4 125 1.6 LIMBUSER 15 1 0.7 1 0.0 0 0.0 0 0.0 0 0.0 0.0 0.0 0.0 0.0 | UNDER 2500 GRAMS | 13 | 9.3 | 179 | 5.4 | 5 | 4.8 | 50 | 8.1 | 13 | 6.1 | 851 | 10.6 |
| APGAR SCORE LESS THAN 8 11 8.0 72 2.2 7 6.7 27 4.4 5 2.3 339 4.3 CONGENITAL MALFORMATIONS 0 0.0 19 0.6 1 1.0 13 2.1 2 0.9 93 1.2 NONPHYSICIAN ATTENDED 1 0.7 4 0.1 0 0.0 2 0.3 0.0 0.0 7 0.1 2 0.7 0.3 OPERATIVE DELIVERIES 1 0.7 18 0.5 0 0.0 3 0.5 0 0.0 27 0.3 OPERATIVE DELIVERIES 26 18.6 1.497 45.5 34 32.7 220 35.6 63 29.4 2,655 33.2 CESAREAN DELIVERIES 20 14.3 910 27.7 25 24.0 155 25.1 49 22.9 1.777 22.2 MOTHER SHOKED DURING PREG 41 31.8 780 23.8 31 29.8 219 35.6 58 27.1 2,743 34.6 MOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 100 LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER 175 LBS OR MORE 20 15.4 288 8.8 11 10.7 50 8.2 26 12.1 899 11.4 MATERNAL EDUCATION UNDER 12 15.0 326 9.9 16 15.4 11 10.7 50 8.2 26 12.1 899 11.4 LBS THAN 18 MONTHS SINCE LAST LUYE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE LAST LUYE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE LAST LUYE BIRTH 2 1 15.0 62 1.9 3 2.9 14 2.3 7 3.5 2.6 5 5.7 8 36.4 1.5 1.5 1.6 1.5 1.5 1.5 1.7 8 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 | OVER 4499 GRAMS | 2 | 1.4 | 96 | 2.9 | 0 | 0.0 | 10 | 1.6 | 6 | 2.8 | 95 | 1.2 |
| CONGENITAL MALFORMATIONS 0 0.0 19 0.6 1 1.0 13 2.1 2 0.9 93 1.2 NONPHYSICIAN ATTENDED 1 0.7 4 0.1 0 0.0 2 0.3 0 0.0 0.0 7 0.1 HOME DELIVERIES 1 0.7 18 0.5 0 0.0 3 0.5 0 0.0 0.7 2 0.3 DPERATIVE DELIVERIES 26 18.6 1,497 45.5 34 32.7 220 35.6 63 29.4 2.653 33.2 CESAREAN DELIVERIES 20 14.3 910 27.7 25 24.0 155 25.1 49 22.9 1,777 22.2 MOTHER SMOKED DURING PREG 41 31.8 780 23.8 31 29.8 219 35.6 58 27.1 2,743 34.6 MOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 60 INCHES 2 1.6 37 2.1 1.0 37 6.0 2 0.9 300 3.8 MOTHER 175 LBS OR MORE 20 15.4 288 8.8 11 10.7 50 8.2 26 12.1 899 11.4 MATERINAL EDUCATION UNDER 12 41 29.3 330 10.0 21 20.2 193 31.2 37 17.3 2.604 32.6 ILEST THAN 18 HONTHS SINCE LEST THAN 18 HONTHS SINCE LEST THAN 18 HONTHS SINCE LAST LIVE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PREMATAL CAME 1ST TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1.9 19.2 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1.9 19.2 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1.9 19.2 SHOT TRIMESTER 34 26.3 352 10.7 19 18.3 125 20.2 33 15.4 1.9 19.2 SHOT TRIMESTER 34 26.3 35.5 10.7 | LESS THAN 37 WEEKS GEST. | 8 | 5.7 | 244 | 7.4 | 4 | 3.8 | 52 | 8.4 | 11 | 5.1 | 1,010 | 12.6 |
| NONPHYSICIAN ATTENDED 1 0.7 4 0.1 0 0.0 2 0.3 0 0.0 7 0.1 HOME DELIVERIES 1 0.7 18 0.5 0 0.0 3 0.5 0 0.0 27 0.3 OPERATIVE DELIVERIES 26 18.6 1,497 45.5 34 32.7 220 35.6 63 29.4 2,653 33.2 CESAREAN DELIVERIES 20 14.3 910 27.7 25 24.0 155 25.1 49 22.9 1,777 22.2 HOTHER SMOKED DURING PREG 41 31.8 780 23.8 31 29.8 219 35.6 58 27.1 2,763 34.6 HOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 HOTHER UNDER 60 INCHES 2 1.6 637 1.1 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 100 LES 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 100 LES 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 100 LES 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 101 LES 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 101 LES 6 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 101 LES 6 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 101 LES 6 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 101 LES 6 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 101 LES 6 6 4.6 63 2.5 1 1.0 37 6.0 2 0.9 300 3.8 HOTHER UNDER 101 LES 6 6 4.6 63 7.5 2 8.4 14 6.5 959 12.0 PRENATAL CARE 1ST TRIMESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,768 72.4 SNO TRIMESTER 82 E8.6 2.849 86.6 80 76.9 462 74.8 170 79.4 5,768 72.4 SNO TRIMESTER 82 E8.6 2.849 86.6 80 76.9 462 74.8 170 79.4 5,768 72.4 SNO TRIMESTER 82 E8.6 2.849 86.6 80 76.9 462 74.8 170 79.4 5,768 72.4 SNO TRIMESTER 81 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 80 80 80 80 80 80 80 80 80 80 80 80 80 | APGAR SCORE LESS THAN 8 | 11 | 8.0 | 72 | 2.2 | 7 | 6.7 | 27 | 4.4 | 5 | 2.3 | 339 | 4.3 |
| HOME DELIVERIES 1 0.7 18 0.5 0 0.0 3 0.5 0 0.0 27 0.3 3.2 CESAREAN DELIVERIES 26 18.6 1,497 45.5 34 32.7 220 35.6 63 29.4 2,653 33.2 CESAREAN DELIVERIES 20 14.3 910 27.7 25 24.0 155 25.1 49 22.9 1,777 22.2 MOTHER SHOKED DURING PREG 41 31.8 780 23.8 31 29.8 219 35.6 58 27.1 2,743 34.6 MOTHER LNDER 60 INCKIES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 60 INCKIES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 100 LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER SHOKED HORE 20 15.4 288 8.8 11 10.7 50 8.2 26 12.1 899 11.4 MATERNAL EDUCATION UNDER 12 41 29.3 330 10.0 21 20.2 193 31.2 37 17.3 2,604 32.6 LESS THAN 18 HONTHS SINCE LAST LIVE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE 1ST TRIMESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,788 72.4 2ND TRIMESTER 82 44.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 3RD TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 13 1 0.7 1 0.0 0 0.0 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 1 0.2 0 0.0 47 0.6 15-17 11 7.9 65 2.6 4 4.9 38.5 25.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 45.5 20.0 0.0 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 | CONGENITAL MALFORMATIONS | 0 | 0.0 | 19 | 0.6 | 1 | 1.0 | 13 | 2.1 | 2 | 0.9 | 93 | 1.2 |
| OPERATIVE DELIVERIES 26 18.6 1,497 45.5 34 32.7 220 35.6 63 29.4 2,653 33.2 CESAREAN DELIVERIES 20 14.3 910 27.7 25 24.0 155 25.1 49 22.9 1,777 22.2 35.6 MOTHER SHOKED DURING PREG 41 31.8 780 23.8 31 29.8 219 35.6 58 27.1 2,743 34.6 MOTHER UNDER 100 LBS 6 4.6 83 2.5 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 100 LBS 6 4.6 83 2.5 1 1.0 7 50 8.2 26 12.1 899 11.4 MATERNAL EDUCATION UNDER 12 41 29.3 330 10.0 21 20.2 193 31.2 37 17.3 2,604 32.6 ILLEGITHMATE BIRTHS 21 15.0 326 9.9 16 15.4 117 18.9 35 16.4 4,505 56.4 LESS THAN 18 MONTHS SINCE | NONPHYSICIAN ATTENDED | 1 | 0.7 | 4 | 0.1 | 0 | 0.0 | 2 | 0.3 | 0 | 0.0 | 7 | 0.1 |
| CESAREAN DELIVERIES 20 14.3 910 27.7 25 24.0 155 25.1 49 22.9 1,777 22.2 MOTHER SHOKED DURING PREG 41 31.8 780 23.8 31 29.8 219 35.6 58 27.1 2,743 34.6 MOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 100 LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER LYDE LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER LYDE LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER LYDE LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER LYDE LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER LYDE LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER LYDE LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER LBS 6 4.6 83 2.5 1 1.0 326 9.9 16 15.4 117 18.9 35 16.4 4,505 56.4 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE 1ST TRIMESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,788 72.4 2ND TRIMESTER 34 24.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 2ND TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 0 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INABEQUATE PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 12 1.9 3 1.4 125 1.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 227 38.3 72 33.6 2,591 32.4 25-29 46 32.1 1,346 40.9 32 30.8 176 28.5 78 36.6 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 0 | HOME DELIVERIES | 1 | 0.7 | 18 | 0.5 | 0 | 0.0 | 3 | 0.5 | 0 | 0.0 | 27 | 0.3 |
| MOTHER SMOKED DURING PREG 41 31.8 760 23.8 31 29.8 219 35.6 58 27.1 2,743 34.6 MOTHER UNDER 60 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 MOTHER UNDER 100 LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER 175 LBS OR MORE 20 15.4 288 8.8 11 10.7 50 8.2 26 12.1 899 11.4 MATERNAL EDUCATION UNDER 12 41 29.3 330 10.0 21 20.2 193 31.2 37 17.3 2,604 32.6 ILLEGITHATE BIRTHS 21 15.0 326 9.9 16 15.4 117 18.9 35 16.4 4,505 56.4 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PREMATAL CARE 1ST TRIMESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,788 72.4 2ND TRIMESTER 34 24.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 3RD TRIMESTER 34 24.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 3RD TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 0 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 0 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 0 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 33 37 23 33.6 2,591 32.4 45.4 33-39 7 5.0 185 39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 32 7 33.5 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 | OPERATIVE DELIVERIES | 26 | 18.6 | 1,497 | 45.5 | 34 | 32.7 | 220 | 35.6 | 63 | 29.4 | 2,653 | 33.2 |
| MOTHER UNDER 10 INCHES 2 1.6 37 1.1 1 1.0 8 1.3 1 0.5 265 3.4 | CESAREAN DELIVERIES | 20 | 14.3 | | 27.7 | 25 | 24.0 | 155 | 25.1 | 49 | | - | |
| MOTHER UNDER 100 LBS 6 4.6 83 2.5 1 1.0 37 6.0 2 0.9 300 3.8 MOTHER 175 LBS OR MORE 20 15.4 288 8.8 11 10.7 50 8.2 26 12.1 899 11.4 MATERNAL EDUCATION UNDER 12 41 29.3 330 10.0 21 20.2 193 31.2 37 17.3 2.604 32.6 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE 82 58.6 2.849 86.6 80 76.9 462 74.8 170 79.4 5.788 72.4 2ND TRIMESTER 82 58.6 2.849 86.6 80 76.9 462 74.8 170 79.4 5.788 72.4 2ND TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 17.62 23.5 NO PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 17.62 23.5 AGG OF MOTHER 15 1 0.7 1 0.0 0 0.0 12 1.9 3 1.4 125 1.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 6.98 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2.591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2.5 79 3.3 327 4.1 40.5 40-44 0 0 0.0 17 0.5 0 0.0 0 0.0 4 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 | MOTHER SMOKED DURING PREG | 41 | 31.8 | 780 | 23.8 | 31 | 29.8 | 219 | 35.6 | 58 | 27.1 | 2,743 | 34.6 |
| MOTHER 175 LBS OR MORE 20 15.4 288 8.8 11 10.7 50 8.2 26 12.1 899 11.4 MATERNAL EDUCATION UNDER 12 41 29.3 330 10.0 21 20.2 193 31.2 37 17.3 2,604 32.6 ILLEGITIMATE BIRTHS 21 15.0 326 9.9 16 15.4 117 18.9 35 16.4 4,505 56.4 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE 1ST TRIMESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,788 72.4 2ND TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 0 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 0 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 699 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 77 33.6 2,191 12.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 0.0 4 0.6 0 0.0 0.0 2 0.0 LIVE BIRTH ORDER LIST TRIMESTER 153 37.9 1,313 39.9 45 43.3 236 38.2 71 33.2 2,541 40.5 2ND REAL CARE 157 15 50 17.0 17 16.5 15 6.5 8 30 4.9 14 6.5 573 7.2 | MOTHER UNDER 60 INCHES | 2 | 1.6 | 37 | 1.1 | 1 | 1.0 | 8 | 1.3 | 1 | 0.5 | 265 | 3.4 |
| MOTHER 175 LBS OR MORE 20 15.4 288 8.8 11 10.7 50 8.2 26 12.1 899 11.4 MATERNAL EDUCATION UNDER 12 41 29.3 330 10.0 21 20.2 193 31.2 37 17.3 2,604 32.6 ILLEGITIMATE BIRTHS 21 15.0 326 9.9 16 15.4 117 18.9 35 16.4 4,505 56.4 LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH 16 11.4 242 7.4 9 8.7 52 8.4 14 6.5 959 12.0 PRENATAL CARE 1ST TRIMESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,788 72.4 2ND TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 0 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 0 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 699 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 77 33.6 2,191 12.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 0.0 4 0.6 0 0.0 0.0 2 0.0 LIVE BIRTH ORDER LIST TRIMESTER 153 37.9 1,313 39.9 45 43.3 236 38.2 71 33.2 2,541 40.5 2ND REAL CARE 157 15 50 17.0 17 16.5 15 6.5 8 30 4.9 14 6.5 573 7.2 | MOTHER UNDER 100 LBS | 6 | 4.6 | 83 | 2.5 | 1 | 1.0 | 37 | 6.0 | 2 | 0.9 | 300 | 3.8 |
| Tillegittmate Births | MOTHER 175 LBS OR MORE | 20 | 15.4 | 288 | | 11 | 10.7 | 50 | | 26 | | 899 | |
| Tillegittmate Births | MATERNAL EDUCATION UNDER 1 | .2 41 | 29.3 | 330 | 10.0 | 21 | 20.2 | 193 | 31.2 | 37 | 17.3 | 2,604 | 32.6 |
| CAST LIVE BIRTH | ILLEGITIMATE BIRTHS | | 15.0 | 326 | 9.9 | | 15.4 | | | | | - | |
| 1ST TRIMESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,788 72.4 2ND TRIMESTER 34 24.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 3RD TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 25.3 30 32 4.4 40 40 40 40 40 40 40 40 40 40 40 40 40 | | 16 | 11.4 | 242 | 7.4 | 9 | 8.7 | 52 | 8.4 | 14 | 6.5 | 959 | 12.0 |
| 1ST TRIMESTER 82 58.6 2,849 86.6 80 76.9 462 74.8 170 79.4 5,788 72.4 2ND TRIMESTER 34 24.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 3RD TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 25.3 30 32 4.4 40 40 40 40 40 40 40 40 40 40 40 40 40 | DOENATAL CADE | | | | | | | | | | | | |
| 2ND TRIMESTER 34 24.3 352 10.7 19 18.3 125 20.2 33 15.4 1,553 19.4 3RD TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 35-39 7 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 4.4 40.4 40.4 40.4 40.4 40.4 40.4 4 | | 00 | F0 (| 0.060 | 0// | | 7/ 0 | 440 | 76.0 | 170 | 70 6 | F 700 | 70.6 |
| 3RD TRIMESTER 21 15.0 62 1.9 3 2.9 14 2.3 7 3.3 278 3.5 NO PRENATAL CARE 0 0.0 15 0.5 0 0.0 12 1.9 3 1.4 125 1.6 INADEQUATE PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 25-29 45 32.1 | | | | - | | | | | | | | | |
| NO PRENATAL CARE | | | | | | | | | | | | | |
| INADEQUATE PRENATAL CARE 40 29.4 297 9.1 15 14.7 112 18.3 30 14.2 1,762 23.5 AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2.591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 4 0.6 0 0.0 44 0.6 45-49 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 LIVE BIRTH ORDER 1ST 53 37.9 1,313 39.9 45 43.3 236 38.2 71 33.2 3,241 40.5 2ND 46 32.9 1,166 35.5 33 31.7 210 34.0 70 32.7 2,410 30.2 3RD 21 15.0 560 17.0 17 16.3 119 19.3 53 24.8 1,318 16.5 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | | | | | | _ | | | | - | | | |
| AGE OF MOTHER UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 4 0.6 0 0.0 44 0.6 45-49 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | - | | | | - | | | | _ | | | |
| UNDER 15 1 0.7 1 0.0 0 0.0 1 0.2 0 0.0 47 0.6 15-17 11 7.9 85 2.6 4 3.8 32 5.2 3 1.4 698 8.7 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 4 0.6 0 0.0 44 0.6 45-49 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | INADEQUATE PRENATAL CARE | 40 | 29.4 | 297 | 9.1 | 15 | 14.7 | 112 | 18.3 | 30 | 14.2 | 1,762 | 23.5 |
| 15-17 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 35-39 75.0 185 56 3 2.9 20 3.2 75.0 33.6 2,591 32.4 26.8 30-34 3 | | | | | | | | | | | | | |
| 18-19 19 13.6 154 4.7 13 12.5 66 10.7 15 7.0 991 12.4 20-24 20-24 25-29 46 32.9 801 24.4 40 38.5 237 38.3 72 33.6 2,591 32.4 25-29 45 32.1 1,346 40.9 32 30.8 176 28.5 78 36.4 2,144 26.8 30-34 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 4 0.6 0 0.0 44 0.6 45-49 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | _ | | 1 | 0.0 | 0 | | | | _ | | | 0.6 |
| 20-24 | 15-17 | 11 | 7.9 | 85 | 2.6 | 4 | 3.8 | 32 | 5.2 | 3 | 1.4 | 698 | 8.7 |
| 25-29 | 18-19 | 19 | 13.6 | 154 | 4.7 | 13 | 12.5 | 66 | 10.7 | 15 | 7.0 | 991 | 12,4 |
| 30-34 11 7.9 699 21.3 12 11.5 82 13.3 39 18.2 1,149 14.4 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0.64 0 0.0 17 0.5 0 0.0 4 0.6 0 0.0 44 0.6 45-49 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 | 20-24 | 46 | 32.9 | 801 | 24.4 | 40 | 38.5 | 237 | 38.3 | 72 | 33.6 | 2,591 | 32.4 |
| 35-39 7 5.0 185 5.6 3 2.9 20 3.2 7 3.3 327 4.1 40-44 0 0 0.0 17 0.5 0 0.0 4 0.6 0 0.0 44 0.6 45-49 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 | 25-29 | 45 | 32.1 | 1,346 | 40.9 | 32 | 30.8 | 176 | 28.5 | 78 | 36.4 | 2,144 | 26.8 |
| 40-44 0 0 0.0 17 0.5 0 0.0 4 0.6 0 0.0 44 0.6 45-49 0 0.0 0 0 0.0 0 0.0 0 0.0 2 0.0 LIVE BIRTH ORDER 1ST 53 37.9 1,313 39.9 45 43.3 236 38.2 71 33.2 3,241 40.5 2ND 46 32.9 1,166 35.5 33 31.7 210 34.0 70 32.7 2,410 30.2 3RD 21 15.0 560 17.0 17 16.3 119 19.3 53 24.8 1,318 16.5 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | 30-34 | 11 | 7.9 | 699 | 21.3 | 12 | 11.5 | 82 | 13.3 | 39 | 18.2 | 1,149 | 14.4 |
| 45-49 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 LIVE BIRTH ORDER 1ST 53 37.9 1,313 39.9 45 43.3 236 38.2 71 33.2 3,241 40.5 2ND 46 32.9 1,166 35.5 33 31.7 210 34.0 70 32.7 2,410 30.2 3RD 21 15.0 560 17.0 17 16.3 119 19.3 53 24.8 1,318 16.5 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | 35-39 | 7 | 5.0 | 185 | 5.6 | 3 | 2.9 | 20 | 3.2 | 7 | 3.3 | 327 | 4.1 |
| LIVE BIRTH ORDER 1ST 53 37.9 1,313 39.9 45 43.3 236 38.2 71 33.2 3,241 40.5 2ND 46 32.9 1,166 35.5 33 31.7 210 34.0 70 32.7 2,410 30.2 3RD 21 15.0 560 17.0 17 16.3 119 19.3 53 24.8 1,318 16.5 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | 40-44 | 0 | 0.0 | 17 | 0.5 | 0 | 0.0 | 4 | 0.6 | 0 | 0.0 | 44 | 0.6 |
| 1ST 53 37.9 1,313 39.9 45 43.3 236 38.2 71 33.2 3,241 40.5 2ND 46 32.9 1,166 35.5 33 31.7 210 34.0 70 32.7 2,410 30.2 3RD 21 15.0 560 17.0 17 16.3 119 19.3 53 24.8 1,318 16.5 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | 45-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 |
| 1ST 53 37.9 1,313 39.9 45 43.3 236 38.2 71 33.2 3,241 40.5 2ND 46 32.9 1,166 35.5 33 31.7 210 34.0 70 32.7 2,410 30.2 3RD 21 15.0 560 17.0 17 16.3 119 19.3 53 24.8 1,318 16.5 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | LIVE BIRTH ORDER | | | | | | | | | | | | |
| 2ND 46 32.9 1,166 35.5 33 31.7 210 34.0 70 32.7 2,410 30.2 3RD 21 15.0 560 17.0 17 16.3 119 19.3 53 24.8 1,318 16.5 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | 1ST | 53 | 37.9 | 1,313 | 39.9 | 45 | 43.3 | 236 | 38.2 | 71 | 33.2 | 3,241 | 40.5 |
| 3RD 21 15.0 560 17.0 17 16.3 119 19.3 53 24.8 1,318 16.5 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | | 46 | | • | | 33 | | | 34.0 | 70 | | - | 30.2 |
| 4TH 17 12.1 176 5.4 6 5.8 30 4.9 14 6.5 573 7.2 | | | | | | | | | | | | | |
| | | | | | | | | | | 14 | | | |
| | • | | | | | _ | | | | | | | |

| UNDER 2500 GRAMS 812 5.8 22 7.1 1 1.9 3 3.8 41 6.9 12 11 OVER 4499 GRAMS 299 2.1 11 3.5 1 1.9 4 5.0 15 2.5 1 0 | | | CUA | TT | 600 | ANID | | | | | | | | TABLE 10B (CONT) RESIDENT LIV |
|--|-------|------|-----|-------|-----|-------|----|-------|----|-------|-----|-------|---------|-------------------------------|
| UNDER 2500 GRAMS 812 5.8 22 7.1 1 1.9 3 3.8 41 6.9 12 11 OVER 4499 GRAMS 299 2.1 11 3.5 1 1.9 4 5.0 15 2.5 1 0 | | | | | | | | | | | | | | |
| OVER 4499 GRAMS 299 2.1 11 3.5 1 1.9 4 5.0 15 2.5 1 0 | .00.0 | 08] | 108 | 100.0 | 592 | 100.0 | 80 | 100.0 | 53 | 100.0 | 311 | 100.0 | 13,928 | TOTAL LIVE BIRTHS |
| | 11.1 | 12 | 12 | 6.9 | 41 | 3.8 | 3 | 1.9 | 1 | 7.1 | 22 | 5.8 | 812 | UNDER 2500 GRAMS |
| LESS THAN 37 WEEKS GEST. 1,061 7.6 19 6.1 3 5.7 5 6.3 52 8.8 5 4 | 0.9 | 1 | 1 | 2.5 | 15 | 5.0 | 4 | 1.9 | 1 | 3.5 | 11 | 2.1 | 299 | OVER 4499 GRAMS |
| | 4.6 | 5 | 5 | 8.8 | 52 | 6.3 | 5 | 5.7 | 3 | 6.1 | 19 | 7.6 | 1,061 | LESS THAN 37 WEEKS GEST. |
| APGAR SCORE LESS THAN 8 361 2.6 21 6.8 2 3.8 5 7.2 13 2.2 3 2 | 2.8 | 3 | 3 | 2.2 | 13 | 7.2 | 5 | 3.8 | 2 | 6.8 | 21 | 2.6 | 361 | APGAR SCORE LESS THAN 8 |
| CONGENITAL MALFORMATIONS 129 0.9 5 1.6 0 0.0 2 2.5 4 0.7 0 0 | 0.0 | 0 | 0 | 0.7 | 4 | 2.5 | 2 | 0.0 | 0 | 1.6 | 5 | 0.9 | 129 | CONGENITAL MALFORMATIONS |
| NONPHYSICIAN ATTENDED 18 0.1 1 0.3 0 0.0 9 11.3 1 0.2 1 0 | 0.9 | 1 | 1 | 0.2 | 1 | 11.3 | 9 | 0.0 | 0 | 0.3 | 1 | 0.1 | 18 | NONPHYSICIAN ATTENDED |
| HOME DELIVERIES 74 0.5 1 0.3 0 0.0 9 11.3 2 0.3 1 0 | 0.9 | 1 | 1 | 0.3 | 2 | 11.3 | 9 | 0.0 | 0 | 0.3 | 1 | 0.5 | 74 | HOME DELIVERIES |
| OPERATIVE DELIVERIES 6,726 48.3 89 28.6 10 18.9 15 18.8 182 30.7 24 22 | 22.2 | 24 | 24 | 30.7 | 182 | 18.8 | 15 | 18.9 | 10 | 28.6 | 89 | 48.3 | 6,726 | OPERATIVE DELIVERIES |
| CESAREAN DELIVERIES 3,624 26.0 73 23.5 8 15.1 14 17.5 128 21.6 21 19 | 19.4 | 21 | 21 | 21.6 | 128 | 17.5 | 14 | 15.1 | 8 | 23.5 | 73 | 26.0 | 3,624 | CESAREAN DELIVERIES |
| MOTHER SMOKED DURING PREG 3,033 22.0 94 31.5 18 34.6 19 27.1 178 30.4 43 40 | 40.2 | 43 | 43 | 30.4 | 178 | 27.1 | 19 | 34.6 | 18 | 31.5 | 94 | 22.0 | 3,033 | MOTHER SMOKED DURING PREG |
| MOTHER UNDER 60 INCHES 218 1.6 5 1.8 0 0.0 0 0.0 10 1.7 2 1 | 1.9 | 2 | 2 | 1.7 | 10 | 0.0 | 0 | 0.0 | 0 | 1.8 | 5 | 1.6 | 218 | MOTHER UNDER 60 INCHES |
| MOTHER UNDER 100 LBS 323 2.3 11 4.0 3 5.8 1 1.4 17 2.9 4 3 | 3.7 | 4 | 4 | 2.9 | 17 | 1.4 | 1 | 5.8 | 3 | 4.0 | 11 | 2.3 | 323 | MOTHER UNDER 100 LBS |
| MOTHER 175 LBS OR MORE 1,160 8.4 27 9.9 8 15.4 13 18.8 64 11.0 9 8 | 8.3 | 9 | 9 | 11.0 | 64 | 18.8 | 13 | 15.4 | 8 | 9.9 | 27 | 8.4 | 1,160 | MOTHER 175 LBS OR MORE |
| MATERNAL EDUCATION UNDER 12 1,401 10.1 65 20.9 10 18.9 23 28.8 166 28.0 42 38 | 38.9 | 42 | 42 | 28.0 | 166 | 28.8 | 23 | 18.9 | 10 | 20.9 | 65 | 10.1 | 2 1,401 | MATERNAL EDUCATION UNDER 12 |
| ILLEGITIMATE BIRTHS 2,378 17.1 62 19.9 7 13.2 9 11.3 137 23.1 18 16 LESS THAN 18 MONTHS SINCE | 16.7 | 18 | 18 | 23.1 | 137 | 11.3 | 9 | 13.2 | 7 | 19.9 | 62 | 17.1 | 2,378 | |
| | 9.3 | 10 | 10 | 7.6 | 45 | 6.3 | 5 | 7.5 | 4 | 7.7 | 24 | 7.2 | 996 | |
| PRENATAL CARE | | | | | | | | | | | | | | PRENATAL CARE |
| | 68.5 | 74 | 74 | 64.2 | 380 | 71.3 | 57 | 83.0 | 44 | 71.4 | 222 | 89.8 | 12,512 | |
| | 23.1 | | | | | | | | | | | | | |
| | 6.5 | | | | | | | | _ | | | | | |
| | 0.0 | | | | | | _ | | | | | | | |
| | 29.5 | - | _ | | | | _ | | - | | | | | |
| AGE OF MOTHER | | | | | | | | | | | | | | AGE OF MOTHER |
| | 0.9 | 1 | 1 | 0.7 | 4 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.2 | 29 | |
| | 5.6 | | | | - | | _ | | _ | | _ | | | |
| | 10.2 | 11 | 11 | | 54 | 3.8 | | | | | 40 | 4.8 | 670 | 18-19 |
| | 38.9 | | | | | | | | | | | | | |
| | 27.8 | | | | | | | | | | | | | |
| 30-34 3,612 25.9 36 11.6 7 13.2 12 15.0 68 11.5 11 10 | 10.2 | 11 | 11 | 11.5 | 68 | 15.0 | 12 | 13.2 | 7 | 11.6 | 36 | 25.9 | 3,612 | 30-34 |
| | 5.6 | | | | | 11.3 | | | 1 | | 12 | 7.9 | | 35-39 |
| • | 0.9 | - | - | | | | | | _ | | | | - | |
| | 0.0 | | | | | | | | _ | | - | | | |
| LIVE BIRTH ORDER | | | | | | | | | | | | | | LIVE BIRTH ORDER |
| | 36.1 | 39 | 39 | 41.2 | 244 | 36.3 | 29 | 39.6 | 21 | 40.8 | 127 | 42.1 | 5,862 | |
| · | 37.0 | | | | | | | | | | | | | |
| ., | 19.4 | | | | | | | | | | | | | |
| · | 4.6 | | | | | | | | | | | | | |
| - · · · · · · · · · · · · · · · · · · · | 2.8 | _ | _ | | | | _ | | - | | | | | |

| TABLE 10B (CONT) RESIDENT LI | VE BIRTHS SHEL | | ECTED CHA. | | STICS BY | COUNTY: | MISSOUR SULLI | | TAN | ΕY | TEX | (AS |
|--|-------------------|--------|------------|-------|----------|---------|------------------|--------|----------|--------------|----------|--------|
| | NUMBER P | ERCENT | NUMBER P | | | | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT |
| TOTAL LIVE BIRTHS | 91 | 100.0 | 353 | 100.0 | 186 | 100.0 | 55 | 100.0 | 265 | 100.0 | 294 | 100.0 |
| UNDER 2500 GRAMS | 1 | 1.1 | 20 | 5.7 | 7 | 3.8 | 1 | 1.8 | 11 | 4.2 | 22 | 7.5 |
| OVER 4499 GRAMS | 3 | 3.3 | 3 | 0.8 | 1 | 0.5 | 2 | 3.6 | 3 | 1.1 | 6 | 2.0 |
| LESS THAN 37 WEEKS GEST. | 4 | 4.4 | 25 | 7.1 | 10 | 5.4 | 3 | 5.5 | 20 | 7.5 | 29 | 9.9 |
| APGAR SCORE LESS THAN 8 | 2 | 2.2 | 17 | 4.8 | 2 | 1.1 | 0 | 0.0 | 10 | 3.8 | 13 | 4.5 |
| CONGENITAL MALFORMATIONS | 0 | 0.0 | 1 | 0.3 | 3 | 1.6 | 0 | 0.0 | 1 | 0.4 | 4 | 1.4 |
| NONPHYSICIAN ATTENDED | 1 | 1.1 | 1 | 0.3 | 2 | 1.1 | 0 | 0.0 | 5 | 1.9 | 4 | 1.4 |
| HOME DELIVERIES | 1 | 1.1 | 1 | 0.3 | 0 | 0.0 | 1 | 1.8 | 6 | 2.3 | 3 | 1.0 |
| OPERATIVE DELIVERIES | 26 | 28.6 | 82 | 23.2 | 48 | 25.8 | 12 | 21.8 | 67 | 25.3 | 81 | 27.6 |
| CESAREAN DELIVERIES | 18 | 19.8 | 75 | 21.2 | 25 | 13.4 | 11 | 20.0 | 54 | 20.4 | 59 | 20.1 |
| MOTHER SMOKED DURING PREG | 22 | 25.6 | 105 | 30.3 | 56 | 31.8 | 21 | 38.9 | 59 | 22.9 | 108 | 37.0 |
| MOTHER UNDER 60 INCHES | 1 | 1.2 | 7 | 2.1 | 3 | 1.7 | 1 | 1.9 | 4 | 1.6 | 4 | 1.4 |
| MOTHER UNDER 100 LBS | 2 | 2.4 | 14 | 4.2 | 5 | 2.9 | 0 | 0.0 | 11 | 4.3 | 14 | 4.8 |
| MOTHER 175 LBS OR MORE | 10 | 11.8 | 31 | 9.3 | 16 | 9.1 | 8 | 14.8 | 28 | 11.0 | 29 | 10.0 |
| MATERNAL EDUCATION UNDER 1 | 2 18 | 19.8 | 112 | 31.7 | 49 | 26.3 | 10 | 18.2 | 42 | 15.8 | 92 | 31.3 |
| ILLEGITIMATE BIRTHS | 10 | 11.0 | 61 | 17.3 | 32 | 17.2 | 9 | 16.4 | 24 | 9.1 | 44 | 15.0 |
| LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH | 4 | 4.4 | 32 | 9.1 | 15 | 8.1 | 0 | 0.0 | 20 | 7.5 | 20 | 6.8 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 74 | 81.3 | 232 | 65.7 | 126 | 67.7 | 42 | 76.4 | 164 | 61.9 | 220 | 74.8 |
| | 13 | 14.3 | 92 | 26.1 | 41 | 22.0 | 10 | 18.2 | 67 | 25.3 | 56 | 19.0 |
| 2ND TRIMESTER | 2 | 2.2 | 23 | 6.5 | 9 | 4.8 | 2 | 3.6 | 13 | 4.9 | 13 | 4.4 |
| 3RD TRIMESTER | 1 | 1.1 | 1 | 0.3 | 8 | 4.3 | 1 | 1.8 | 21 | 7.9 | 3 | 1.0 |
| NO PRENATAL CARE | _ | | 92 | 26.6 | 45 | 24.5 | 12 | 21.8 | 84 | 31.9 | 72 | 24.8 |
| INADEQUATE PRENATAL CARE | 14 | 15.6 | 72 | 20.0 | 45 | 24.5 | 12 | 21.0 | 04 | 31. 7 | , - | LTIO |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 4 | 4.4 | 25 | 7.1 | 8 | 4.3 | 1 | 1.8 | 4 | 1.5 | 11 | 3.7 |
| 18-19 | 10 | 11.0 | 45 | 12.7 | 34 | 18.3 | 4 | 7.3 | 17 | 6.4 | 43 | 14.6 |
| 20-24 | 41 | 45.1 | 124 | 35.1 | 74 | 39.8 | 26 | 47.3 | 109 | 41.1 | 111 | 37.8 |
| 25-29 | 26 | 28.6 | 98 | 27.8 | 46 | 24.7 | 12 | 21.8 | 79 | 29.8 | 88 | 29.9 |
| 30-34 | 8 | 8.8 | 47 | 13.3 | 18 | 9.7 | 10 | 18.2 | 42 | 15.8 | 30 | 10.2 |
| 35-39 | 2 | 2.2 | 11 | 3.1 | 4 | 2.2 | 1 | 1.8 | 13 | 4.9 | 9 | 3.1 |
| 40-44 | Ō | 0.0 | 3 | 0.8 | 2 | 1.1 | 1 | 1.8 | 1 | 0.4 | 2 | 0.7 |
| 45-49 | Ō | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 35 | 38.5 | 161 | 45.6 | 83 | 44.6 | 30 | 54.5 | 116 | 43.8 | 120 | 40.8 |
| 2ND | 32 | 35.2 | 124 | 35.1 | 67 | 36.0 | 13 | 23.6 | 90 | 34.0 | 103 | 35.0 |
| 3RD | 14 | 15.4 | 48 | 13.6 | 22 | 11.8 | 9 | 16.4 | 40 | 15.1 | 43 | 14.6 |
| 4TH | 7 | 7.7 | 9 | 2.5 | 11 | 5.9 | 3 | 5.5 | 12 | 4.5 | 17 | 5.8 |
| 5TH OR MORE | 3 | 3.3 | 11 | 3.1 | 3 | 1.6 | Ō | 0.0 | 7 | 2.6 | 11 | 3.7 |
| SIII OK HONE | _ | | | | - | | • | | | | | |

| TABLE 10B (CONT) RESIDENT LI | ECTED CHA. Warr | | STICS BY WASHIN | | WAY | NE | WEBS | | WOR | | | |
|------------------------------|--------------------|--------|--------------------|--------|----------|--------|----------|--------|----------|--------|----------|--------|
| | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT |
| TOTAL LIVE BIRTHS | 285 | 100.0 | 314 | 100.0 | 298 | 100.0 | 139 | 100.0 | 340 | 100.0 | 26 | 100.0 |
| UNDER 2500 GRAMS | 17 | 6.0 | 17 | 5.4 | 24 | 8.1 | 6 | 4.3 | 20 | 5.9 | 0 | 0.0 |
| OVER 4499 GRAMS | 8 | 2.8 | 8 | 2.5 | 8 | 2.7 | 5 | 3.6 | 10 | 2.9 | 0 | 0.0 |
| LESS THAN 37 WEEKS GEST. | 19 | 6.7 | 19 | 6.1 | 28 | 9.4 | 8 | 5.8 | 28 | 8.2 | 3 | 11.5 |
| APGAR SCORE LESS THAN 8 | 28 | 9.9 | 3 | 1.0 | 11 | 3.7 | 13 | 9.5 | 10 | 3.3 | 2 | 7.7 |
| CONGENITAL MALFORMATIONS | 3 | 1.1 | 2 | 0.6 | 5 | 1.7 | 1 | 0.7 | 2 | 0.6 | 0 | 0.0 |
| NONPHYSICIAN ATTENDED | 1 | 0.4 | 2 | 0.6 | 3 | 1.0 | 0 | 0.0 | 37 | 10.9 | 0 | 0.0 |
| HOME DELIVERIES | 1 | 0.4 | 4 | 1.3 | 3 | 1.0 | 0 | 0.0 | 36 | 10.6 | 0 | 0.0 |
| OPERATIVE DELIVERIES | 80 | 28.1 | 123 | 39.2 | 107 | 35.9 | 24 | 17.3 | 89 | 26.2 | 5 | 19.2 |
| CESAREAN DELIVERIES | 63 | 22.1 | 75 | 23.9 | 88 | 29.5 | 19 | 13.7 | 45 | 13.2 | 5 | 19.2 |
| MOTHER SMOKED DURING PREG | 73 | 33.3 | 103 | 32.9 | 90 | 30.2 | 43 | 31.4 | 79 | 23.3 | 8 | 34.8 |
| MOTHER UNDER 60 INCHES | 7 | 2.6 | 3 | 1.0 | 8 | 2.7 | 4 | 2.9 | 9 | 2.7 | 0 | 0.0 |
| MOTHER UNDER 100 LBS | 7 | 2.9 | 6 | 1.9 | 13 | 4.4 | 6 | 4.4 | 9 | 2.7 | 0 | 0.0 |
| MOTHER 175 LBS OR MORE | 29 | 11.8 | 38 | 12.2 | 29 | 9.8 | 20 | 14.7 | 30 | 8.9 | 2 | 8.7 |
| MATERNAL EDUCATION UNDER 1 | 2 54 | 18.9 | 57 | 18.2 | 138 | 46.3 | 51 | 36.7 | 97 | 28.5 | 1 | 3.8 |
| ILLEGITIMATE BIRTHS | 46 | 16.1 | 54 | 17.2 | 78 | 26.2 | 25 | 18.0 | 35 | 10.3 | 3 | 11.5 |
| LESS THAN 18 MONTHS SINCE | | | | | | | | | | | | |
| LAST LIVE BIRTH | 20 | 7.0 | 30 | 9.6 | 30 | 10.1 | 13 | 9.4 | 40 | 11.8 | 2 | 7.7 |
| PRENATAL CARE | | | | | | * | | | | | | |
| 1ST TRIMESTER | 205 | 71.9 | 248 | 79.0 | 219 | 73.5 | 81 | 58.3 | 233 | 68.5 | 18 | 69.2 |
| 2ND TRIMESTER | 56 | 19.6 | 56 | 17.8 | 72 | 24.2 | 45 | 32.4 | 54 | 15.9 | 4 | 15.4 |
| 3RD TRIMESTER | 6 | 2.1 | 6 | 1.9 | 4 | 1.3 | 7 | 5.0 | 38 | 11.2 | 2 | 7.7 |
| NO PRENATAL CARE | 3 | 1.1 | 2 | 0.6 | 3 | 1.0 | 1 | 0.7 | 13 | 3.8 | 1 | 3.8 |
| INADEQUATE PRENATAL CARE | 40 | 14.9 | 47 | 15.1 | 75 | 25.2 | 45 | 34.4 | 100 | 29.6 | 7 | 28.0 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 9 | 3.2 | 14 | 4.5 | 28 | 9.4 | 8 | 5.8 | 16 | 4.7 | 0 | 0.0 |
| 18-19 | 31 | 10.9 | 17 | 5.4 | 40 | 13.4 | 13 | 9.4 | 35 | 10.3 | 1 | 3.8 |
| 20-24 | 114 | 40.0 | 96 | 30.6 | 119 | 39.9 | 59 | 42.4 | 140 | 41.2 | 13 | 50.0 |
| 25-29 | 82 | 28.8 | 112 | 35.7 | 61 | 20.5 | 40 | 28.8 | 86 | 25.3 | 9 | 34.6 |
| 30-34 | 35 | 12.3 | 60 | 19.1 | 35 | 11.7 | 15 | 10.8 | 49 | 14.4 | 3 | 11.5 |
| 35-39 | 10 | 3.5 | 12 | 3.8 | 13 | 4.4 | 3 | 2.2 | 13 | 3.8 | Ō | 0.0 |
| | 3 | 1.1 | 3 | 1.0 | 2 | 0.7 | í | 0.7 | 1 | 0.3 | ŏ | 0.0 |
| 40-44 | 0 | | 0 | 0.0 | Õ | 0.0 | Ô | 0.0 | ō | 0.0 | ŏ | 0.0 |
| 45-49 | U | 0.0 | U | 0.0 | U | 0.0 | U | 0.0 | · · | 0.0 | · · | 0.0 |
| LIVE BIRTH ORDER | | | •• | 7/ 6 | 33/ | 70.7 | 54 | 38.8 | 146 | 42.9 | 10 | 38.5 |
| 1ST | 117 | 41.1 | 116 | 36.9 | 114 | 38.3 | | 34.5 | 94 | 27.6 | 7 | 26.9 |
| 2ND | 97 | 34.0 | 109 | 34.7 | 83 | 27.9 | 48 | | | | | |
| 3RD | 52 | 18.2 | 48 | 15.3 | 60 | 20.1 | 28 | 20.1 | 63 | 18.5 | 6 | 23.1 |
| 4TH | 12 | 4.2 | 28 | 8.9 | 25 | 8.4 | 6 | 4.3 | 13 | 3.8 | 3 | 11.5 |
| 5TH OR MORE | 7 | 2.5 | 13 | 4.1 | 16 | 5.4 | 3 | 2.2 | 24 | 7.1 | 0 | 0.0 |

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1986
WRIGHT
NUMBER PERCENT

| | NUMBER | PERCENT |
|-----------------------------|--------|---------|
| TOTAL LIVE BIRTHS | 259 | 100.0 |
| UNDER 2500 GRAMS | 10 | 3.9 |
| OVER 4499 GRAMS | 7 | 2.7 |
| LESS THAN 37 WEEKS GEST. | 16 | |
| ZZCC TIME DI VIZZACI GECA | | |
| APGAR SCORE LESS THAN 8 | 7 | 2.7 |
| CONGENITAL MALFORMATIONS | 2 | 0.8 |
| NONPHYSICIAN ATTENDED | 3 | 1.2 |
| HOME DELIVERIES | 2 | 0.8 |
| OPERATIVE DELIVERIES | 63 | 24.3 |
| CESAREAN DELIVERIES | 33 | 12.7 |
| MOTHER SMOKED DURING PREG | 82 | 31.9 |
| MOTHER UNDER 60 INCHES | 4 | _ |
| MOTHER UNDER 100 LBS | 10 | |
| MOTHER 175 LBS OR MORE | 33 | |
| HOTHER 175 EDG OR HORE | | |
| MATERNAL EDUCATION UNDER 12 | 84 | 32.4 |
| ILLEGITIMATE BIRTHS | 43 | 16.6 |
| LESS THAN 18 MONTHS SINCE | | |
| LAST LIVE BIRTH | 27 | 10.4 |
| PRENATAL CARE | | |
| 1ST TRIMESTER | 186 | 71.8 |
| 2ND TRIMESTER | 58 | |
| 3RD TRIMESTER | 12 | |
| NO PRENATAL CARE | 2 | |
| INADEQUATE PRENATAL CARE | 61 | |
| INADEQUATE PRENATAL CARE | 01 | 23.0 |
| AGE OF MOTHER | | |
| UNDER 15 | 2 | |
| 15-17 | 25 | |
| 18-19 | 25 | |
| 20-24 | 93 | |
| 25-29 | 72 | 27.8 |
| 30-34 | 28 | 10.8 |
| 35-39 | 11 | 4.2 |
| 40-44 | 2 | 0.8 |
| 45-49 | 1 | 0.4 |
| LIVE BIRTH ORDER | | |
| 1ST | 96 | 37.1 |
| 2ND | 83 | |
| 3RD | 51 | |
| 4TH | 22 | |
| 5TH OR MORE | 7 | 2.7 |
| JIII OK HOKE | • | |

| TABLE 10C RESIDENT | LIVE BIRTHS BLUE SP NUMBER P | RINGS | CAPE GIR | ARDEAU | COLUM | BIA | FLORIS | SANT | MORE POPUL INDEPEN NUMBER P | IDENCE | MISSOURI JEFFERSO NUMBER P | N CITY |
|---------------------------|------------------------------------|-------|----------|--------|------------|-------|--------|-------|-----------------------------------|--------|----------------------------------|--------|
| TOTAL LIVE DIDIUG | FAA | 300.0 | | | | | | | | | 469 | 100.0 |
| TOTAL LIVE BIRTHS | 544 | 100.0 | 431 | 100.0 | 836 | 100.0 | 732 | 100.0 | 1,717 | 100.0 | 409 | 100.0 |
| UNDER 2500 GRAMS | 36 | 6.6 | 30 | 7.0 | 63 | 7.5 | 39 | 5.3 | | 5.9 | 28 | 6.0 |
| OVER 4499 GRAMS | 9 | 1.7 | 11 | 2.6 | 5 | 0.6 | 20 | 2.7 | 31 | 1.8 | 8 | 1.7 |
| LESS THAN 37 WEEKS GEST. | 34 | 6.3 | 43 | 10.0 | 75 | 9.0 | 60 | 8.2 | 124 | 7.2 | 32 | 6.8 |
| APGAR SCORE LESS THAN 8 | 17 | 3.1 | 19 | 4.4 | 32 | 3.8 | 7 | 1.0 | 65 | 3.8 | 19 | 4.1 |
| CONGENITAL MALFORMATIONS | 6 | 1.1 | 6 | 1.4 | 3 | 0.4 | 6 | 0.8 | 13 | 8.0 | 4 | 0.9 |
| NONPHYSICIAN ATTENDED | 0 | 0.0 | 3 | 0.7 | 12 | 1.4 | 1 | 0.1 | 6 | 0.3 | 0 | 0.0 |
| HOME DELIVERIES | 0 | 0.0 | 3 | 0.7 | 19 | 2.3 | 3 | 0.4 | 8 | 0.5 | 2 | 0.4 |
| OPERATIVE DELIVERIES | 182 | 33.5 | 132 | 30.6 | 241 | 28.8 | 387 | 52.9 | 531 | 30.9 | 139 | 29.6 |
| CESAREAN DELIVERIES | 141 | 25.9 | 123 | 28.5 | 192 | 23.0 | 186 | 25.4 | 399 | 23.2 | 104 | 22.2 |
| MOTHER SMOKED DURING PRE | G 119 | 22.5 | 95 | 22.1 | 162 | 20.3 | 167 | 23.1 | 586 | 35.2 | 112 | 24.5 |
| MOTHER UNDER 60 INCHES | 7 | 1.3 | 5 | 1.2 | 17 | 2.3 | 13 | 1.8 | 25 | 1.5 | 5 | 1.1 |
| MOTHER UNDER 100 LBS | 13 | 2.4 | 10 | 2.3 | 26 | 3.6 | 16 | 2.2 | 52 | 3.1 | 8 | 1.8 |
| MOTHER 175 LBS OR MORE | 54 | 10.0 | 38 | 8.9 | 60 | 8.4 | 65 | 9.1 | 211 | 12.4 | 35 | 8.1 |
| MATERNAL EDUCATION UNDER | 12 49 | 9.0 | 76 | 17.6 | 104 | 12.4 | 42 | 5.7 | 327 | 19.0 | 64 | 13.6 |
| ILLEGITIMATE BIRTHS | 58 | 10.7 | 85 | 19.7 | 183 | 21.9 | 82 | 11.2 | 305 | 17.8 | 80 | 17.1 |
| LESS THAN 18 MONTHS SINCE | - | | | | | | | | | | • | |
| LAST LIVE BIRTH | 32 | 5.9 | 36 | 8.4 | 71 | 8.5 | 37 | 5.1 | 114 | 6.6 | 24 | 5.1 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 482 | 88.6 | 344 | 79.8 | 621 | 74.3 | 667 | 91.1 | 1,372 | 79.9 | 361 | 77.0 |
| 2ND TRIMESTER | 55 | 10.1 | 63 | 14.6 | 119 | 14.2 | 51 | 7.0 | 268 | 15.6 | 70 | 14.9 |
| 3RD TRIMESTER | 6 | 1.1 | 12 | 2.8 | 32 | 3.8 | 8 | 1.1 | 50 | 2.9 | 15 | 3.2 |
| NO PRENATAL CARE | 0 | 0.0 | 4 | 0.9 | 5 | 0.6 | 4 | 0.5 | 12 | 0.7 | 4 | 0.9 |
| INADEQUATE PRENATAL CAR | E 43 | 7.9 | 45 | 10.6 | 109 | 14.9 | 38 | 5.3 | 248 | 14.7 | 62 | 14.0 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 1 | 0.2 | 0 | 0.0 | 1 | 0.1 | 1 | 0.1 | 3 | 0.2 | 1 | 0.2 |
| 15-17 | 17 | 3.1 | 21 | 4.9 | 28 | 3.3 | 20 | 2.7 | 67 | 3.9 | 14 | 3.0 |
| 18-19 | 28 | 5.1 | 26 | 6.0 | 57 | 6.8 | 26 | 3.6 | 153 | 8.9 | 39 | 8.3 |
| 20-24 | 141 | 25.9 | 131 | 30.4 | 233 | 27.9 | 151 | 20.6 | 574 | 33.4 | 132 | 28.1 |
| 25-29 | 214 | 39.3 | 139 | 32.3 | 263 | 31.5 | 313 | 42.8 | 598 | 34.8 | 156 | 33.3 |
| 30-34 | 116 | 21.3 | 91 | 21.1 | 194 | 23.2 | 182 | 24.9 | 251 | 14.6 | 94 | 20.0 |
| 35-39 | 24 | 4.4 | 19 | 4.4 | 50 | 6.0 | 34 | 4.6 | 60 | 3.5 | 31 | 6.6 |
| 40-44 | 3 | 0.6 | 4 | 0.9 | 7 | 0.8 | 5 | 0.7 | 10 | 0.6 | 1 | 0.2 |
| 45-49 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 230 | 42.3 | 185 | 42.9 | 415 | 49.6 | 323 | 44.1 | 740 | 43.1 | 202 | 43.1 |
| 2ND | 185 | 34.0 | 160 | 37.1 | 254 | 30.4 | 239 | 32.7 | 623 | 36.3 | 170 | 36.2 |
| 3RD | 92 | 16.9 | 50 | 11.6 | 107 | 12.8 | 121 | 16.5 | 250 | 14.6 | 69 | 14.7 |
| 4TH | 24 | 4.4 | 25 | 5.8 | 3 5 | 4.2 | 35 | 4.8 | 69 | 4.0 | 17 | 3.6 |
| 5TH OR MORE | 13 | 2.4 | 11 | 2.6 | 25 | 3.0 | 14 | 1.9 | 35 | 2.0 | 11 | 2.3 |

| TABLE 10C (CONT) RESIDENT LI | VE BIRTHS | RTHS BY SELECTED CHARACTERISTICS BY CITIES KANSAS CITY KANSAS CITY | | | | Y KANSAS CITY KANSAS CITY | | | | | | |
|---|------------------|--|-----------------|-------|--------------------|---------------------------|---------------------|-------|--------------------|-------|-------------------|-------|
| | JOPL NUMBER P | | TOT Number P | | CLAY C NUMBER P | | JACKSON NUMBER F | | PLATTE NUMBER F | | KIRKW NUMBER P | |
| TOTAL LIVE BIRTHS | 620 | 100.0 | 7,746 | 100.0 | 1,050 | 100.0 | 6,346 | 100.0 | 350 | 100.0 | 399 | 100.0 |
| UNDER 2500 GRAMS | 36 | 5.8 | 700 | 9.0 | 59 | 5.6 | 613 | 9.7 | 28 | 8.0 | 20 | 5.0 |
| OVER 4499 GRAMS | 9 | 1.5 | 113 | 1.5 | 14 | 1.3 | 90 | 1.4 | 9 | 2.6 | 4 | 1.0 |
| LESS THAN 37 WEEKS GEST. | 58 | 9.4 | 796 | 10.3 | 70 | 6.7 | 690 | 10.9 | 36 | 10.3 | 27 | 6.8 |
| APGAR SCORE LESS THAN 8 | 19 | 3.1 | 385 | 5.0 | 36 | 3.4 | 332 | 5.3 | 17 | 4.9 | 10 | 2.5 |
| CONGENITAL MALFORMATIONS | 6 | 1.0 | 68 | 0.9 | 5 | 0.5 | 63 | 1.0 | 0 | 0.0 | 5 | 1.3 |
| NONPHYSICIAN ATTENDED | 3 | 0.5 | 15 | 0.2 | 0 | 0.0 | 14 | 0.2 | 1 | 0.3 | 0 | 0.0 |
| HOME DELIVERIES | 1 | 0.2 | 32 | 0.4 | 0 | 0.0 | 31 | 0.5 | 1 | 0.3 | 2 | 0.5 |
| OPERATIVE DELIVERIES | 246 | 39.7 | 2,207 | 28.5 | 386 | 36.8 | 1,691 | 26.6 | 130 | 37.1 | 199 | 49.9 |
| CESAREAN DELIVERIES | 163 | 26.3 | 1,738 | 22.4 | 278 | 26.5 | 1,368 | 21.6 | 92 | 26.3 | 100 | 25.1 |
| MOTHER SMOKED DURING PREG | 163 | 27.3 | 2,096 | 29.2 | 283 | 28.5 | 1,736 | 29.6 | 77 | 24.6 | 82 | 20.6 |
| MOTHER UNDER 60 INCHES | 11 | 1.8 | 187 | 2.4 | 17 | 1.6 | 168 | 2.7 | 2 | 0.6 | 4 | 1.0 |
| MOTHER UNDER 100 LBS | 27 | 4.5 | 301 | 3.9 | 28 | 2.7 | 264 | 4.2 | 9 | 2.6 | 11 | 2.8 |
| MOTHER 175 LBS OR MORE | 56 | 9.4 | 730 | 9.6 | 85 | 8.1 | 620 | 9.9 | 25 | 7.2 | 13 | 3.3 |
| MATERNAL EDUCATION UNDER 1 | | 24.4 | 1,752 | 22.6 | 122 | 11.6 | 1,598 | 25.2 | 32 | 9.1 | 20 | 5.0 |
| ILLEGITIMATE BIRTHS LESS THAN 18 MONTHS SINCE | 120 | 19.4 | 2,955 | 38.1 | 119 | 11.3 | 2,798 | 44.1 | 38 | 10.9 | 29 | 7.3 |
| LAST LIVE BIRTH | 61 | 9.8 | 806 | 10.4 | 63 | 6.0 | 711 | 11.2 | 32 | 9.1 | 31 | 7.8 |
| PRENATAL CARE | | | | | | | | | | | | |
| 1ST TRIMESTER | 417 | 67.3 | 5,781 | 74.6 | 912 | 86.9 | 4,570 | 72.0 | 299 | 85.4 | 379 | 95.0 |
| 2ND TRIMESTER | 118 | 19.0 | 1,360 | 17.6 | 114 | 10.9 | 1,201 | 18.9 | 45 | 12.9 | 16 | 4.0 |
| 3RD TRIMESTER | 30 | 4.8 | 313 | 4.0 | 114 | 1.8 | 290 | 4.6 | 45 | 1.1 | 2 | 0.5 |
| NO PRENATAL CARE | 50 | 0.8 | 188 | 2.4 | 2 | 0.2 | 185 | 2.9 | 1 | 0.3 | 0 | 0.0 |
| INADEQUATE PRENATAL CARE | 117 | 24.3 | 1,610 | 21.6 | 89 | 8.5 | 1,487 | 24.5 | 34 | 9.8 | 12 | 3.0 |
| INADEQUATE PRENATAL CARE | 117 | 24.3 | 1,010 | 21.0 | 07 | 6.5 | 1,407 | 24.5 | 24 | 7.0 | 12 | 3.0 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 1 | 0.2 | 31 | 0.4 | 1 | 0.1 | 30 | 0.5 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 34 | 5.5 | 489 | 6.3 | 15 | 1.4 | 469 | 7.4 | 5 | 1.4 | 4 | 1.0 |
| 18-19 | 59 | 9.5 | 736 | 9.5 | 58 | 5.5 | 657 | 10.4 | 21 | 6.0 | 10 | 2.5 |
| 20-24 | 219 | 35.3 | 2,429 | 31.4 | 304 | 29.0 | 2,041 | 32.2 | 84 | 24.0 | 48 | 12.0 |
| 25-29 | 181 | 29.2 | 2,400 | 31.0 | 416 | 39.6 | 1,844 | 29.1 | 140 | 40.0 | 154 | 38.6 |
| 30-34 | 94 | 15.2 | 1,256 | 16.2 | 204 | 19.4 | 980 | 15.4 | 72 | 20.6 | 142 | 35.6 |
| 35-39 | 28 | 4.5 | 358 | 4.6 | 44 | 4.2 | 286 | 4.5 | 28 | 8.0 | 37 | 9.3 |
| 40-44 | 4 | 0.6 | 42 | 0.5 | 7 | 0.7 | 35 | 0.6 | 0 | 0.0 | 4 | 1.0 |
| 45-49 | 0 | 0.0 | 4 | 0.1 | 1 | 0.1 | 3 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LIVE BIRTH ORDER | | | | | | | | | | | | |
| 1ST | 274 | 44.2 | 3,350 | 43.2 | 472 | 45.0 | 2,721 | 42.9 | 157 | 44.9 | 169 | 42.4 |
| 2ND | 199 | 32.1 | 2,445 | 31.6 | 359 | 34.2 | 1,963 | 30.9 | 123 | 35.1 | 138 | 34.6 |
| 3RD | 111 | 17.9 | 1,179 | 15.2 | 162 | 15.4 | 969 | 15.3 | 48 | 13.7 | 68 | 17.0 |
| 4TH | 26 | 4.2 | 478 | 6.2 | 43 | 4.1 | 418 | 6.6 | 17 | 4.9 | 17 | 4.3 |
| 5TH OR MORE | 10 | 1.6 | 294 | 3.8 | 14 | 1.3 | 275 | 4.3 | 5 | 1.4 | 7 | 1.8 |

| BLE 10C (CONT) RESIDENT LI | LEES SU | MMTT | RAYTO | WN | ST. CH | IARLES | ST. JO |)SEPH | ST. LOUI | S CITY | SPRING | FIELD |
|---|------------|--------|----------|--------|----------|--------|----------|--------|----------|--------|----------|--------|
| | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER P | ERCENT | NUMBER F | ERCENT | NUMBER P | ERCENT | NUMBER P | PERCEN |
| TOTAL LIVE BIRTHS | 608 | 100.0 | 354 | 100.0 | 696 | 100.0 | 1,119 | 100.0 | 7,993 | 100.0 | 1,955 | 100. |
| UNDER 2500 GRAMS | 28 | 4.6 | 30 | 8.5 | 45 | 6.5 | 93 | 8.3 | 851 | 10.6 | 135 | 6. |
| OVER 4499 GRAMS | 11 | 1.8 | 7 | 2.0 | 28 | 4.0 | 27 | 2.4 | 95 | 1.2 | 41 | 2. |
| LESS THAN 37 WEEKS GEST. | 32 | 5.3 | 32 | 9.0 | 58 | 8.3 | 95 | 8.5 | 1,010 | 12.6 | 153 | 7. |
| APGAR SCORE LESS THAN 8 | 15 | 2.5 | 10 | 2.8 | 22 | 3.2 | 31 | 2.8 | 339 | 4.3 | 67 | 3. |
| CONGENITAL MALFORMATIONS | 0 | 0.0 | 1 | 0.3 | 8 | 1.1 | 19 | 1.7 | 93 | 1.2 | 6 | 0. |
| NONPHYSICIAN ATTENDED | 4 | 0.7 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 | 7 | 0.1 | 33 | 1. |
| HOME DELIVERIES | 4 | 0.7 | 0 | 0.0 | 6 | 0.9 | 0 | 0.0 | 27 | 0.3 | 26 | 1. |
| OPERATIVE DELIVERIES | 200 | 32.9 | 144 | 40.7 | 293 | 42.1 | 349 | 31.2 | 2,653 | 33.2 | 727 | 37. |
| CESAREAN DELIVERIES | 159 | 26.2 | 109 | 30.8 | 201 | 28.9 | 234 | 20.9 | 1,777 | 22.2 | 421 | 21. |
| MOTHER SMOKED DURING PREG | 114 | 20.6 | 97 | 29.6 | 214 | 30.9 | 368 | 33.4 | 2,743 | 34.6 | 539 | 27. |
| MOTHER UNDER 60 INCHES | 10 | 1.7 | 8 | 2.3 | 9 | 1.3 | 15 | 1.3 | 265 | 3.4 | 37 | 1. |
| OTHER UNDER 100 LBS | 17 | 2.8 | 9 | 2.6 | 19 | 2.8 | 43 | 3.9 | 300 | 3.8 | 76 | 3. |
| MOTHER 175 LBS OR MORE | 45 | 7.4 | 25 | 7.1 | 55 | 8.0 | 120 | 10.8 | 899 | 11.4 | 198 | 10. |
| MATERNAL EDUCATION UNDER 1 | 2 51 | 8.4 | 37 | 10.5 | 83 | 11.9 | 300 | 26.8 | 2,604 | 32.6 | 396 | 20. |
| MATERNAL EDOCATION ONDER I ILLEGITIMATE BIRTHS | 58 | 9.5 | 48 | 13.6 | 92 | 13.2 | 284 | 25.4 | 4,505 | 56.4 | 345 | 17 |
| | 50 | 7.5 | 40 | 15.0 | 72 | 13.2 | 204 | 23.4 | 4,505 | 50.4 | 3.3 | |
| LESS THAN 18 MONTHS SINCE LAST LIVE BIRTH | 52 | 8.6 | 31 | 8.8 | 49 | 7.0 | 85 | 7.6 | 959 | 12.0 | 156 | 8 |
| | | | | | | | | | | | | |
| PRENATAL CARE 1ST TRIMESTER | 533 | 87.7 | 300 | 84.7 | 574 | 82.5 | 901 | 80.5 | 5,788 | 72.4 | 1,477 | 75 |
| 2ND TRIMESTER | 59 | 9.7 | 45 | 12.7 | 98 | 14.1 | 187 | 16.7 | 1,553 | 19.4 | 315 | 16 |
| 3RD TRIMESTER | 11 | 1.8 | 7 | 2.0 | 15 | 2.2 | 19 | 1.7 | 278 | 3.5 | 63 | 3. |
| NO PRENATAL CARE | 2 | 0.3 | 2 | 0.6 | 6 | 0.9 | 8 | 0.7 | 125 | 1.6 | 94 | 4 |
| INADEQUATE PRENATAL CARE | 57 | 9.5 | 39 | 11.1 | 81 | 11.8 | 190 | 17.1 | 1,762 | 23.5 | 392 | 20 |
| AGE OF MOTHER | | | | | | | | | | | | |
| UNDER 15 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 47 | 0.6 | 0 | 0 |
| 15-17 | 9 | 1.5 | 11 | 3.1 | 23 | 3.3 | 70 | 6.3 | 698 | 8.7 | 75 | 3 |
| | 34 | 5.6 | 22 | 6.2 | 41 | 5.9 | 127 | 11.3 | 991 | 12.4 | 146 | 7 |
| 18-19 | | 24.8 | 99 | 28.0 | 198 | 28.4 | 403 | 36.0 | | 32.4 | 688 | 35 |
| 20-24 25-29 | 151 230 | 37.8 | 124 | 35.0 | 248 | 35.6 | 303 | 27.1 | 2,144 | 26.8 | 635 | 32 |
| 70.74 | 141 | 23.2 | 73 | 20.6 | 143 | 20.5 | 168 | 15.0 | 1,149 | 14.4 | 317 | 16 |
| 30-34 | 38 | 6.3 | 73 24 | 6.8 | 42 | 6.0 | 42 | 3.8 | 327 | 4.1 | 84 | 4. |
| 35-39 | | | | | 1 | 0.1 | | 0.4 | 44 | 0.6 | 10 | 0 |
| 40-44 | 5 | 8.0 | 1 | 0.3 | . – | | 0 | | 2 | 0.0 | 0 | 0. |
| 45-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | U | 0.0 | 2 | 0.0 | U | U |
| LIVE BIRTH ORDER | - 4 50 | | | 45.5 | | | | 40 T | 7 043 | 60 F | 047 | 43. |
| 1ST | 245 | 40.3 | 172 | 48.6 | 310 | 44.5 | 478 | 42.7 | 3,241 | 40.5 | 843 | |
| 2ND | 233 | 38.3 | 126 | 35.6 | 247 | 35.5 | 366 | 32.7 | 2,410 | 30.2 | 676 | 34. |
| 3RD | 91 | 15.0 | 44 | 12.4 | 90 | 12.9 | 198 | 17.7 | 1,318 | 16.5 | 298 | 15. |
| 4TH | 30 | 4.9 | 11 | 3.1 | 31 | 4.5 | 60 | 5.4 | 573 | 7.2 | 97 | 5. |
| 5TH OR MORE | 9 | 1.5 | 1 | 0.3 | 18 | 2.6 | 17 | 1.5 | 451 | 5.6 | 41 | 2. |

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1986
UNIVERSITY
CITY


| CI | 1 1 |
|--------|---------|
| NUMBER | PERCENT |

| | NUMBER | PERCEN |
|-----------------------------|--------|--------|
| TOTAL LIVE BIRTHS | 649 | 100.0 |
| UNDER 2500 GRAMS | 55 | 8.5 |
| OVER 4499 GRAMS | 7 | 1.1 |
| LESS THAN 37 WEEKS GEST. | 58 | 8.9 |
| APGAR SCORE LESS THAN 8 | 25 | 3.9 |
| CONGENITAL MALFORMATIONS | 6 | 0.9 |
| NONPHYSICIAN ATTENDED | 4 | |
| HOME DELIVERIES | 11 | |
| OPERATIVE DELIVERIES | | 46.2 |
| CESAREAN DELIVERIES | 172 | 26.5 |
| MOTHER SMOKED DURING PREG | 123 | |
| MOTHER UNDER 60 INCHES | _ 7 | 1.1 |
| MOTHER UNDER 100 LBS | 17 | 2.6 |
| MOTHER 175 LBS OR MORE | 58 | 9.0 |
| MATERNAL EDUCATION UNDER 12 | 76 | 11.7 |
| ILLEGITIMATE BIRTHS | 203 | 31.3 |
| LESS THAN 18 MONTHS SINCE | | |
| LAST LIVE BIRTH | 46 | 7.1 |
| PRENATAL CARE | | |
| 1ST TRIMESTER | 554 | |
| 2ND TRIMESTER | 66 | |
| 3RD TRIMESTER | 19 | 2.9 |
| NO PRENATAL CARE | 7 | 1.1 |
| INADEQUATE PRENATAL CARE | 72 | 11.2 |
| AGE OF MOTHER | | |
| UNDER 15 | 3 | 0.5 |
| 15-17 | 36 | |
| 18-19 | 37 | |
| 20-24 | 116 | |
| 25-29 | 198 | 30.5 |
| 30-34 | 191 | |
| 35-39 | 61 | |
| 40-44 | 6 | 0.9 |
| 45-49 | 1 | 0.2 |
| LIVE BIRTH ORDER | | |
| 1ST | 299 | |
| 2ND | 219 | |
| 3RD | 78 | |
| 4TH | 32 | |
| 5TH OR MORE | 21 | 3.2 |

| | P. | TOTAL REGNANCI | ES | | BORTIONS | | | P | TOTAL REGNANCI | ES | | BORTIONS | |
|----------------|-------------|-------------------|-------|---------------------------------------|-------------|-------|------------------|-------------|-------------------|----------|-------------|-------------|-----------------------|
| | UNDER 20 | UNDER 18 | 18-19 | UNDER | UNDER 18 | 1010 | | UNDER 20 | UNDER 18 | 10-10 | UNDER 20 | UNDER 18 | 18-19 |
| | 20 | 10 | 10-17 | 20 | 10 | 18-19 | | 20 | 10 | 18-19 | 20 | 10 | 10-19 |
| STATE TOTAL | 15,219 | 5,856 | 9,363 | 5,031 | 2,103 | 2,928 | | | | | | | |
| ADAIR | 22 | 4 | 18 | 11 | 1 | 10 | DAVIESS | 13 | 5 | 8 | 4 | 3 | 1 |
| ANDREW | 20 | 8 | 12 | 5 | 3 | 2 | DE KALB | 14 | 5 | 9 | 4 | 1 | 3 |
| ATCHISON | 12 | 3 | 9 | 3 | 1 | 2 | DENT | 35 | 12 | 23 | 7 | 2 | 5 2 |
| AUDRAIN | 62 | 17 | 45 | 14 | 6 | 8 | DOUGLAS | 30 | 12 | 18 | 9 | 7 | 2 |
| BARRY | 76 | 29 | 47 | 14 | 9 | 5 | DUNKLIN | 132 | 55 | 77 | 18 | 9 | 9 |
| BARTON | 26 | 11 | 15 | 10 | 6 | 4 | FRANKLIN | 227 | 76 | 151 | 67 | 25 | 42 |
| BATES | 45 | 15 | 30 | 12 | 4 | 8 | GASCONADE | 30 | 9 | 21 | 8 | 1 | 7 |
| BENTON | 29 | 14 | 15 | 2 | 1 | 1 | GENTRY | 13 | 6 | 7 | 2 | 1 | 1 |
| BOLLINGER | 27 | 10 | 17 | 6 | 1 | 5 | GREENE | 522 | 172 | 350 | 234 | 78 | 156 |
| BOONE | 290 | 84 | 206 | 141 | 32 | 109 | GRUNDY | 20 | 10 | 10 | 7 | 2 | 5 |
| BUCHANAN | 295 | 126 | 169 | 77 | 50 | 27 | HARRISON | 15 | 3 | 12 | 1 | 0 | 1 |
| BUTLER | 123 | 56 | 67 | 23 | 13 | 10 | HENRY | 53 | 15 | 38 | 8 | 3 | 5 |
| CALDWELL | 22 | 11 | 11 | 5 | 3 | 2 | HICKORY | 16 | 4 | 12 | 3 | 1 | 2 |
| CALLAWAY | 92 | 26 | 66 | 26 | 5 | 21 | HOLT | 8 | Ò | 8 | 3 | ō | 3 |
| CAMDEN | 42 | 15 | 27 | 11 | 6 | 5 | HOMARD | 25 | 9 | 16 | 4 | 2 | 1 5 2 3 2 |
| CAPE GIRARDEAU | 154 | 45 | 109 | 72 | 13 | 59 | HOWELL | 104 | 28 | 76 | 15 | 6 | 9 |
| CARROLL | 19 | 3 | 16 | , , , , , , , , , , , , , , , , , , , | 0 | ó | IRON | 27 | 11 | 16 | 2 | 2 | ó |
| CARTER | 20 | 5 | 15 | 3 | Ŏ | 3 | JACKSON | 2,537 | 1,090 | 1,447 | 904 | 434 | 470 |
| CASS | 172 | 73 | 99 | 72 | 41 | 31 | JASPER | 265 | 97 | 168 | 64 | 29 | 35 |
| CEDAR | 33 | 16 | 17 | 6 | 3 | 3 | JEFFERSON | 426 | 153 | 273 | 147 | 64 | 83 |
| CHARITON | 17 | 4 | 13 | 2 | 1 | 1 | JOHNSON | 123 | 28 | 95 | 52 | 12 | 40 |
| CHRISTIAN | 62 | 18 | 44 | 14 | 3 | ıî | KNOX | 9 | 3 | 6 | 0 | Ō | 0 |
| CLARK | 14 | 7 | 7 | 0 | ő | 0 | LACLEDE | 88 | 29 | 59 | 25 | 9 | 16 |
| CLAY | 285 | 108 | 177 | 93 | 48 | 45 | LAFAYETTE | 7 5 | 27 | 48 | 20 | 13 | 7 |
| CLINTON | 30 | 12 | 18 | 9 | 6 | 3 | LAWRENCE | 80 | 30 | 50 | 17 | 6 | 11 |
| COLE | 120 | 36 | 84 | 41 | 14 | 27 | LEWIS | 17 | 4 | 13 | 1 | 0 | 4 |
| COOPER | 34 | 12 | 22 | 5 | 14 | 4 | LINCOLN FEWI2 | 69 | 24 | 15 45 | 25 | 11 | 1 14 |
| CRAWFORD | 50 | 12 | 31 | 6 | 1 | 5 | LINCOLN | 26 | 11 | 45 15 | 7 | 5 | 2 |
| DADE | 15 | 4 | 11 | 2 | 2 | 0 | LIVINGSTON | 36 | 15 | 21 | 9 | 5 | 4 |
| DALLAS | 31 | 12 | 19 | 6 | 3 | 3 | MC DONALD | 64 | 23 | 41 | 8 | 4 | 4 |
| | | | | | | | | | | | | | |

| | | TOTAL REGNANCII UNDER | ES | AE UNDER | SORTIONS UNDER | | | | TOTAL REGNANCI UNDER | ES | AI UNDER | BORTIONS UNDER | |
|------------------|----------|-----------------------------|----------|-------------|-------------------|---------|---------------------------|-----------|----------------------------|----------|-------------|-------------------|----------|
| | 20 | 18 | 18-19 | 20 | 18 | 18-19 | | 20 | 18 | 18-19 | 20 | 18 | 18-19 |
| MACON | 34 | 14 | 20 | 10 | 3 | 7 | RIPLEY | 32 | 12 | 20 | 1 | _0 | 1 |
| MADISON | 43 | 16 | 27 | 7 | 4 | 3 | ST. CHARLES | 381 | 139 | 242 | 140 | 53 | 87 |
| MARIES MARION | 12 61 | 1 26 | 11 35 | 1 4 | 0 4 | 1 0 | ST. CLAIR ST. FRANCOIS | 17 126 | 4 45 | 13 81 | 0 26 | 0 11 | 0 15 |
| MERCER | 7 | 3 | 4 | 1 | 1 | o | STE. GENEVIEVE | 22 | 4 | 18 | 4 | 1 | 3 |
| MILLER | 64 | 27 | 37 | 11 | 8 | 3 | ST. LOUIS CITY | 2,667 | 1,159 | 1,508 | 909 | 403 | 506 |
| MISSISSIPPI | 80 | 34 | 46 | 9 | 2 | 7 | ST. LOUIS COUNTY | 2,168 | 815 | 1,353 | 1,061 | 381 | 680 |
| MONITEAU | 40 | 16 | 24 | 5 | 2 | 3 | SALINE | 64 | 21 | 43 | 14 | 11 | 3 |
| MONROE | 14 | 3 | 11 | 4 | 0 | 4 | SCHUYLER | 8 | 2 | 6 | 1 | 0 | 1 |
| MONTGOMERY | 33 | 12 | 21 | 9 | 3 | 6 | SCOTLAND | 6 | 2 | 4 | 1 | 0 | 1 |
| MORGAN | 36 | 18 | 18 | 7 | 6 | 1 | SCOTT | 147 | 73 | 74 | 40 | 20 | 20 |
| NEW MADRID | 108 | 39 | 69 | 12 | 5 | 7 | SHANNON | 20 | 7 | 13 | 2 | 0 | 2 |
| NEWTON | 126 | 43 | 83 | 31 | 16 | 15 | SHELBY | 15 | 4 | 11 | 1 | 0 | 1 |
| NODAWAY | 23 | 5 | 18 | 8 | 3 | 5 | STODDARD | 93 | 36 | 57 | 23 | 11 | 12 |
| OREGON | 29 | 10 | 19 | 1 | 1 | 0 | STONE | 57 | 17 | 40 | 15 | 9 | 6 |
| OSAGE | 21 | 5 | 16 | 2 | 1 | 1 | SULLIVAN | 6 | 2 | 4 | 1 | 1 | o |
| OZARK | 22 | 8 | 14 | 6 | 0 | 6 | TANEY | 38 | 12 | 26 | 17 | 8 | 9 |
| PEMISCOT | 125 | 54 | 71 | 12 | . 8 | 4 | TEXAS | 65 | 16 | 49 | 11 | 5 | 6 |
| PERRY | 28 | 10 33 | 18 63 | 6 | 4 10 | 2 | VERNON | 62 | 16 18 | 46 31 | 21 18 | 6 4 | 15 14 |
| PETTIS | 96 | 33 | 65 | 20 | 10 | 10 | WARREN | 49 | 70 | 21 | 10 | * | 14 |
| PHELPS | 96 | 34 | 62 | 35 | 10 | 25 | WASHINGTON | 77 | 31 | 46 | 8 | 3 | 5 |
| PIKE | 37 | 13 | 24 | . 6 | 4 | 2 | WAYNE | 29 | 12 | 17 | 8 | 4 | 4 |
| PLATTE POLK | 96 57 | 34 18 | 62 39 | 33 11 | 15 4 | 18 7 | WEBSTER Worth | 70 2 | 28 1 | 42 1 | 19 1 | 12 1 | 7 0 |
| PULASKI | 127 | 40 | 87 | 20 | 11 | 9 | WRIGHT | 59 | 30 | 29 | 7 | 3 | 4 |
| PUTNAM | 10 | 3 | 7 | 0 | 0 | 0 | | | | | | | |
| RALLS | 19 | 7 | 12 | 3 | 1 | 2 | | | | | | | |
| RANDOLPH | 83 | 29 | 54 | 15 | 7 | 8 | | | | | | | |
| RAY | 47 | 18 | 29 | 9 | 4 | 5 | | | | | | | |
| REYNOLDS | 12 | 3 | 9 | 3 | 2 | 1 | | | | | | | |

Graph D
Resident Abortion Ratios Per 1,000 Live Births
Missouri 1971-1986



| | Recorded Abortions | Resident Abortions | Resident Abortion Ratio | | Recorded Abortions | Resident Abortions | Resident Abortion Ratio | | Recorded Abortions | Resident Abortions | Resident Abortion Ratio |
|--------------------------------------|--------------------------------|---|---|--------------------------------------|--|--|---|--------------------------------------|--|--|---|
| 1971 1972 1973 1974 1975 | NA NA NA NA 10,245 | 4,582 6,943 8,589 10,486 11,077 | 58.5 95.8 125.2 151.1 161.8 | 1976 1977 1978 1979 1980 | 12,885 13,533 15,546 17,787 19,043 | 13,869 14,762 17,785 21,267 21,671 | 201.6 202.3 244.8 279.6 275.8 | 1981 1982 1983 1984 1985 | 18,604 19,226 19,199 20,204 19,482 | 20,738 20,380 20,024 20,037 19,210 | 270.2 265.9 265.2 269.2 250.5 |
| | , 0,2 | , , | | • | , | · | 270.0 | 1986 | 19,039 | 18,824 | 250.6 |

Source: 1971-1974 Center for Disease Control; 1975-1986 Missouri Center for Health Statistics

TABLE 12 RESIDENT ABORTIONS BY RACE, AGE OF WOMAN, TYPE OF PROCEDURE, AND COMPLICATIONS BY WEEKS OF GESTATION: MISSOURI 1986

| RACE 10 | | | | WEEKS O | F GESTATION | N | | | 07 445 | |
|--|--------------------------|--------|---------|---------|-------------|-------|-------|-------|----------------|---------|
| HILTE | RACE | TOTAL | UNDER 9 | 9-10 | 11-12 | 13-14 | 15-16 | 17-20 | 21 AND OVER | UNKNOWN |
| MITTE | TOTAL | 18,824 | 8,076 | 5,314 | 2,892 | 944 | 438 | 379 | 111 | 670 |
| BLACK 5,415 1,940 1,552 1,003 396 171 161 34 158 158 158 157 167 29 12 2 2 5 1 47 47 47 47 47 47 47 | | - | - | | - | 533 | 264 | 213 | 75 | 459 |
| There | | | | | | | | 161 | 34 | 158 |
| NAME 137 33 30 22 3 1 0 1 47 | | | | | 29 | 12 | 2 | 5 | 1 | 6 |
| TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 UNDER 15 226 58 61 53 17 9 13 2 13 15 15 420 132 115 82 32 15 15 2 27 16 6 691 197 211 111 60 24 24 10 54 17 766 231 222 134 52 25 30 15 57 18 1,426 491 433 251 100 55 36 13 49 19 19 1,502 578 420 266 81 40 36 79 72 20-24 6,422 2,582 1,876 1,084 352 155 111 34 228 25-29 3,849 1,866 1,049 557 143 63 79 14 98 30-34 2,159 1,190 560 233 63 355 19 9 50 35-39 1,086 611 286 111 33 15 12 3 15 40 AND OVER 273 139 81 29 11 2 4 0 0 7 UNKNOWN 4 1 0 0 1 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | 33 | 30 | 22 | 3 | 1 | 0 | 1 | 47 |
| UNDER 15 | AGE | | | | | | | | | |
| 15 | TOTAL | 18,824 | 8,076 | 5,314 | 2,892 | 944 | 438 | 379 | 111 | |
| 197 197 211 111 60 24 24 10 54 | UNDER 15 | 226 | 58 | 61 | 53 | 17 | 9 | 13 | | |
| 17 | 15 | 420 | 132 | 115 | 82 | 32 | 15 | 15 | 2 | |
| 18 | 16 | 691 | 197 | 211 | 111 | 60 | 24 | 24 | 10 | |
| 19 1,502 578 420 266 81 40 36 9 72 20-24 6,422 2,582 1,876 1,084 352 155 111 34 228 25-29 3,849 1,866 1,049 537 143 63 79 14 98 30-34 2,159 1,190 560 233 63 35 19 9 50 35-39 1,086 611 286 111 33 15 12 3 15 40 AND OVER 273 139 81 29 111 2 4 0 7 10NKNONN 4 1 0 0 1 0 0 2 0 0 0 TYPE OF PROCEDURE TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 CURETTAGE 17,725 8,021 5,254 2,745 692 228 143 38 604 INTRAUTERINE SALINE 1NSTILLATION 0 0 0 0 0 0 0 0 0 0 INTRAUTERINE PROSTAGLANDIN 1NSTILLATION 1 0 0 0 0 0 0 0 0 0 0 LAMINARIA D & E 1,043 39 49 143 249 209 234 73 47 OTHER 16 0 0 0 0 0 0 0 0 0 0 0 0 0 LAMINARIA D & E 1,043 39 16 11 4 2 1 2 0 3 COMPLICATIONS TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 COMPLICATIONS COMPLICATIONS TOTAL 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 17 | 766 | 231 | 222 | 134 | 52 | 25 | 30 | 15 | 57 |
| 19 | 18 | 1,426 | 491 | 433 | 251 | 100 | 53 | 36 | 13 | 49 |
| 25-29 | | 1,502 | 578 | 420 | 266 | 81 | 40 | 36 | 9 | 72 |
| 30-34 | 20-24 | 6,422 | 2,582 | 1,876 | 1,084 | 352 | 155 | 111 | 34 | 228 |
| 35-39 | 25-29 | 3,849 | 1,866 | 1,049 | 537 | 143 | 63 | 79 | 14 | 98 |
| 1,086 611 286 111 33 15 12 3 15 40 AND OVER 273 139 81 29 11 2 4 0 0 0 0 0 0 0 0 0 | 30-34 | 2,159 | 1,190 | 560 | 233 | 63 | 35 | 19 | 9 | 50 |
| Type of Procedure Type of Procedure Type of Procedure Type of Procedure Total 18,824 8,076 5,314 2,892 944 438 379 111 670 | 35-39 | | 611 | 286 | 111 | 33 | 15 | 12 | 3 | 15 |
| Type of Procedure Type of Type | 40 AND OVER | 273 | 139 | 81 | 29 | 11 | 2 | 4 | 0 | 7 |
| TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 CURETTAGE 17,725 8,021 5,254 2,745 692 228 143 38 604 INTRAUTERINE SALINE INSTILLATION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 INTRAUTERINE PROSTAGLANDIN INSTILLATION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | 4 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 0 |
| CURETTAGE 17,725 8,021 5,254 2,745 692 228 143 38 604 INTRAUTERINE SALINE INSTILLATION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | TYPE OF PROCEDURE | | | | | | | | | |
| CURETTAGE 17,725 8,021 5,254 2,745 692 228 143 38 604 INTRAUTERINE SALINE INSTILLATION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | TOTAL | 18,824 | 8,076 | 5,314 | 2,892 | 944 | 438 | 379 | 111 | 670 |
| INTRAUTERINE SALINE INSTILLATION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | - | | - | 692 | 228 | 143 | 38 | 604 |
| INSTILLATION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | _,,, | -, | _, | _ • · | | | | | |
| INTRAUTERINE PROSTAGLANDIN INSTILLATION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HYSTEROTOMY/HYSTERECTOMY 1 0 0 0 0 1 0 0 0 0 0 0 1 1 0 0 0 0 0 | - | | | | | | | | | |
| LAMINARIA D & E 1,043 39 49 143 249 209 234 73 47 OTHER 16 0 0 0 0 0 0 0 0 0 16 UNKNOWN 39 16 11 4 2 1 2 0 3 3 COMPLICATIONS TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 NO COMPLICATIONS 18,657 8,017 5,262 2,873 940 438 375 111 641 HEMORRHAGE 11 4 5 1 0 0 0 0 1 10 0 0 1 UTERINE PERFORATION 2 0 0 0 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 | INSTILLATION | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| LAMINARIA D & E 1,043 39 49 143 249 209 234 73 47 OTHER 16 0 0 0 0 0 0 0 0 0 16 UNKNOWN 39 16 11 4 2 1 2 0 3 3 COMPLICATIONS TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 NO COMPLICATIONS 18,657 8,017 5,262 2,873 940 438 375 111 641 HEMORRHAGE 11 4 5 1 0 0 0 0 0 1 UTERINE PERFORATION 2 0 0 0 1 0 0 0 0 0 0 CERVICAL LACERATION 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | HYSTEROTOMY/HYSTERECTOMY | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | - |
| UNKNOWN 39 16 11 4 2 1 2 0 3 COMPLICATIONS TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 NO COMPLICATIONS 18,657 8,017 5,262 2,873 940 438 375 111 641 HEMORRHAGE 11 4 5 1 0 0 0 0 0 1 641 UTERINE PERFORATION 2 0 0 0 1 0 0 1 0 0 CERVICAL LACERATION 1 0 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | 1,043 | 39 | 49 | 143 | 249 | 209 | 234 | 73 | |
| COMPLICATIONS TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 NO COMPLICATIONS 18,657 8,017 5,262 2,873 940 438 375 111 641 HEMORRHAGE 11 4 5 1 0 0 0 0 0 1 UTERINE PERFORATION 2 0 0 0 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 | OTHER | 16 | 0 | 0 | 0 | 0 | 0 | | | |
| TOTAL 18,824 8,076 5,314 2,892 944 438 379 111 670 NO COMPLICATIONS 18,657 8,017 5,262 2,873 940 438 375 111 641 HEMORRHAGE 11 4 5 1 0 0 0 0 0 1 UTERINE PERFORATION 2 0 0 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 | UNKNOWN | 39 | 16 | 11 | 4 | 2 | 1 | 2 | 0 | 3 |
| NO COMPLICATIONS 18,657 8,017 5,262 2,873 940 438 375 111 641 HEMORRHAGE 11 4 5 1 0 0 0 0 0 1 UTERINE PERFORATION 2 0 0 1 0 0 1 0 0 CERVICAL LACERATION 1 0 1 0 0 0 0 0 0 INFECTION 12 3 4 2 0 0 0 0 3 RETAINED PRODUCTS 20 8 6 2 1 0 0 0 3 | COMPLICATIONS | | | | | | | | | |
| NO COMPLICATIONS 18,657 8,017 5,262 2,873 940 438 375 111 641 HEMORRHAGE 11 4 5 1 0 0 0 0 0 1 UTERINE PERFORATION 2 0 0 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 | TOTAL | 18,824 | 8,076 | 5,314 | 2,892 | 944 | 438 | 379 | 111 | 670 |
| HEMORRHAGE 11 4 5 1 0 0 0 0 1 UTERINE PERFORATION 2 0 0 1 0 0 1 0 0 CERVICAL LACERATION 1 0 1 0 0 0 0 0 0 INFECTION 12 3 4 2 0 0 0 0 3 RETAINED PRODUCTS 20 8 6 2 1 0 0 0 3 | | - | 8,017 | 5,262 | 2,873 | 940 | 438 | 375 | 111 | 641 |
| UTERINE PERFORATION 2 0 0 1 0 0 1 0 0 CERVICAL LACERATION 1 0 1 0 3 RETAINED PRODUCTS 20 8 6 2 1 0 0 0 3 3 | | | 4 | 5 | 1 | 0 | 0 | 0 | 0 | |
| CERVICAL LACERATION 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 3 3 1 0 0 0 0 0 3 3 3 0 0 0 0 0 3 3 3 0 0 0 0 3 3 3 0 0 0 0 3 3 3 0 0 0 0 0 3 3 0 0 0 0 0 0 3 3 0 | | | 0 | 0 | | 0 | 0 | 1 | _ | |
| INFECTION 12 3 4 2 0 0 0 0 3 RETAINED PRODUCTS 20 8 6 2 1 0 0 0 3 | | | | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| RETAINED PRODUCTS 20 8 6 2 1 0 0 0 3 | | | | 4 | 2 | 0 | 0 | 0 | 0 | 3 |
| | —• · | | | 6 | 2 | 1 | 0 | 0 | 0 | 3 |
| | | | 5 | 5 | 3 | 1 | 0 | 0 | 0 | 2 |
| UNKNOWN 105 39 31 10 2 0 3 0 20 | | 105 | 39 | 31 | 10 | 2 | 0 | 3 | 0 | 20 |

NOTE: WEEKS OF GESTATION IS COMPUTED FROM DATE OF LAST NORMAL MENSES.

| AGE | TOTAL | WHITE | BLACK | OTHER | UNKNOWN |
|--------------------|--------|--------|-------|-------|-------------|
| TOTAL | 18,824 | 12,979 | 5,415 | 293 | 137 |
| UNDER 15 | 226 | 93 | 131 | 1 | 1 |
| 15 | 420 | 251 | 166 | 1 | 2 |
| 16 | 691 | 476 | 206 | 3 | |
| 17 | 766 | 566 | 192 | 3 | 6 5 8 |
| 18 | 1,426 | 1,069 | 335 | 14 | 8 |
| 19 | 1,502 | 1,108 | 365 | 11 | 18 |
| 20-24 | 6,422 | 4,418 | 1,862 | 91 | 51 |
| 25-29 | 3,849 | 2,541 | 1,220 | 63 | 25 |
| 30-34 | 2,159 | 1,472 | 609 | 64 | 14 |
| 35-39 | 1,086 | 767 | 277 | 36 | 6 |
| 40 AND OVER | 273 | 216 | 50 | 6 | 1 |
| UNKNOWN | 4 | 2 | 2 | 0 | 0 |
| MARITAL STATUS | | | | | |
| TOTAL | 18,824 | 12,979 | 5,415 | 293 | 137 |
| NEVER MARRIED | 12,436 | 8,215 | 4,057 | 108 | 56 |
| CURRENTLY MARRIED | 3,953 | 2,897 | 878 | 159 | 19 |
| FORMERLY MARRIED | 2,288 | 1,830 | 429 | 23 | 6 |
| UNKNOWN | 147 | 37 | 51 | 3 | 56 |
| YEARS OF EDUCATION | | | | | |
| TOTAL | 18,824 | 12,979 | 5,415 | 293 | 137 |
| 0-8 | 416 | 222 | 171 | 20 | 3 |
| 9-11 | 3,139 | 2,029 | 1,070 | 31 | 9 |
| 12 | 7,767 | 5,274 | 2,385 | 89 | 19 |
| 13-15 | 3,595 | 2,339 | 1,193 | 45 | 18 |
| 16 OR MORE | 1,835 | 1,372 | 390 | 65 | 8 |
| UNKNOWN | 2,072 | 1,743 | 206 | 43 | 80 |

| COUNTIES | NUMBER | RATIO | COUNTIES | NUMBER | RATIO | COUNTIES | NUMBER | RATIO |
|----------------|--------|-------|------------------|--------|-------|------------------|--------|-------|
| STATE TOTAL | 18,824 | 250.6 | GRUNDY | 13 | 102.4 | PETTIS | 67 | 134.0 |
| ADAIR | 20 | 72.7 | HARRISON | 4 | 43.0 | PHELPS | 92 | 196.6 |
| ANDREW | 15 | 82.4 | HENRY | 24 | 92.7 | PIKE | 25 | 104.2 |
| ATCHISON | 4 | 47.6 | HICKORY | 10 | 129.9 | PLATTE | 101 | 133.8 |
| AUDRAIN | 38 | 121.8 | HOLT | 7 | 77.8 | POLK | 51 | 195.4 |
| BARRY | 41 | 133.6 | HOWARD | 15 | 105.6 | PULASKI | 87 | 113.4 |
| BARTON | 14 | 85.4 | HOMELL | 44 | 98.0 | PUTNAM | 2 | 33.3 |
| BATES | 20 | 96.6 | IRON | 14 | 98.6 | RALLS | 7 | 66.7 |
| BENTON | 7 | 53.8 | JACKSON | 3,381 | 321.6 | RANDOLPH | 41 | 114.5 |
| BOLLINGER | 12 | 88.2 | JASPER | 228 | 174.7 | RAY | 29 | 103.6 |
| BOONE | 572 | 341.3 | JEFFERSON | 510 | 191.2 | REYNOLDS | 5 | 79.4 |
| BUCHANAN | 222 | 175.1 | JOHNSON | 151 | 235.6 | RIPLEY | 7 | 50.0 |
| BUTLER | 74 | 149.8 | KNOX | 0 | 0.0 | ST. CHARLES | 657 | 199.8 |
| CALDWELL | 9 | 75.0 | LACLEDE | 51 | 140.9 | ST. CLAIR | 3 | 28.8 |
| CALLAWAY | 63 | 142.2 | LAFAYETTE | 52 | 132.0 | ST. FRANCOIS | 74 | 119.7 |
| CAMDEN | 50 | 170.1 | LAWRENCE | 68 | 166.7 | STE. GENEVIEVE | 19 | 88.8 |
| CAPE GIRARDEAU | 212 | 266.3 | LEWIS | 1 | 8.3 | ST. LOUIS CITY | 4,001 | 500.6 |
| CARROLL | 4 | 29.4 | LINCOLN | 53 | 122.4 | ST. LOUIS COUNTY | 4,501 | 323.2 |
| CARTER | 6 | 71.4 | LINN | 17 | 93.9 | SALINE | 37 | 119.0 |
| CASS | 138 | 159.2 | LIVINGSTON | 23 | 117.3 | SCHUYLER | 1 | 18.9 |
| CEDAR | 23 | 172.9 | MC DONALD | 25 | 108.7 | SCOTLAND | 2 | 25.0 |
| CHARITON | 8 | 61.1 | MACON | 21 | 111.1 | SCOTT | 102 | 172.3 |
| CHRISTIAN | 52 | 129.0 | MADISON | 15 | 92.6 | SHANNON | 13 | 120.4 |
| CLARK | 0 | 0.0 | MARIES | 7 | 61.9 | SHELBY | 7 | 76.9 |
| CLAY | 317 | 151.0 | MARION | 26 | 67.9 | STODDARD | 54 | 153.0 |
| CLINTON | 31 | 150.5 | MERCER | 3 | 62.5 | STONE | 38 | 204.3 |
| COLE | 152 | 174.7 | MILLER | 39 | 124.6 | SULLIVAN | 2 | 36.4 |
| COOPER | 20 | 101.0 | MISSISSIPPI | 28 | 127.9 | TANEY | 61 | 230.2 |
| CRAWFORD | 21 | 92.5 | MONITEAU | 9 | 53.3 | TEXAS | 22 | 74.8 |
| DADE | 16 | 192.8 | MONROE | 11 | 85.9 | VERNON | 52 | 182.5 |
| DALLAS | 18 | 110.4 | MONTGOMERY | 16 | 107.4 | WARREN | 45 | 143.3 |
| DAVIESS | 7 | 63.6 | MORGAN | 16 | 74.1 | WASHINGTON | 17 | 57.0 |
| DE KALB | 5 | 51.0 | NEW MADRID | 27 | 76.3 | WAYNE | 14 | 100.7 |
| DENT | 16 | 93.6 | NEWTON | 84 | 141.9 | WEBSTER | 40 | 117.6 |
| DOUGLAS | 18 | 120.8 | NODAWAY | 34 | 131.8 | WORTH | 1 | 38.5 |
| DUNKLIN | 58 | 138.8 | OREGON | 4 | 36.7 | WRIGHT | 16 | 61.8 |
| FRANKLIN | 207 | 167.5 | OSAGE | 3 | 17.8 | | | |
| GASCONADE | 30 | 169.5 | OZARK | 14 | 145.8 | | | |
| GENTRY | 9 | 105.9 | PEMISCOT | 46 | 121.4 | | | |
| GREENE | 844 | 307.0 | PERRY | 19 | 83.0 | | | |

ı

TABLE 14B RESIDENT ABORTIONS AND RATIOS PER 1,000 LIVE BIRTHS BY REGIONAL PLANNING COMMISSION OF RESIDENCE: MISSOURI 1986

| REGIONAL PLANNING COMMISSIONS | NUMBER | RATIO | REGIONAL PLANNING COMMISSIONS | NUMBER | RATIO |
|-------------------------------|--------|-------|-------------------------------|--------|-------|
| MAJOR METRO REGIONS | | | BOONSLICK | 114 | 127.2 |
| EAST-WEST GATEWAY | 9,876 | 339.2 | KAYSINGER BASIN | 139 | 116.3 |
| MID-AMERICA | 3,966 | 273.2 | SHOW-ME | 270 | 175.9 |
| MINOR METRO REGIONS | | | SOUTH CENTRAL OZARK | 131 | 89.5 |
| SOUTHWEST MISSOURI | 1,229 | 237.9 | MERAMEC | 183 | 125.9 |
| MID-MISSOURI | 872 | 219.2 | LAKE OF THE OZARKS | 243 | 124.5 |
| MO-KAN | 273 | 155.6 | | | |
| OZARK GATEWAY | 351 | 153.2 | SOUTHEAST MISSOURI | 365 | 158.9 |
| | | | BOOTHEEL | 315 | 136.1 |
| NONMETRO REGIONS | | | OZARK FOOTHILLS | 106 | 115.2 |
| NORTHWEST MISSOURI | 55 | 101.3 | | | |
| GREEN HILLS | 80 | 80.8 | MAJOR METRO TOTAL | 13,842 | 317.3 |
| MISSOURI VALLEY | 49 | 84.8 | MINOR METRO TOTAL | 2,725 | 206.6 |
| | | | NONMETRO TOTAL | 2,212 | 120.9 |
| NORTHEAST MISSOURI | 23 | 42.5 | | | |
| MARK TWAIN | 139 | 86.1 | STATE TOTAL | 18,824 | 250.6 |

TABLE 15 RESIDENT ABORTIONS BY AGE AND MARITAL STATUS OF WOMAN: MISSOURI 1986

AGE 45 AND OVER UNKNOWN MARITAL STATUS TOTAL UNDER 15 15-17 18-19 25-29 30-34 35-39 40-44 20-24 TOTAL 2,159 1,086 259 14 18,824 226 1,877 2,928 6,422 3,849 4 NEVER MARRIED 12,436 224 1,827 2,687 4,800 1,907 710 240 35 2 4 135 CURRENTLY MARRIED 3,953 0 28 178 1,088 1,197 821 496 10 0 340 0 FORMERLY MARRIED 2,288 0 11 38 481 718 611 87 2 17 0 UNKNOWN 147 2 11 25 53 27 10 2 0

TABLE 16 RESIDENT ABORTIONS BY NUMBER OF LIVING CHILDREN AND NUMBER OF PREVIOUS ABORTIONS: MISSOURI 1986

| NUMBER OF | FREQUENCY | NUMBER OF | FREQUENCY |
|-----------------|-------------|--------------------|-------------|
| LIVING CHILDREN | OF PATIENTS | PREVIOUS ABORTIONS | OF PATIENTS |
| TOTAL | 18,824 | TOTAL | 18,824 |
| 0 | 9,882 | 0 | 12,327 |
| 1 | 4,357 | 1 | 4,544 |
| 2 | 2,934 | 2 | 1,253 |
| 3 | 1,072 | 3 | 419 |
| 4 | 316 | 4 | 117 |
| 5 | 120 | 5 | 49 |
| 6+ | 69 | 6+ | 25 |
| UNKNOWN | 74 | UNKNOWN | 90 |

1

5 =

TABLE 17

| | NUMBER RESIDENT RECORDED | | | | | | RATE Resident | | | |
|-------------|--------------------------|--------|----------|-----------------|----------------|--------|------------------|---------|---------------------|--|
| | | | RESIDENT | | | MED | LTVE | | | |
| | DOD!!! 4770\! | LIVE | DEATUO | NATURAL | LÍVE BIRTHS | DEATHS | BIRTHS | DEATHS | NATURAL INCREASE | |
| COUNTIES | POPULATION | BIRTHS | DEATHS | INCREASE | BTK142 | DEATHS | DIKINS | DEATIIS | INCKLASE | |
| FRANKLIN | 77,900 | 1,236 | 668 | 568 | 718 | 520 | 15.9 | 8.6 | 7.3 | |
| GASCONADE | 13,500 | 177 | 193 | -16 | 89 | 142 | 13.1 | 14.3 | -1.2 | |
| GENTRY | 7,400 | 85 | 95 | -10 | 89 | 102 | 11.5 | 12.8 | -1.4 | |
| GREENE | 198,200 | 2,749 | 1,762 | 9 87 | 4,885 | 2,818 | 13.9 | 8.9 | 5.0 | |
| GRUNDY | 11,200 | 127 | 175 | -48 | 190 | 195 | 11.3 | 15.6 | -4.3 | |
| HARRISON | 9,400 | 93 | 144 | -51 | 35 | 93 | 9.9 | 15.3 | -5.4 | |
| HENRY | 20,000 | 259 | 295 | -36 | 378 | 294 | 13.0 | 14.8 | -1.8 | |
| HICKORY | 7,000 | 77 | 106 | -29 | 0 | 41 | 11.0 | 15.1 | -4.1 | |
| HOLT | 6,500 | 90 | 107 | -17 | 0 | 43 | 13.8 | 16.5 | -2.6 | |
| HOWARD | 9,800 | 142 | 123 | 19 | 100 | 88 | 14.5 | 12.6 | 1.9 | |
| HOMELL | 30,000 | 449 | 363 | 86 | 651 | 445 | 15.0 | 12.1 | 2.9 | |
| IRON | 10,800 | 142 | 126 | 16 | 1 | 111 | 13.1 | 11.7 | 1.5 | |
| JACKSON | 636,400 | 10,513 | 6,055 | 4,458 | 14,102 | 7,389 | 16.5 | 9.5 | 7.0 | |
| JASPER | 89,500 | 1,305 | 1,040 | 265 | 151 | 1,062 | 14.6 | 11.6 | 3.0 | |
| JEFFERSON | 163,800 | 2,667 | 1,039 | 1,628 | 396 | 691 | 16.3 | 6.3 | 9.9 | |
| JOHNSON | 38,000 | 641 | 250 | 391 | 618 | 245 | 16.9 | 6.6 | 10.3 | |
| KNOX | 4,900 | 55 | 71 | -16 | 2 | 34 | 11.2 | 14.5 | -3.3 | |
| LACLEDE | 26,300 | 362 | 258 | 104 | 106 | 210 | 13.8 | 9.8 | 4.0 | |
| LAFAYETTE | 30,500 | 394 | 327 | 67 | 157 | 222 | 12.9 | 10.7 | 2.2 | |
| LAWRENCE | 30,400 | 408 | 381 | 27 | 249 | 378 | 13.4 | 12.5 | 0.9 | |
| LEWIS | 10,600 | 121 | 131 | -10 | 4 | 76 | 11.4 | 12.4 | -0.9 | |
| LINCOLN | 26,100 | 433 | 254 | 179 | 165 | 229 | 16.6 | 9.7 | 6.9 | |
| LINN | 14,700 | 181 | 232 | -51 | 176 | 185 | 12.3 | 15.8 | -3.5 | |
| LIVINGSTON | 15,100 | 196 | 169 | 27 | 358 | 162 | 13.0 | 11.2 | 1.8 | |
| MC DONALD | 15,900 | 230 | 190 | 40 | 2 | 76 | 14.5 | 11.9 | 2.5 | |
| MACON | 16,700 | 189 | 245 | -56 | 90 | 200 | 11.3 | 14.7 | -3.4 | |
| MADISON | 11,400 | 162 | 133 | 29 | 146 | 93 | 14.2 | 11.7 | 2.5 | |
| MARIES | 8,000 | 113 | 90 | 23 | 2 | 34 | 14.1 | 11.3 | 2.9 | |
| MARION | 28,600 | 383 | 362 | 21 | 659 | 393 | 13.4 | 12.7 | 0.7 | |
| MERCER | 4,100 | 48 | 72 | -24 | 0 | 30 | 11.7 | 17.6 | -5.9 | |
| MILLER | 21,100 | 313 | 216 | 97 | 2 | 80 | 14.8 | 10.2 | 4.6 | |
| MISSISSIPPI | 15,500 | 219 | 204 | 15 | 6 | 96 | 14.1 | 13.2 | 1.0 | |
| MONITEAU | 12,800 | 169 | 157 | 12 | 11 | 78 | 13.2 | 12.3 | 0.9 | |
| MONROE | 9,500 | 128 | 106 | 22 | 2 | 46 | 13.5 | 11.2 | 2.3 | |
| MONTGOMERY | 11,400 | 149 | 164 | -15 | 0 | 85 | 13.1 | 14.4 | -1.3 | |

- 52 .

TABLE 18 RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 1986

| | RESI LIVE | DENT | RECO LIVE | RDED | | RESIDENT Live | | RECORDED LIVE | | |
|---|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|-------------------------------|--|
| CITIES WITH 10,000 TO 24,999 POPULATION | BIRTHS | DEATHS | BIRTHS | DEATHS | CITIES WITH 10,000 TO 24,999 POPULATION | | DEATHS | | DEATHS | |
| ARNOLD BALLWIN BELLEFONTAINE NGHS. BELTON BERKELEY | 315 182 146 283 282 | 127 72 151 91 110 | 0 1 1 3 4 | 21 54 31 65 8 | MAPLEWOOD MARSHALL MEXICO MOBERLY OVERLAND | 194 175 144 192 290 | 106 137 138 168 182 | 0 73 320 332 2 | 5 133 245 228 7 | |
| BRIDGETON CARTHAGE CLAYTON CRESTWOOD CREVE COEUR | 217 148 105 115 92 | 141 157 103 121 139 | 1,580 149 1 0 5,822 | 603 154 1,144 6 866 | POPLAR BLUFF RICHMOND HEIGHTS ROLLA ST. ANN ST. PETERS | 257 151 174 242 602 | 261 132 121 142 67 | 1,257 2,995 990 0 4 | 759 606 345 3 165 | |
| EXCELSIOR SPRINGS CLAY CO. PART RAY CO. PART FERGUSON FULTON | 158 153 5 426 119 | 121 120 1 243 120 | 125 125 0 3 124 | 144 143 1 50 119 | SEDALIA SIKESTON NEW MADRID CO. PART SCOTT CO. PART WARRENSBURG | 276 296 9 287 144 | 324 211 2 209 109 | 665 665 0 665 284 | 469 384 6 378 189 | |
| GLADSTONE GRANDVIEW HANNIBAL MARION CO. PART RALLS CO. PART | 290 434 248 247 1 | 152 131 259 254 5 | 1 659 659 0 | 97 73 297 296 1 | MEBSTER GROVES | 341 | 248 | 4 | 38 | |
| HAZELWOOD JENNINGS KENNETT KIRKSVILLE LIBERTY | 156 275 110 191 296 | 87 204 127 144 169 | 0 5 186 537 2 | 4 8 175 291 224 | | | | | | |

| | | DENT | | RDED | | | DENT | RECO LIVE | RDED |
|-----------------------------|----------|----------|----------------|--------|---------------------|----------------|---------|--------------|------------|
| | LIVE | DEATUO | LIVE BIRTHS | DEATHS | | LIVE BIRTHS | DEATHS | BIRTHS | DEATHS |
| 077750 WTTH 0 500 | BIRTHS | DEATHS | BIKINS | DEATHS | CITIES WITH 2,500 | DIKINS | DEATING | DIKINS | DEATHS |
| CITIES WITH 2,500 | | | | | TO 9,999 POPULATION | | | | |
| TO 9,999 POPULATION | | | | | 10 9,999 POPOLATION | | | | |
| AURORA | 90 | 86 | 154 | 123 | ELDORADO SPRINGS | 50 | 70 | 105 | 80 |
| AVA | 32 | 40 | 0 | 30 | ELLISVILLE | 88 | 47 | 2 | 10 |
| BEL RIDGE | 58 | 29 | 0 | 0 | EUREKA | 83 | 24 | 0 | 62 |
| BETHANY | 33 | 61 | 35 | 78 | FARMINGTON | 102 | 154 | 805 | 325 |
| BLACK JACK | 63 | 36 | 0 | 2 | FAYETTE | 43 | 40 | 100 | 65 |
| | | | | | | | | | |
| BOLIVAR | 85 | 108 | 218 | 171 | FESTUS | 139 | 84 | 1 | 40 |
| BONNE TERRE | 53 | 48 | 0 | 88 | FLAT RIVER | 72 | 49 | 0 | 30 |
| BOONVILLE | 78 | 108 | 1 | 54 | FREDERICKTOWN | 57 | 74 | 145 | 80 |
| BOWLING GREEN | 41 | 56 | 0 | 30 | FRONTENAC | 27 | 31 | 0 | 2 |
| BRANSON | 43 | 48 | 197 | 159 | GLENDALE | 99 | 50 | 0 | 5 |
| | | | | | | | | | |
| BRECKENRIDGE HILLS | 110 | 66 | 1 | 1 | HARRISONVILLE | 137 | 66 | 136 | 110 |
| BRENTWOOD | 155 | 92 | 0 | 9 | HAYTI | 78 | 50 | 383 | 167 |
| BROOKFIELD | 73 | 97 | 108 | 98 | HERMANN | 40 | 38 | 88 | 70 |
| BUCKNER | 43 | 24 | 0 | 4 | HIGGINSVILLE | 58 | 76 | 0 | 14 |
| BUTLER | 41 | 72 | 53 | 103 | HOLTS SUMMIT | 37 | 16 | 0 | 4 |
| CAL TEODNITA | 37 | 67 | 3 | 36 | JACKSON | 107 | 96 | 2 | 55 |
| CALIFORNIA | 62 | 73 | 50 | 120 | KINLOCH | 90 | 41 | Ō | 0 |
| CAMERON CLINTON CO. PART | 52 52 | 73 55 | 50 50 | 106 | LADUE | 66 | 81 | Ō | 5 |
| DE KALB CO. PART | 10 | 18 | 0 | 14 | LAKE ST. LOUIS | 61 | 20 | ŏ | õ |
| CARL JUNCTION | 35 | 16 | 0 | 2 | LAMAR | 62 | 68 | 83 | 92 |
| CARE JUNCTION | 39 | 14 | Ū | - | EATION | 02 | • | 02 | / - |
| CARROLLTON | 60 | 85 | 0 | 82 | LEBANON | 145 | 126 | 105 | 174 |
| CARUTHERSVILLE | 125 | 86 | 0 | 20 | LEXINGTON | 74 | 66 | 117 | 79 |
| CENTRALIA | 43 | 34 | 0 | 14 | LOUISIANA | 60 | 67 | 39 | 124 |
| CHAFFEE | 39 | 48 | 28 | 31 | MACON | 67 | 106 | 90 | 155 |
| CHARLESTON | 79 | 77 | 6 | 44 | MALDEN | 83 | 62 | 0 | 40 |
| | | | | | | | | _ | |
| CHILLICOTHE | 115 | 107 | 357 | 137 | MANCHESTER | 113 | 33 | 0 | 47 |
| CLINTON | 125 | 141 | 376 | 242 | MARCELINE | 28 | 49 | 66 | 69 |
| CRYSTAL CITY | 58 | 43 | 380 | 268 | MARSHFIELD | 63 | 60 | 1 | 19 |
| DELLHOOD | 91 | 52 | 0 | 3 | MARYVILLE | 115 | 89 | 225 | 127 |
| DESLOGE | 57 | 52 | 0 | 18 | MOLINE ACRES | 48 | 24 | 1 | 0 |
| DESOTO | 97 | 71 | 1 | 15 | MONETT | 83 | 90 | 38 | 120 |
| DES PERES | 109 | 74 | ō | 50 | BARRY CO. PART | 56 | 73 | 38 | 119 |
| DEXTER | 102 | 110 | 100 | 150 | LAWRENCE CO. PART | 27 | 17 | 0 | 1 |
| EAST PRAIRIE | 47 | 50 | 0 | 12 | MONROE CITY | 35 | 30 | Ō | 22 |
| ELDON | 70 | 61 | Ö | 13 | MARION CO. PART | 3 | 11 | 0 | 18 |
| | . • | | • | | | | | | |

TABLE 18(CONT) RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 1986

| | | DENT | | RDED | | | DENT | | RDED |
|---------------------|----------------|--------|--------|--------|---------------------|----------------|---------|----------------|---------|
| | LIVE BIRTHS | DEATUC | LIVE | DEATHS | | LIVE BIRTHS | DEATHS | LIVE BIRTHS | DEATHS |
| CITIES WITH 2,500 | PIKINS | DEATHS | DIKINS | DEATHS | CITIES WITH 2,500 | DIKIIIS | DEATING | DIKING | DEATIIS |
| TO 9,999 POPULATION | | | | | TO 9,999 POPULATION | | | | |
| MONROE CO. PART | 32 | 19 | 0 | 4 | STE. GENEVIEVE | 67 | 57 | 142 | 69 |
| MOUNTAIN GROVE | 69 | 72 | 0 | 31 | SALEM | 64 | 61 | 0 | 39 |
| MOUNT VERNON | 44 | 68 | 91 | 205 | SAVANNAH | 65 | 66 | 0 | 46 |
| NEOSHO | 141 | 135 | 80 | 196 | SCOTT CITY | 46 | 41 | 1 | 9 |
| NEVADA | 142 | 148 | 247 | 190 | SHREWSBURY | 86 | 92 | 1 | 24 |
| NEW MADRID | 45 | 32 | 1 | 25 | SUGAR CREEK | 58 | 37 | 0 | 7 |
| NIXA | 68 | 29 | 0 | 8 | SULLIVAN | 94 | 73 | 105 | 121 |
| NORMANDY | 80 | 51 | 11 | 419 | CRAWFORD CO. PART | 8 | 8 | 105 | 87 |
| NORTH KANSAS CITY | 41 | 80 | 1,392 | 396 | FRANKLIN CO. PART | 86 | 65 | 0 | 34 |
| NORTHWOODS | 64 | 58 | 0 | 4 | SUNSET HILLS | 38 | 57 | 0 | 17 |
| OAK GROVE | 78 | 30 | 0 | 16 | TOWN AND COUNTRY | 38 | 31 | 907 | 364 |
| ODESSA | 66 | 40 | 0 | 23 | TRENTON | 85 | 124 | 188 | 177 |
| O'FALLON | 223 | 62 | 0 | 14 | TROY | 56 | 62 | 164 | 161 |
| OLIVETTE | 80 | 76 | 3 | 5 | UNION | 104 | 71 | 1 | 34 |
| OZARK | 52 | 51 | 0 | 40 | VALLEY PARK | 74 | 36 | 0 | 33 |
| PACIFIC | 100 | 29 | 0 | 15 | VANDALIA | 34 | 35 | 0 | 6 |
| FRANKLIN CO. PART | 98 | 28 | 0 | 15 | WARRENTON | 67 | 59 | 1 | 33 |
| ST. LOUIS CO. PART | 2 | 1 | 0 | 0 | WASHINGTON | 156 | 111 | 714 | 337 |
| PAGEDALE | 116 | 51 | 0 | 0 | WAYNESVILLE | 106 | 35 | 74 | 48 |
| PALMYRA | 48 | 54 | 0 | 53 | WEBB CITY | 102 | 95 | 0 | 39 |
| PERRYVILLE | 85 | 88 | 113 | 126 | MELLSTON | 102 | 42 | 0 | 0 |
| PEVELY | 53 | 21 | 0 | 3 | WENTZVILLE | 63 | 47 | 1 | 15 |
| PINE LAWN | 111 | 48 | 0 | 2 | WEST PLAINS | 140 | 121 | 516 | 304 |
| PLEASANT HILL | 57 | 39 | 1 | 7 | WINDSOR | 46 | 59 | 1 | 23 |
| PORTAGEVILLE | 73 | 34 | 0 | 9 | HENRY CO. PART | 46 | 58 | 1 | 23 |
| POTOSI | 55 | 49 | 2 | 26 | PETTIS CO. PART | 0 | 1 | 0 | 0 |
| RAYMORE | 56 | 50 | 1 | 21 | WOODSON TERRACE | 77 | 40 | 0 | 0 |
| REPUBLIC | 83 | 36 | 2 | 5 | | | | | |
| RICHMOND | 71 | 86 | 80 | 107 | | | | | |
| RIVERSIDE | 53 | 16 | 1 | 42 | | | | | |
| RIVERVIEW | 57 | 37 | 0 | 0 | | | | | |
| ROCK HILL | 81 | 57 | 0 | 3 | | | | | |
| ST. CLAIR | 72 | 55 | 1 | 7 | | | | | |
| ST. JAMES | 42 | 75 | 0 | 41 | | | | | |
| ST. JOHN | 137 | 78 | 0 | 4 | | | | | |

TABLE 19 TWELVE LEADING CAUSES OF DEATH BY RACE WITH PERCENTAGES
AND WITH RATES PER 100,000 FOR ALL RACES, RESIDENT DATA: MISSOURI 1986

| RANK | (ALL RACES) | NUMBER | CRUDE Rate | AGE-AÐJ Rate | PERCENT OF TOTAL |
|------|---------------------------|--------|---------------|-----------------|---------------------|
| 1. | DISEASES OF HEART | 18,114 | 357.6 | 300.9 | 36.2 |
| 2. | MALIGNANT NEOPLASMS | 10,813 | 213.4 | 194.4 | 21.6 |
| 3. | CEREBROVASCULAR DISEASE | 3,612 | 71.3 | 58.2 | 7.2 |
| 4. | ACCIDENTAL DEATHS | 2,221 | 43.8 | 40.7 | 4.4 |
| 5. | CHRONIC PULMONARY DISEASE | 1,913 | 37.8 | 33.3 | 3.8 |
| 6. | PNEUMONIA & INFLUENZA | 1,726 | 34.1 | 27.0 | 3.5 |
| 7. | DIABETES MELLITUS | 847 | 16.7 | 14.6 | 1.7 |
| 8. | SUICIDE | 728 | 14.4 | 13.2 | 1.5 |
| 9. | NEPHRITIS & NEPHROSIS | 574 | 11.3 | 9.3 | 1.1 |
| 10. | ATHEROSCLEROSIS | 494 | 9.8 | 7.4 | 1.0 |
| 11. | HOMICIDE & LEGAL INTERV | 487 | 9.6 | 8.4 | 1.0 |
| 12. | LIVER DISEASE & CIRRHOSIS | 404 | 8.0 | 7.7 | 0.8 |
| | ALL OTHER CAUSES | 8,038 | 158.7 | 138.9 | 16.1 |
| | TOTAL (ALL CAUSES) | 49,971 | 986.4 | 853.8 | 100.0 |

| | | | PERCENT | | | | PERCENT |
|------|---------------------------|--------|----------|------|---------------------------|-----------------|----------|
| RANK | (WHITE) | NUMBER | OF TOTAL | RANK | (BLACK & OTHER) | NUMBER | OF TOTAL |
| 1. | DISEASES OF HEART | 16,630 | 37.0 | 1. | DISEASES OF HEART | 1,484 | 29.2 |
| 2. | MALIGNANT NEOPLASMS | 9,670 | 21.5 | 2. | MALIGNANT NEOPLASMS | 1,143 | 22.5 |
| 3. | CEREBROVASCULAR DISEASE | 3,296 | 7.3 | 3. | CEREBROVASCULAR DISEASE | 316 | 6.2 |
| 4. | ACCIDENTAL DEATHS | 1,998 | 4.5 | 4. | HOMICIDE & LEGAL INTERV | 27 9 | 5.5 |
| 5. | CHRONIC PULMONARY DISEASE | 1,819 | 4.1 | 5. | ACCIDENTAL DEATHS | 223 | 4.4 |
| 6. | PNEUMONIA & INFLUENZA | 1,582 | 3.5 | 6. | PNEUMONIA & INFLUENZA | 144 | 2.8 |
| 7. | DIABETES MELLITUS | 718 | 1.6 | 7. | DIABETES MELLITUS | 129 | 2.5 |
| 8. | SUICIDE | 686 | 1.5 | 8. | DISEASES OF EARLY INFANCY | 118 | 2.3 |
| 9. | NEPHRITIS & NEPHROSIS | 488 | 1.1 | 9. | CHRONIC PULMONARY DISEASE | 94 | 1.9 |
| 10. | ATHEROSCLEROSIS | 472 | 1.1 | 10. | NEPHRITIS & NEPHROSIS | 86 | 1.7 |
| 11. | LIVER DISEASE & CIRRHOSIS | 343 | 0.8 | 11. | LIVER DISEASE & CIRRHOSIS | 61 | 1.2 |
| 12. | DISEASES OF EARLY INFANCY | 254 | 0.6 | 12. | CONGENITAL ANOMALIES | 55 | 1.1 |
| | ALL OTHER CAUSES | 6,937 | 15.5 | | ALL OTHER CAUSES | 946 | 18.6 |
| | TOTAL (ALL CAUSES) | 44,893 | 100.0 | | TOTAL (ALL CAUSES) | 5,078 | 100.0 |

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS WITH PERCENTAGES, RESIDENT DATA: MISSOURI 1986

| | CAUSES BY AGE GROUPS | NUMBER | PERCENT OF TOTAL | CAUSES BY AGE GROUPS | NUMBER | PERCENT OF TOTAL |
|----|---------------------------------------|--------|---------------------|------------------------------|---|---------------------|
| | | | | | *************************************** | |
| _ | UNDER 1 YEAR | | | 45-54 YEARS | | |
| | DISEASES OF EARLY INFANCY | 370 | 46.3 | 1. MALIGNANT NEOPLASMS | 764 | 32.4 |
| | CONGENITAL ANOMALIES | 197 | 24.7 | 2. DISEASES OF HEART | 660 | 28.0 |
| | ACCIDENTAL DEATHS | 18 | 2.3 | 3. ACCIDENTAL DEATHS | 143 | 6.1 |
| | DISEASES OF HEART | 13 | 1.6 | 4. SUICIDE | 99 | 4.2 |
| 5. | PNEUMONIA & INFLUENZA | 9 | 1.1 | 5. CEREBROVASCULAR DISEASE | 94 | 4.0 |
| | TOTAL (ALL CAUSES) | 799 | 100.0 | TOTAL (ALL CAUSES) | 2,355 | 100.0 |
| | 1-4 YEARS | | | 55-64 YEARS | | |
| 1. | ACCIDENTAL DEATHS | 62 | 43.1 | 1. MALIGNANT NEOPLASMS | 2,176 | 36.3 |
| 2. | MALIGNANT NEOPLASMS | 15 | 10.4 | 2. DISEASES OF HEART | 1,865 | 31.1 |
| 3. | DISEASES OF HEART | 12 | 8.3 | 3. CEREBROVASCULAR DISEASE | 251 | 4.2 |
| 4. | CONGENITAL ANOMALIES | 10 | 6.9 | 4. CHRONIC PULMONARY DISEASE | 239 | 4.0 |
| 5. | HOMICIDE & LEGAL INTERV. | 4 | 2.8 | 5. ACCIDENTAL DEATHS | 176 | 2.9 |
| | TOTAL (ALL CAUSES) | 144 | 100.0 | TOTAL (ALL CAUSES) | 5,991 | 100.0 |
| | 5-14 YEARS | | | 65-74 YEARS | | |
| 1. | ACCIDENTAL DEATHS | 98 | 52.7 | 1. DISEASES OF HEART | 4,045 | 36.2 |
| | MALIGNANT NEOPLASMS | 22 | 11.8 | 2. MALIGNANT NEOPLASMS | 3,302 | 29.6 |
| | HOMICIDE & LEGAL INTERV. | 11 | 5.9 | 3. CHRONIC PULMONARY DISEASE | 649 | 5.8 |
| | CONGENITAL ANOMALIES | 9 | 4.8 | 4. CEREBROVASCULAR DISEASE | 634 | 5.7 |
| | DISEASES OF HEART | 6 | 3.2 | 5. PNEUMONIA & INFLUENZA | 247 | 2.2 |
| | TOTAL (ALL CAUSES) | 186 | 100.0 | TOTAL (ALL CAUSES) | 11,160 | 100.0 |
| | 15-24 YEARS | | | 75-84 YEARS | | |
| 1. | ACCIDENTAL DEATHS | 479 | 54.1 | 1. DISEASES OF HEART | 5,868 | 40.4 |
| | HOMICIDE & LEGAL INTERV. | 118 | 13.3 | 2. MALIGNANT NEOPLASMS | 2,897 | 20.0 |
| | SUICIDE | 112 | 12.7 | 3. CEREBROVASCULAR DISEASE | 1,289 | 8.9 |
| | MALIGNANT NEOPLASMS | 34 | 3.8 | 4. CHRONIC PULMONARY DISEASE | 696 | 4.8 |
| | DISEASES OF HEART | 20 | 2.3 | 5. PNEUMONIA & INFLUENZA | 516 | 3.6 |
| | TOTAL (ALL CAUSES) | 885 | 100.0 | TOTAL (ALL CAUSES) | 14,510 | 100.0 |
| | 25-34 YEARS | | | 85-YEARS & OVER | | |
| 1 | ACCIDENTAL DEATHS | 344 | 31.9 | 1. DISEASES OF HEART | 5,307 | 45.8 |
| | HOMICIDE & LEGAL INTERV. | 165 | 15.3 | 2. CEREBROVASCULAR DISEASE | 1,287 | 11.1 |
| | SUICIDE & LEGAL INTERV. | 151 | 14.0 | 3. MALIGNANT NEOPLASMS | 1,234 | 10.6 |
| | MALIGNANT NEOPLASMS | 102 | 9.5 | 4. PNEUMONIA & INFLUENZA | 797 | 6.9 |
| | DISEASES OF HEART | 71 | 6.6 | 5. ATHEROSCLEROSIS | 299 | 2.6 |
| ٠. | TOTAL (ALL CAUSES) | 1,079 | 100.0 | TOTAL (ALL CAUSES) | 11,598 | 100.0 |
| | TE ((VEADO | | | | | |
| 1 | 35-44 YEARS MALIGNANT NEOPLASMS | 262 | 20.9 | | | |
| | DISEASES OF HEART | 242 | 19.3 | | | |
| | ACCIDENTAL DEATHS | 217 | 17.3 | | | |
| | HOMICIDE & LEGAL INTERV. | 93 | 7.4 | | | |
| | SUICIDE | 84 | 6.7 | | | |
| | TOTAL (ALL CAUSES) | 1,253 | 100.0 | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | | |

- 59 .

RESIDENT DEATHS, AGE GROUPS BY RACE BY SEX WITH AGE-SPECIFIC RATES PER 1,000 BY SEX: MISSOURI 1986

| | | NUMBER | ALL | RACES | S SPECIFIC | DATE | I | W H I T E | | ВІ | .ACK & OTI NUMBER | IER |
|--------------|--------|--------|--------|-------|---------------|--------|--------|-----------|--------|-------|----------------------|--------|
| AGE AT DEATH | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| ALL AGES | 49,971 | 25,668 | 24,303 | 9.9 | 10.5 | 9.2 | 44,893 | 22,895 | 21,998 | 5,078 | 2,773 | 2,305 |
| UNDER 1 YEAR | 799 | 455 | 344 | 10.6 | 11.8 | 9.4 | 575 | 330 | 245 | 224 | 125 | 99 |
| 1-4 YEARS | 144 | 76 | 68 | 0.5 | 0.5 | 0.5 | 109 | 60 | 49 | 35 | 16 | 19 |
| 5-9 YEARS | 90 | 52 | 38 | 0.2. | 0.3 | 0.2 | 74 | 45 | 29 | 16 | 7 | 9 |
| 10-14 YEARS | 96 | 63 | 33 | 0.3 | 0.4 | 0.2 | 81 | 54 | 27 | 15 | 9 | 6 |
| 15-19 YEARS | 392 | 293 | 99 | 1.0 | 1.5 | 0.5 | 338 | 252 | 86 | 54 | 41 | 13 |
| 20-24 YEARS | 493 | 388 | 105 | 1.2 | 1.9 | 0.5 | 395 | 307 | 88 | 98 | 81 | 17 |
| 25-29 YEARS | 511 | 369 | 142 | 1.1 | 1.7 | 0.6 | 390 | 278 | 112 | 121 | 91 | 30 |
| 30-34 YEARS | 568 | 410 | 158 | 1.4 | 2.0 | 0.8 | 432 | 314 | 118 | 136 | 96 | 40 |
| 35-39 YEARS | 609 | 408 | 201 | 1.6 | 2.3 | 1.1 | 464 | 313 | 151 | 145 | 95 | 50 |
| 40-44 YEARS | 644 | 411 | 233 | 2.2 | 2.9 | 1.6 | 519 | 330 | 189 | 125 | 81 | 44 |
| 45-49 YEARS | 891 | 578 | 313 | 3.5 | 4.7 | 2.4 | 738 | 486 | 252 | 153 | 92 | 61 |
| 50-54 YEARS | 1,464 | 921 | 543 | 6.2 | 8.1 | 4.4 | 1,205 | 772 | 433 | 259 | 149 | 110 |
| 55-59 YEARS | 2,333 | 1,431 | 902 | 9.6 | 12.4 | 7.1 | 1,993 | 1,227 | 766 | 340 | 204 | 136 |
| 60-64 YEARS | 3,658 | 2,248 | 1,410 | 15.3 | 20.4 | 10.9 | 3,190 | 1,979 | 1,211 | 468 | 269 | 199 |
| 65-69 YEARS | 4,927 | 2,991 | 1,936 | 23.5 | 31.8 | 16.7 | 4,405 | 2,702 | 1,703 | 522 | 289 | 233 |
| 70-74 YEARS | 6,233 | 3,587 | 2,646 | 35.0 | 47.8 | 25.7 | 5,647 | 3,276 | 2,371 | 586 | 311 | 275 |
| 75-79 YEARS | 7,356 | 3,876 | 3,480 | 52.2 | 71.8 | 40.0 | 6,753 | 3,575 | 3,178 | 603 | 301 | 302 |
| 80-84 YEARS | 7,154 | 3,270 | 3,884 | 78.6 | 105.5 | 64.7 | 6,682 | 3,054 | 3,628 | 472 | 216 | 256 |
| 85 AND OVER | 11,598 | 3,837 | 7,761 | 158.9 | 191.9 | 146.4 | 10,897 | 3,539 | 7,358 | 701 | 298 | 403 |
| UNKNOWN AGE | 11 | 4 | 7 | | | | 6 | 2 | 4 | 5 | 2 | 3 |

- 60 -

| | ALL AGES | UNDER 1 YR. | 1-4 YRS. | 5-9 YRS. | 10-14 YRS. | 15-19 YRS. | 20-24 YRS. | 25-29 YRS. | 30-34 YRS. | 35-39 YRS. | 40-44 YRS. |
|--|--------------|----------------|-------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| ALL CAUSES CAUSES OF DEATH | 49,971 | 799 | 144 | 90 | 96 | 392 | 493 | 511 | 568 | 609 | 644 |
| TUBERCULOSIS | 36 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| SYPHILIS | 3 | Ö | Ŏ | Ŏ | Ŏ | Ō | ō | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | _ | • | | | | | | | | | |
| & PARASITIC DISEASES | 584 | 12 | 6 | 2 | 0 | 2 | 2 | 6 | 11 | 11 | 6 |
| MALIGNANT NEOPLASMS | 10,813 | 4 | 15 | 10 | 12 | 15 | 19 | 43 | 59 | 105 | 157 |
| DIGESTIVE ORGANS | 2,528 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 8 | 13 | 31 |
| RESPIRATORY ORGANS | 3,234 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 9 | 24 |
| BREAST | 867 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 4 | 17 | 31 |
| GENITAL ORGANS | 1,179 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 5 | 14 | 14 |
| URINARY ORGANS | 425 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 2 | 4 | 2 |
| LEUKEMIA | 386 | Ō | 5 | 6 | 4 | 4 | 3 | 3 | 7 | 4 | 7 |
| OTHER MALIG. NEOPL. | 2,194 | 4 | 10 | 3 | 7 | 11 | 12 | 27 | 29 | 44 | 48 |
| DIABETES MELLITUS | 847 | 0 | 0 | 1 | 0 | 1 | 6 | 5 | 11 | 15 | 3 |
| MAJOR CARDIOVASC. DISEASE | 22,958 | 14 | 13 | 2 | 7 | 11 | 14 | 29 | 61 | 105 | 187 |
| DISEASES OF HEART | 18,114 | 13 | 12 | 2 | 4 | 8 | 12 | 22 | 49 | 88 | 154 |
| RHEUMATIC FEVER & | 10,114 | 13 | | - | • | _ | | | | | |
| RHEUM. HEART DISEASE | 134 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 3 |
| HYPERTENSIVE HEART | 461 | ő | ő | ŏ | ŏ | Ö | Ŏ | ī | 4 | ī | 5 |
| ISCHEMIC HEART | 12,786 | Ö | .0 | 0 | ő | Õ | 4 | 8 | 23 | 62 | 107 |
| OTHER HEART DISEASE | 4,733 | 13 | 12 | 2 | 4 | 8 | 8 | 12 | 22 | 23 | 39 |
| | 178 | 0 | 0 | 0 | 0 | ő | ő | 0 | 1 | 2 | í |
| HYPERTENSION | 3,612 | 1 | 1 | 0 | 2 | ĭ | Ô | 6 | 7 | 13 | 26 |
| CEREBROVASCULAR DISEASE | 3,612 494 | 0 | 0 | 0 | 0 | Ó | 0 | Ö | 2 | 0 | 1 |
| ATHEROSCLEROSIS | • | 0 | 0 | 0 | 1 | 2 | 2 | ì | 2 | 2 | 5 |
| OTHER MAJOR CARDIOVASC. | 560 | U | U | | - | - | - | | | | |
| PNEUMONIA & INFLUENZA | 1,726 | 9 | 1 | 3 | 0 | 1 | 8 | 1 | 1 | 8 | 10 |
| CHRONIC PULMONARY DISEASE | 1,913 | 0 | 1 | 1 | 2 | 2 | 3 | 1 | 0 | 4 | 7 |
| ULCER OF STOMACH | 147 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| LIVER DISEASE & CIRRHOSIS | 404 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 10 | 19 | 20 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 574 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 4 | 7 |
| CHILDBIRTH & PUERPERIUM | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 |
| CONGENITAL ANOMALIES | 280 | 197 | 10 | 5 | 4 | 4 | 6 | 6 | 6 | 4 | 1 |
| DISEASES OF EARLY INFANCY | 372 | 370 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYMPTOMS & ILL-DEF. COND. | 1,503 | 134 | 5 | 2 | 4 | 4 | 6 | 3 | 22 | 20 | 16 |
| ALL OTHER DISEASES | 4,245 | 29 | 24 | 5 | 10 | 21 | 32 | 49 | 61 | 60 | 68 |
| ACCIDENTAL DEATHS | 2,221 | 18 | 62 | 55 | 43 | 243 | 236 | 192 | 152 | 124 | 93 |
| MOTOR VEHICLE | 1,140 | 1 | 23 | 26 | 25 | 191 | 194 | 142 | 96 | 74 | 53 |
| OTHER ACC. DEATHS | 1,081 | 17 | 39 | 29 | 18 | 52 | 42 | 50 | 56 | 50 | 40 |
| SUICIDE | 728 | 0 | 0 | Ő | 5 | 41 | 71 | 67 | 84 | 56 | 28 |
| | 726 487 | 8 | 4 | 4 | 7 | 42 | 76 | 89 | 76 | 63 | 30 |
| HOMICIDE & LEGAL INTERV ALL OTHER EXTERNAL CAUSES | 126 | 2 | 2 | Ŏ | 2 | 4 | 10 | 16 | 8 | 9 | 8 |

| | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | UNK |
|---|-------|-------|------------|-------|-------|-----------|-----------|--------------|------------|-----|
| | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | AGE |
| ALL CAUSES CAUSES OF DEATH | 891 | 1,464 | 2,333 | 3,658 | 4,927 | 6,233 | 7,356 | 7,154 | 11,598 | 11 |
| TUBERCULOSIS | 0 | 0 | 1 | 5 | 5 | 2 | 10 | 6 | 5 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 |
| & PARASITIC DISEASES | 5 | 21 | 28 | 41 | 71 | 70 | 68 | 77 | 145 | 0 |
| MALIGNANT NEOPLASMS | 266 | 498 | 846 | 1,330 | 1,592 | 1,710 | 1,630 | 1,267 | 1,234 | 1 |
| DIGESTIVE ORGANS | 47 | 90 | 173 | 253 | 331 | 403 | 434 | 374 | 368 | 0 |
| RESPIRATORY ORGANS | 83 | 220 | 330 | 473 | 612 | 559 | 448 | 266 | 201 | 1 |
| BREAST | 34 | 46 | 73 | 133 | 117 | 103 | 92 | 92 | 120 | 0 |
| GENITAL ORGANS | 25 | 29 | 50 | 120 | 135 | 189 | 215 | 189 | 190 | 0 |
| URINARY ORGANS | 7 | 11 | 30 | 54 | 50 | 71 | 69 | 60 | 62 | 0 |
| LEUKEMIA | 9 | 13 | 18 | 31 | 42 | 61 | 70 | 50 | 49 | 0 |
| OTHER MALIG. NEOPL. | 61 | 89 | 172 | 266 | 305 | 324 | 302 | 236 | 244 | 0 |
| DIABETES MELLITUS | 23 | 26 | 45 | 66 | 98 | 122 | 140 | 129 | 156 | 0 |
| MAJOR CARDIOVASC. DISEASE | 288 | 495 | 824 | 1,384 | 2,047 | 2,875 | 3,682 | 3,868 | 7,045 | 7 |
| DISEASES OF HEART | 241 | 419 | 691 | 1,174 | 1,725 | 2,320 | 2,911 | 2,957 | 5,307 | 5 |
| RHEUMATIC FEVER & | _ | ن | , | | 16 | 26 | 20 | 13 | 19 | 0 |
| RHEUM. HEART DISEASE | 5 | 4 | 6 | 15 | 14 | 24 | 28 | 74 | 136 | 0 |
| HYPERTENSIVE HEART | 9 | 21 | 24 | 30 | 45 | 47 | 64 | 2,093 | 3,584 | 2 |
| ISCHEMIC HEART | 168 | 284 | 502 | 845 | 1,271 | 1,706 | 2,127 | 2,073 777 | 1,568 | 3 |
| OTHER HEART DISEASE | 59 | 110 | 159 | 284 | 395 | 543 | 692 | 28 | 47 | 1 |
| HYPERTENSION | _3 | 4 | 7 | 11 | 16 | 23 398 | 34 583 | 706 | 1,287 | Ō |
| CEREBROVASCULAR DISEASE | 37 | 57 | 99 | 152 | 236 | 29 | 903 44 | 80 | 299 | ì |
| ATHEROSCLEROSIS | 0 | 5 | 6 | 4 | 23 | | | 97 | 105 | Ō |
| OTHER MAJOR CARDIOVASC. | 7 | 10 | 21 | 43 | 47 | 105 | 110 | 71 | 105 | U |
| PNEUMONIA & INFLUENZA | 8 | 13 | 32 | 71 | 99 | 148 | 209 | 307 | 797 254 | 0 |
| CHRONIC PULMONARY DISEASE | 18 | 36 | 7 <u>9</u> | 160 | 277 | 372 | 394 | 302 | | 0 |
| ULCER OF STOMACH | 0 | 1 | 3 | 7 | 11 | 21 | 22 | 32 | 45 11 | 0 |
| LIVER DISEASE & CIRRHOSIS | 24 | 47 | 50 | 56 | 59 | 36 | 46 | 24 96 | 193 | 0 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 10 | 12 | 15 | 21 | 42 | 59 | 106 | 76 | 175 | U |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 5 | 5 | 7 | 9 | 4 | 1 | 1 | 4 | 1 | 0 |
| DISEASES OF EARLY INFANCY | Ō | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| SYMPTOMS & ILL-DEF. COND. | 30 | 54 | 76 | 109 | 154 | 181 | 190 | 173 | 319 | 1 |
| ALL OTHER DISEASES | 76 | 108 | 176 | 232 | 292 | 459 | 674 | 705 | 1,164 | 0 |
| ACCIDENTAL DEATHS | 70 | 73 | 78 | 98 | 104 | 115 | 128 | 133 | 204 | 0 |
| MOTOR VEHICLE | 37 | 26 | 40 | 37 | 51 | 44 | 33 | 32 | 15 | 0 |
| OTHER ACC. DEATHS | 33 | 47 | 38 | 61 | 53 | 71 | 95 | 101 | 189 | 0 |
| SUICIDE | 54 | 45 | 52 | 48 | 52 | 43 | 43 | 24 | 15 | 0 |
| HOMICIDE & LEGAL INTERV | 11 | 17 | 11 | 16 | 11 | 9 | 4 | 3 | 5 | 1 |
| ALL OTHER EXTERNAL CAUSES | 3 | 13 | 10 | 5 | 7 | 10 | 9 | 3 | 5 | 0 |

ſ


| | ALL Ages | UNDER 1 YR. | 1-4 YRS. | 5-9 YRS. | 10-14 YRS. | 15-19 YRS. | 20-24 YRS. | 25-29 YRS. | 30-34 YRS. | 35-39 YRS. | 40-44 YRS. |
|---|-------------|----------------|-------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| ALL CAUSES CAUSES OF DEATH | 25,668 | 455 | 76 | 52 | 63 | 293 | 388 | 369 | 410 | 408 | 411 |
| TUBERCULOSIS | 23 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| SYPHILIS | 2 | ő | ő | ő | ŏ | Ō | ō | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | - | _ | _ | _ | | | | | | | |
| & PARASITIC DISEASES | 316 | 9 | 2 | 2 | 0 | 1 | 1 | 3 | 10 | 9 | 2 |
| MALIGNANT NEOPLASMS | 5,771 | 2 | 9 | 3 | 8 | 8 | 15 | 23 | 30 | 39 | 72 |
| DIGESTIVE ORGANS | 1,259 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 6 | 23 |
| RESPIRATORY ORGANS | 2,237 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 4 | 14 |
| BREAST | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GENITAL ORGANS | 642 | Ó | 0 | 0 | 0 | . 0 | 0 | 0 | 1 | 1 | 2 |
| URINARY ORGANS | 282 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 3 | 1 |
| LEUKEMIA | 201 | Ō | 3 | 3 | 3 | 2 | 2 | 1 | 1 | 2 | 3 |
| OTHER MALIG. NEOPL. | 1,147 | 2 | 6 | 0 | 4 | 6 | 10 | 19 | 19 | 23 | 29 |
| DIABETES MELLITUS | 326 | 0 | 0 | 0 | 0 | 1 | 5 | 4 | 4 | 8 | 2 |
| MAJOR CARDIOVASC. DISEASE | 10,950 | 6 | 9 | 1 | 3 | 7 | 9 | 14 | 40 | 77 | 135 |
| DISEASES OF HEART | 9,017 | 5 | á | ĩ | 2 | 6 | 8 | 9 | 33 | 68 | 119 |
| RHEUMATIC FEVER & | 7,017 | 2 | Ū | - | _ | • | _ | · | | _ | |
| | 44 | 0 | 0 | O | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| RHEUM. HEART DISEASE | 187 | 0 | ő | Ö | ő | Õ | ő | ì | 4 | ĩ | 4 |
| HYPERTENSIVE HEART | 6,580 | 0 | 0 | 0 | Ö | ŏ | 2 | 4 | 16 | 51 | 85 |
| ISCHEMIC HEART | | 5 | 8 | 1 | 2 | 6 | 6 | 4 | 13 | 15 | 28 |
| OTHER HEART DISEASE | 2,206 | 0 | 0 | 0 | 0 | 0 | Ö | Ô | 1 | 2 | 1 |
| HYPERTENSION | 76 | - | 1 | 0 | . 0 | i | ő | 5 | 4 | 7 | 12 |
| CEREBROVASCULAR DISEASE | 1,351 | 1 | 0 | 0 | 0 | Ō | 0 | 0 | ĭ | ó | 0 |
| ATHEROSCLEROSIS | 184 | 0 | - | _ | _ | Õ | 1 | 0 | î | Ö | 3 |
| OTHER MAJOR CARDIOVASC. | 322 | 0 | 0 | 0 | 1 | • | - | • | _ | _ | |
| PNEUMONIA & INFLUENZA | 805 | 5 | 1 | 0 | 0 | 0 | 6 | 0 | 1 | 4 | 7 |
| CHRONIC PULMONARY DISEASE | 1,215 | 0 | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 1 | 3 |
| ULCER OF STOMACH | 74 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| LIVER DISEASE & CIRRHOSIS | 235 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 6 | 12 | 14 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 268 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 3 | 2 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 155 | 110 | 6 | 4 | 2 | 4 | 4 | 3 | 5 | 2 | 0 |
| DISEASES OF EARLY INFANCY | 224 | 223 | Ō | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYMPTOMS & ILL-DEF. COND. | 840 | 74 | 2 | 2 | 3 | 3 | 6 | 3 | 18 | 12 | 14 |
| ALL OTHER DISEASES | 1,961 | 13 | 9 | 2 | 7 | 15 | 24 | 30 | 40 | 42 | 46 |
| | - | | | | | - | | 740 | 30/ | 07 | 40 |
| ACCIDENTAL DEATHS | 1,457 | 6 | 33 | 37 | 31 | 181 | 181 | 149 | 126 | 93 | 68 36 |
| MOTOR VEHICLE | 779 | 0 | 11 | 16 | 14 | 137 | 144 | 108 | 80 | 49 | |
| OTHER ACC. DEATHS | 678 | 6 | 22 | 21 | 17 | 44 | 37 | 41 | 46 | 44 | 32 |
| SUICIDE | 589 | 0 | 0 | 0 | 4 | 36 | 61 | 56 | 67 | 43 | 16 |
| HOMICIDE & LEGAL INTERV | 373 | 6 | 2 | 1 | 3 | 33 | 64 | 68 | 58 | 54 | 24 |
| ALL OTHER EXTERNAL CAUSES | 84 | 1 | 2 | 0 | 2 | 3 | 6 | 13 | 2 | 9 | 5 |

| | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-7 9 | £0−84 | 85+ | UNK |
|---|-------|-------|-------|---------|-----------|--------------|-------------------|-------|-------|-----|
| | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | AGE |
| ALL CAUSES CAUSES OF DEATH | 578 | 921 | 1,431 | 2,248 | 2,991 | 3,587 | 3,876 | 3,270 | 3,837 | 4 |
| TUBERCULOSIS | 0 | 0 | 1 | 3 | 4 | 2 | 5 | 4 | 2 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| & PARASITIC DISEASES | 5 | 14 | 14 | 30 | 42 | 34 | 39 | 42 | 57 | 0 |
| MALIGNANT NEOPLASMS | 144 | 271 | 475 | 723 | 925 | 967 | 916 | 605 | 536 | 0 |
| DIGESTIVE ORGANS | 30 | 56 | 105 | 147 | 167 | 228 | 218 | 149 | 123 | 0 |
| RESPIRATORY ORGANS | 57 | 144 | 213 | 313 | 441 | 394 | 340 | 176 | 136 | 0 |
| BREAST | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 |
| GENITAL ORGANS | 1 | 6 | 15 | 50 | 74 | 100 | 129 | 130 | 133 | 0 |
| URINARY ORGANS | 7 | 10 | 21 | 39 | 41 | 49 | 37 | 36 | 34 | 0 |
| LEUKEMIA | 4 | 6 | 14 | 19 | 27 | 32 | 41 | 22 | 16 | 0 |
| OTHER MALIG. NEOPL. | 45 | 49 | 107 | 154 | 174 | 164 | 151 | 92 | 93 | 0 |
| DIABETES MELLITUS | 8 | 10 | 20 | 30 | 43 | 53 | 52 | 37 | 49 | 0 |
| MAJOR CARDIOVASC. DISEASE | 214 | 360 | 556 | 920 | 1,273 | 1,671 | 1,872 | 1,692 | 2,089 | 2 |
| DISEASES OF HEART | 190 | 325 | 488 | 804 | 1,104 | 1,383 | 1,512 | 1,331 | 1,619 | 2 |
| RHEUMATIC FEVER & | • | | 4 | | 7 | 9 | 7 | 4 | 3 | 0 |
| RHEUM. HEART DISEASE | 0 | .1 | - | 6 | 32 | 20 | 29 | 17 | 25 | Ö |
| HYPERTENSIVE HEART | 5 | 13 | 17 | 19 | 834 | | 1,121 | 976 | 1,121 | 0 |
| ISCHEMIC HEART | 140 | 232 | 362 | 588 | | 1,048 306 | 355 | 334 | 470 | 2 |
| OTHER HEART DISEASE | 45 | 79 | 105 | 191 | 231 | | 355 12 | 16 | 11 | 0 |
| HYPERTENSION | 2 | 1 | 5 | 5 75 | 8 112 | 12 181 | 267 | 253 | 345 | 0 |
| CEREBROVASCULAR DISEASE | 17 | 22 | 48 | | | | 25 | 40 | 69 | 0 |
| ATHEROSCLEROSIS | 0 | 5 | 4 | 2 | 18 31 | 20 75 | 25 56 | 52 | 45 | 0 |
| OTHER MAJOR CARDIOVASC. | 5 | 7 | 11 | 34 | 31 | 15 | 90 | 52 | 49 | |
| PNEUMONIA & INFLUENZA | 5 | 7 | 19 | 51 | 70 | 89 | 111 | 159 | 270 | 0 |
| CHRONIC PULMONARY DISEASE | 13 | 16 | 47 | 97 | 185 | 246 | 257 | 199 | 146 | 0 |
| ULCER OF STOMACH | 0 | 1 | 3 | 5 | 7 | 14 | 12 | 14 | 17 | 0 |
| LIVER DISEASE & CIRRHOSIS | 14 | 27 | 31 | 37 | 31 | 21 | 23 | 13 | _4 | 0_ |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 5 | 6 | 8 | 12 | 20 | 33 | 53 | 44 | 77 | 0 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 1 | 0 | 0 |
| DISEASES OF EARLY INFANCY | 0 | ō | ō | Ō | 0 | 0 | 0 | 0 | 0 | 1 |
| SYMPTOMS & ILL-DEF. COND. | 22 | 34 | 55 | 74 | 100 | 113 | 119 | 81 | 104 | 1 |
| ALL OTHER DISEASES | 52 | 65 | 92 | 139 | 163 | 232 | 309 | 291 | 390 | 0 |
| ACCIDENTAL DEATHS | 43 | 52 | 52 | 69 | 68 | 66 | 60 | 64 | 78 | 0 |
| MOTOR VEHICLE | 22 | 15 | 26 | 20 | 32 | 24 | 17 | 19 | 9 | 0 |
| OTHER ACC. DEATHS | 21 | 37 | 26 | 49 | 36 | 42 | 43 | 45 | 69 | 0 |
| SUICIDE | 40 | 33 | 41 | 39 | 43 | 37 | 40 | 20 | 13 | 0 |
| HOMICIDE & LEGAL INTERV | 9 | 13 | 8 | 14 | 6 | 4 | 2 | 2 | 2 | 0 |
| ALL OTHER EXTERNAL CAUSES | 1 | 10 | 6 | 3 | 6 | 5 | 5 | 2 | 3 | 0 |

| | ALL AGES | UNDER 1 YR. | 1-4 YRS. | 5-9 YRS. | 10-14 YRS. | 15-19 YRS. | 20-24 YRS. | 25-29 YRS. | 30-34 YRS. | 35-39 YRS. | 40-44 YRS. |
|--|-------------|----------------|-------------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| ALL CAUSES CAUSES OF DEATH | 24,303 | 344 | 68 | 38 | 33 | 99 | 105 | 142 | 158 | 201 | 233 |
| TUBERCULOSIS | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYPHILIS | 1 | Ö | Ŏ | Ō | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | _ | | | | | | | | | | |
| & PARASITIC DISEASES | 268 | 3 | 4 | 0 | 0 | 1 | 1 | 3 | 1 | 2 | 4 |
| MALIGNANT NEOPLASMS | 5,042 | 2 | 6 | 7 | 4 | 7 | 4 | 20 | 29 | 66 | 85 |
| DIGESTIVE ORGANS | 1,269 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 7 | 8 |
| RESPIRATORY ORGANS | 997 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 5 | 10 |
| BREAST | 864 | Ô | Ō | 0 | 0 | 0 | 0 | 5 | 4 | 17 | 31 |
| GENITAL ORGANS | 537 | Ō | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 13 | 12 |
| URINARY ORGANS | 143 | Ô | Ō | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| LEUKEMIA | 185 | Õ | 2 | 3 | 1 | 2 | 1 | 2 | 6 | 2 | 4 |
| OTHER MALIG. NEOPL. | 1,047 | 2 | 4 | 3 | 3 | 5 | 2 | 8 | 10 | 21 | 19 |
| DIABETES MELLITUS | 521 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 7 | 7 | 1 |
| MAJOR CARDIOVASC. DISEASE | 12,008 | 8 | 4 | 1 | 4 | 4 | 5 | 15 | 21 | 28 | 52 |
| | 9,097 | 8 | 4 | i | 2 | 2 | 4 | 13 | 16 | 20 | 35 |
| DISEASES OF HEART | 7,07/ | • | -7 | _ | _ | _ | 4 | 13 | 10 | | 33 |
| RHEUMATIC FEVER & | 90 | 0 | 0 | 0 | O | 0 | 0 | 1 | 0 | 1 | 1 |
| RHEUM. HEART DISEASE | | 0 | 0 | 0 | ő | ŏ | Ö | Ô | ŏ | ō | ī |
| HYPERTENSIVE HEART | 274 | - | 0 | 0 | 0 | 0 | 2 | 4 | 7 | 11 | 22 |
| ISCHEMIC HEART | 6,206 | 0 | _ | 1 | 2 | 2 | 2 | 8 | 9 | 8 | 11 |
| OTHER HEART DISEASE | 2,527 | 8 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HYPERTENSION | 102 | 0 | 0 | _ | _ | 0 | 0 | 1 | 3 | 6 | 14 |
| CEREBROVASCULAR DISEASE | 2,261 | 0 | 0 | 0 | 2 | - | - | _ | 1 | 0 | 1 |
| ATHEROSCLEROSIS | 310 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | _ | 2 |
| OTHER MAJOR CARDIOVASC. | 238 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 1 | 2 | |
| PNEUMONIA & INFLUENZA | 921 | 4 | 0 | 3 | 0 | 1 | 2 | 1 | 0 | 4 | 3 |
| CHRONIC PULMONARY DISEASE | 698 | 0 | 0 | 1 | 2 | 1 | 0 | 1 | 0 | 3 | 4 |
| ULCER OF STOMACH | 73 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| LIVER DISEASE & CIRRHOSIS | 169 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 7 | 6 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 306 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 5 |
| CHILDBIRTH & PUERPERIUM | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 |
| CONGENITAL ANOMALIES | 125 | 87 | 4 | 1 | 2 | 0 | 2 | 3 | 1 | 2 | 1 |
| DISEASES OF EARLY INFANCY | 148 | 147 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYMPTOMS & ILL-DEF. COND. | 663 | 60 | 3 | 0 | 1 | 1 | 0 | 0 | 4 | 8 | 2 |
| ALL OTHER DISEASES | 2,284 | 16 | 15 | 3 | 3 | 6 | 8 | 19 | 21 | 18 | 22 |
| | | | 20 | 10 | 12 | 62 | 55 | 43 | 26 | 31 | 25 |
| ACCIDENTAL DEATHS | 764 761 | 12 | 29 12 | 18 10 | 12 | 54 | 50 | 43 34 | 16 | 25 | 17 |
| MOTOR VEHICLE | 361 | 1 | | | 11 | 8 | 50 5 | 9 | 10 | 6 | 8 |
| OTHER ACC. DEATHS | 403 | 11 | 17 | 8 | 1 | 5 | 10 | 11 | 17 | 13 | 12 |
| SUICIDE | 139 | 0 | 0 | 0 | 4 | 9 | 10 12 | 21 | 18 | 9 | 6 |
| HOMICIDE & LEGAL INTERV ALL OTHER EXTERNAL CAUSES | 114 42 | 2 1 | 2 0 | 3 0 | 0 | 1 | 4 | 3 | 6 | 0 | 3 |

| | | | - | | | | | | | |
|---|-------|-----------|-------|-------|-------|-------|-------|-------|-------|-----|
| | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 84-03 | 85+ | UNK |
| | YRS. | YRS. | YRS. | YRS. | YRS. | YRS. | YRS, | YRS. | YRS. | AGE |
| ALL CAUSES CAUSES OF DEATH | 313 | 543 | 902 | 1,410 | 1,936 | 2,646 | 3,480 | 3,884 | 7,761 | 7 |
| TUBERCULOSIS | 0 | 0 | 0 | 2 | 1 | 0 | 5 | 2 | 3 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| & PARASITIC DISEASES | 0 | 7 | 14 | 11 | 29 | 36 | 29 | 35 | 88 | 0 |
| MALIGNANT NEOPLASMS | 122 | 227 | 371 | 607 | 667 | 743 | 714 | 662 | 698 | 1 |
| DIGESTIVE ORGANS | 17 | 34 | 68 | 106 | 164 | 175 | 216 | 225 | 245 | 0 |
| RESPIRATORY ORGANS | 26 | 76 | 117 | 160 | 171 | 165 | 108 | 90 | 65 | 1 |
| BREAST | 34 | 46 | 73 | 132 | 116 | 103 | 92 | 92 | 119 | 0 |
| GENITAL ORGANS | 24 | 23 | 35 | 70 | 61 | 89 | 86 | 59 | 57 | 0 |
| URINARY ORGANS | 0 | 1 | 9 | 15 | 9 | 22 | 32 | 24 | 28 | 0 |
| LEUKEMIA | 5 | 7 | 4 | 12 | 15 | 29 | 29 | 28 | 33 | 0 |
| OTHER MALIG. NEOPL. | 16 | 40 | 65 | 112 | 131 | 160 | 151 | 144 | 151 | 0 |
| DIABETES MELLITUS | 15 | 16 | 25 | 36 | 55 | 69 | 88 | 92 | 107 | 0 |
| MAJOR CARDIOVASC. DISEASE | 74 | 135 | 268 | 464 | 774 | 1,204 | 1,810 | 2,176 | 4,956 | 5 |
| DISEASES OF HEART | 51 | 94 | 203 | 370 | 621 | 937 | 1,399 | 1,626 | 3,688 | 3 |
| RHEUMATIC FEVER & | | , · | _00 | | | | • | • | | |
| RHEUM. HEART DISEASE | 5 | 3 | 2 | 9 | 7 | 15 | 21 | 9 | 16 | 0 |
| HYPERTENSIVE HEART | 4 | 8 | 7 | 1ĺ | 13 | 27 | 35 | 57 | 111 | 0 |
| ISCHEMIC HEART | 28 | 52 | 140 | 257 | 437 | 658 | 1,006 | 1,117 | 2,463 | 2 |
| OTHER HEART DISEASE | 14 | 31 | 54 | 93 | 164 | 237 | 337 | 443 | 1,098 | 1 |
| HYPERTENSION | i | 3 | 2 | 6 | 8 | 11 | 22 | 12 | 36 | 1 |
| CEREBROVASCULAR DISEASE | 20 | 35 | 51 | 77 | 124 | 217 | 316 | 453 | 942 | Ö |
| ATHEROSCLEROSIS | 0 | 0 | 2 | 2 | 5 | 9 | 19 | 40 | 230 | 1 |
| OTHER MAJOR CARDIOVASC. | 2 | 3 | 10 | 9 | 16 | 30 | 54 | 45 | 60 | 0 |
| OTHER HAJOR CARDIOVASC. | _ | , | | | | | | | | _ |
| PNEUMONIA & INFLUENZA | 3 | 6 | 13 | 20 | 29 | 59 | 98 | 148 | 527 | 0 |
| CHRONIC PULMONARY DISEASE | 5 | 20 | 32 | 63 | 92 | 126 | 137 | 103 | 108 | 0 |
| ULCER OF STOMACH | 0 | 0 | 0 | 2 | 4 | 7 | 10 | 18 | 28 | 0 |
| LIVER DISEASE & CIRRHOSIS | 10 | 20 | 19 | 19 | 28 | 15 | 23 | 11 | 7 | 0 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 5 | 6 | 7 | 9 | 22 | 26 | 53 | 52 | 116 | 0 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 2 | 3 | 4 | 7 | 1 | 1 | 0 | 3 | 1 | 0 |
| DISEASES OF EARLY INFANCY | ō | õ | Ó | Ò | ō | 0 | 0 | 0 | 0 | 0 |
| SYMPTOMS & ILL-DEF. COND. | 8 | 20 | 21 | 35 | 54 | 68 | 71 | 92 | 215 | 0 |
| ALL OTHER DISEASES | 24 | 43 | 84 | 93 | 129 | 227 | 365 | 414 | 774 | 0 |
| ACCIDENTAL DEATHS | 27 | 21 | 26 | 29 | 36 | 49 | 68 | 69 | 126 | 0 |
| MOTOR VEHICLE | 15 | 11 | 14 | 17 | 19 | 20 | 16 | 13 | 6 | 0 |
| OTHER ACC. DEATHS | 12 | 10 | 12 | 12 | 17 | 29 | 52 | 56 | 120 | 0 |
| SUICIDE | 14 | 12 | 11 | 9 | 9 | 6 | 3 | 4 | 2 | 0 |
| HOMICIDE & LEGAL INTERV | 2 | 4 | 3 | 2 | 5 | 5 | 2 | 1 | 3 | 1 |
| ALL OTHER EXTERNAL CAUSES | 2 | 3 | 4 | 2 | 1 | 5 | 4 | 1 | 2 | 0 |

Graph E
Infant Death Rates Per 1,000 Live Births
Missouri 1911-1944 (Recorded) 1945-1986 (Resident)



| COUNTIES | PERI- NATAL DEATHS | INFANT DEATHS | FETAL DEATHS | | POST- NEO- NATAL DEATHS | MATER- NAL DEATHS | COUNTIES CONT. | PERI- NATAL DEATHS | | FETAL DEATHS | NEO- NATAL DEATHS | POST- NEO- NATAL DEATHS | MATER- NAL DEATHS |
|----------------|--------------------------|------------------|-----------------|-----|----------------------------------|-------------------------|----------------|--------------------------|-----|-----------------|-------------------------|----------------------------------|-------------------------|
| STATE TOTAL | 981 | 799 | 472 | 509 | 290 | 4 | | | | | | | |
| ADAIR | 3 | 2 | 1 | 2 | 0 | 0 | FRANKLIN | 22 | 16 | 9 | 13 | 3 | 0 |
| ANDREW | 0 | 0 | 0 | 0 | 0 | 0 | GASCONADE | 2 | 0 | 2 | 0 | 0 | 0 |
| ATCHISON | 0 | 0 | 0 | 0 | 0 | 0 | GENTRY | 0 | 0 | 0 | 0 | 0 | 0 |
| AUDRAIN | 1 | 0 | 1 | 0 | 0 | 0 | GREENE | 36 | 28 | 19 | 17 | 11 | 0 |
| BARRY | 6 | 3 | 3 | 3 | 0 | 0 | GRUNDY | 0 | 0 | 0 | 0 | 0 | 0 |
| BARTON | 1 | 2 | 0 | 1 | 1 | 0 | HARRISON | 0 | 1 | 0 | 0 | 1 | 0 |
| BATES | 4 | 4 | 0 | 4 | 0 | 0 | HENRY | 3 | 5 | 0 | 3 | 2 | 0 |
| BENTON | 2 | 1 | 1 | 1 | 0 | 0 | HICKORY | 0 | 0 | 0 | 0 | 0 | 0 |
| BOLLINGER | 2 | 1 | 1 | 1 | 0 | 0 | HOLT | 1 | 1 | 0 | 1 | 0 | 0 |
| BOONE | 19 | 15 | 8 | 11 | 4 | 0 | HOWARD | 1 | 2 | 0 | 1 | 1 | 0 |
| BUCHANAN | 12 | 8 | 4 | 8 | 0 | 0 | HOWELL | 10 | 5 | 7 | 3 | 2 | 0 |
| BUTLER | 6 | 2 | 5 | 1 | 1 | 0 | IRON | 4 | 2 | 2 | 2 | 0 | 0 |
| CALDWELL | 0 | 0 | 0 | 0 | . 0 | 0 | JACKSON . | 142 | 141 | 49 | 93 | 48 | 1 |
| CALLAWAY | 6 | 3 | 3 | 3 | 0 | 0 | JASPER | 13 | 11 | 6 | 7 | 4 | 0 |
| CAMDEN | 1 | 0 | 1 | 0 | 0 | 0 | JEFFERSON | 25 | 24 | 9 | 16 | 8 | 0 |
| CAPE GIRARDEAU | 11 | 8 | 5 | 6 | 2 | 0 | JOHNSON | 14 | 6 | 9 | 5 | 1 | 1 |
| CARROLL | 2 | 1 | 2 | 0 | 1 | 0 | KNOX | 2 | 0 | 2 | 0 | 0 | 0 |
| CARTER | 0 | 0 | 0 | 0 | 0 | 0 | LACLEDE | 7 | 6 | 2 | 5 | 1 | 0 |
| CASS | 13 | 12 | 6 | 7 | 5 | 0 | LAFAYETTE | 7 | 2 | 5 | 2 | 0 | 0 |
| CEDAR | 1 | 1 | 1 | 0 | 1 | 0 | LAWRENCE | . 8 | 5 | 5 | 3 | 2 | 0 |
| CHARITON | 2 | 3 | 0 | 2 | 1 | 0 | LEWIS | 1 | 1 | 0 | 1 | 0 | 0 |
| CHRISTIAN | 6 | 3 | 5 | 1 | 2 | 0 | LINCOLN | 3 | 3 | 2 | 1 | 2 | 0 |
| CLARK | 1 | 1 | 0 | 1 | 0 | 0 | LINN | 1 | 2 | 1 | 0 | 2 | 0 |
| CLAY | 15 | 22 | 6 | 9 | 13 | 0 | LIVINGSTON | 3 | 1 | 2 | 1 | 0 | 0 |
| CLINTON | 4 | 2 | 2 | 2 | 0 | 0 | MC DONALD | 2 | 8 | 0 | 2 | 6 | 0 |
| COLE | 7 | 2 | 7 | | 2 | 1 | MACON | 2 | 1 | 2 | 0 | 1 | 0 |
| COOPER | 1 | 1 | 0 | 1 | 0 | 0 | MADISON | 5 | 2 | 3 | 2 | 0 | 0 |
| CRAWFORD | 5 | 3 | 4 | 1 | 2 | 0 | MARIES | 0 | 0 | 0 | 0 | 0 | 0 |
| DADE | 1 | 0 | 1 | 0 | 0 | 0 | MARION | 3 | 5 | 1 | 2 | 3 | 0 |
| DALLAS | 3 | 3 | 0 | 3 | 0 | 0 | MERCER | 0 | 0 | 0 | 0 | 0 | 0 |
| DAVIESS | 0 | 0 | 0 | 0 | 0 | 0 | MILLER | 5 | 3 | 2 | 3 | 0 | 0 |
| DE KALB | 0 | 0 | 0 | 0 | 0 | 0 | MISSISSIPPI | 4 | 3 | 2 | 2 | 1 | 0 |
| DENT | 0 | 0 | 0 | 0 | 0 | 0 | MONITEAU | 2 | 2 | 1 | 1 | 1 | 0 |
| DOUGLAS | 3 | 2 | 1 | 2 | 0 | 0 | MONROE | 2 | 1 | 1 | 1 | 0 | 0 |
| DUNKLIN | 6 | 4 | 4 | 2 | 2 | 0 | MONTGOMERY | 1 | 0 | 1 | 0 | 0 | 0 |

| | | | | | POST- | | | | | | | POST- | |
|----------------|---------|---------|---------|-----------------|---------|---------------|-------------------------------|-----------------|------------------|----------|-----------------|-----------------|---------------|
| | PERI- | | | NEO- | NEO- | MATER- | • | PERI- | THEALT | FFTAI | NEO- | NEO- | MATER- |
| COUNTIES | NATAL | INFANT | | NATAL DEATHS | NATAL | NAL DEATHS | COUNTIES CONT. | NATAL DEATHS | INFANT DFATHS | DEATHS | NATAL DEATHS | NATAL DEATHS | NAL Deaths |
| COUNTIES | DEATING | DEATIIS | DEATING | DEATIIS | DEATING | DEATIIS | COOMITED COMIT | DEATHO | DEATHO | радино | Danino | | J_A |
| MORGAN | 1 | 1 | 1 | 0 | 1 | 0 | SULLIVAN | 1 | 0 | 1 | 0 | 0 | 0 |
| NEW MADRID | 5 | 3 | 2 | 3 | 0 | 0 | TANEY | 1 | 0 | 1 | 0 | 0 | 0 |
| NEWTON | 7 | 6 | 2 | 5 | 1 | | TEXAS | 0 | 3 6 | 0 | 0 1 | 3 5 | 0 0 |
| NODAWAY | 3 1 | 1 0 | 2 1 | 1 | 0 | 0 0 | VERNON WARREN | 1 2 | 1 | 1 | 1 | 0 | Ö |
| OREGON | 1 | U | - | U | U | Ū | MARKEN | _ | - | • | • | • | • |
| OSAGE | 2 | 1 | 1 | 1 | 0 | 0 | WASHINGTON | 3 | 2 | 2 | 1 | 1 | 0 |
| OZARK | 1 | 1 | 0 | 1 | 0 | 0 | WAYNE | 2 | 1 | 1 | 1 | 0 | 0 |
| PEMISCOT | 13 | 10 | 9 | 4 | 6 | 0 | WEBSTER | 6 | 4 | 3 | 3 | 1 | 0 |
| PERRY | 3 | 1 | 3 | 0 | 1 | 0 | WORTH | 0 | 0 | 0 | 0 | 0 | 0 |
| PETTIS | 8 | 8 | 4 | 4 | 4 | 0 | WRIGHT | 3 | 4 | 2 | 1 | 3 | 0 |
| PHELPS | 3 | 3 | 1 | 2 | 1 | 0 | | | | | | | |
| PIKE | 5 | 2 | 3 | 2 | ô | | CITIES OVER | | | | | | |
| PLATTE | 7 | 7 | ĩ | 6 | ĭ | - | 25,000 POP. | | | | | | |
| POLK | 5 | 3 | 2 | 3 | ō | Ō | | | | | | | |
| PULASKI | 6 | 7 | 2 | 4 | 3 | Ō | BLUE SPRINGS | 5 | 5 | 2 | 3 | 2 | 0 |
| / | | | | | | | CAPE GIRARDEAU | 7 | 6 | 3 | 4 | 2 | 0 |
| PUTNAM | 2 | 1 | 1 | 1 | 0 | 0 | COLUMBIA | 17 | 11 | 8 | 9 | | 0 |
| RALLS | 1 | 0 | 1 | 0 | 0 | 0 | FLORISSANT | 6 | 4 | 3 | 3 | 1 | Ð |
| RANDOLPH | 3 | 4 | 2 | 1 | 3 | 0 | INDEPENDENCE | 17 | 14 | 4 | 13 | 1 | 0 |
| RAY | 3 | 4 | 2 | 1 | 3 | | | | | _ | _ | | _ |
| REYNOLDS | 0 | 1 | 0 | 0 | 1 | 0 | JEFFERSON CITY | 1 | 2 | 1 | 0 | 2 | 1 |
| | _ | _ | _ | | _ | _ | KIRKWOOD | 7 | 4 | 4 | 3 | 1 | 0 0 |
| RIPLEY | 1 | 3 | 0 | 1 | 2 | 0 | LEES SUMMIT | 6 | 4 | 3 | 3 2 | 1 1 | 0 |
| ST. CHARLES | 43 | 25 | 23 | 20 | 5 | 0 | RAYTOWN | 3 13 | 8 | 1 6 | 7 | i | 0 |
| ST. CLAIR | 3 | 3 | 0 | 3 | 0 | 0 0 | ST. CHARLES | 12 | 0 | 0 | , | - | U |
| ST. FRANCOIS | 6 | 3 2 | 4 2 | 2 | 1 2 | 0 | ST. JOSEPH | 12 | 8 | 4 | 8 | 0 | 0 |
| STE. GENEVIEVE | 2 | ۷ | 2 | U | ~ | Ū | ST. LOUIS CITY | 158 | 134 | 78 | 80 | 54 | ĭ |
| ST. LOUIS CITY | 158 | 134 | 78 | 80 | 54 | 1 | SPRINGFIELD | 28 | 25 | 14 | 14 | 11 | ō |
| ST. LOUIS COUN | 168 | 127 | 87 | 81 | 46 | ō | UNIVERSITY CITY | 8 | 7 | 3 | 5 | 2 | Ō |
| SALINE | 9 | 8 | 2 | 7 | 1 | Ö | | | | | | | |
| SCHUYLER | ó | ō | ō | Ö | ō | 0 | | | | | | | |
| SCOTLAND | 3 | 2 | 1 | 2 | 0 | 0 | MULTI-COUNTY | | | | | | |
| | | | | | | | CITIES | | | | | | |
| SCOTT | 7 | 5 | 3 | 4 | 1 | 0 | | _ | _ | _ | _ | _ | _ |
| SHANNON | 1 | 1 | 0 | 1 | 0 | | JOPLIN | 2 | 5 | 0 | 2 | 3 | 0 |
| SHELBY | 1 | 0 | 1 | 0 | 0 | 0 | JASPER CO. PART | 2 | 5 | 0 | 2 | 3 | 0 |
| STODDARD | 5 | 4 | 3 | 2 | 2 | 0 | NEWTON CO. PART | 0 | 0 | 0 | 0 | 0 | 0 |
| STONE | 1 | 1 | 1 | 0 | 1 | 0 | VANCAC CTTV | 111 | 125 | 34 | 77 | 48 | 1 |
| | | | | | | | KANSAS CITY JACKSON CO. PART | | 107 | 34 32 | 68 | 39 | 1 |
| | | | | | | | CLAY CO. PART | 9 | 15 | 2 | 7 | 8 | ō |
| | | | | | | | PLATTE CO. PART | 2 | 3 | ō | 2 | ĭ | Ö |
| | | | | | | | | - | _ | • | - | _ | - |

| REGIONAL | PERI- | | NUMBER | NEO- | POST- | MATER | DEDT | | RATES | NEO- | POST- NEO- |
|---------------------|--------|---------|--------|---------------|---------------|---------------|------------------|--------|--------|---------------|--------------------|
| PLANNING | NATAL | INFANT | EETAI | NEU- NATAL | NEO- NATAL | MATER- NAL | PERI- NATAL | INFANT | EETAI | NEU- NATAL | NEU- NATAL |
| COMMISSIONS | | DEATHS | | • | | | | | | DEATHS | |
| 00/1/120020/10 | DEATHO | DEATTIO | DEATHO | DEATHO | DEATHO | DEATHS | DEATHO | DEATHO | DEATHO | DEATHO | DEATHO |
| MAJOR METRO REGIONS | | | | | | | | | | | |
| EAST-WEST GATEWAY | 416 | 326 | 206 | 210 | 116 | 1 | 14.3 | 11.2 | 7.1 | 7.2 | 4.0 |
| MID-AMERICA | 180 | 186 | 64 | 116 | 70 | 1 | 12.4 | 12.8 | 4.4 | 8.0 | 4.8 |
| MINOR METRO REGIONS | | | | | | | | | | | |
| SOUTHWEST MISSOURI | 73 | 50 | 40 | 33 | 17 | 0 | 14.1 | 9.7 | 7.7 | 6.4 | 3.3* |
| MID-MISSOURI | 39 | 26 | 21 | 18 | 8 | 1 | 9.8 | 6.5 | 5.3 | 4.5 | € 2.0× |
| MO-KAN | 16 | 10 | 6 | 10 | 0 | 0 | 9.1* | 5.7× | 3.49 | € 5.79 | € 0.0× |
| OZARK GATEWAY | 23 | 27 | 8 | 15 | 12 | 0 | 10.0 | 11.8 | 3.5 | € 6.5 | € 5.2¥ |
| NONMETRO REGIONS | | | | | | | | | | | |
| NORTHWEST MISSOURI | 4 | 2 | 2 | 2 | 0 | 0 | 7.4* | € 3.7× | € 3.79 | € 3.7> | € 0.0× |
| GREEN HILLS | 7 | 5 | 5 | 2 | 3 | 0 | 7.1* | | 5.1 | € 2.0 | € 3.0* |
| MISSOURI VALLEY | 13 | 12 | 4 | 9 | 3 | 0 | 22.5× | 20.8× | 6.9 | £ 15.6* | 5.2 * |
| NORTHEAST MISSOURI | 9 | 5 | 4 | 5 | 0 | 0 | 16.6* | 9.2* | · 7.4 | € 9.2* | • 0.0 * |
| MARK TWAIN | 18 | 14 | 11 | 7 | 7 | Ö | 11.1× | | | | |
| BOONSLICK | 6 | 4 | 4 | 2 | 2 | 0 | 6.7× | | | | |
| KAYSINGER BASIN | 14 | 20 | 2 | 12 | 8 | 0 | 11.7× | 16.7 | 1.7 | € 10.0* | € 6.7 × |
| SHOW-ME | 29 | 16 | 18 | 11 | 5 | ĭ | 18.9 | 10.4* | | | |
| SOUTH CENTRAL OZARK | 19 | 16 | 11 | 8 | 8 | Ō | 13.0× | | | | |
| MERAMEC | 13 | 8 | 9 | 4 | 4 | 0 | 8.9* | 5.5* | 6.2* | £ 2.8* | 2.8* |
| LAKE OF THE OZARKS | 20 | 17 | 8 | 12 | 5 | Ö | 10.2 | 8.7* | | | |
| SOUTHEAST MISSOURI | 33 | 19 | 20 | 13 | 6 | Ö | 14.4 | 8.3× | | 5.7× | |
| DOOTUEEL | 40 | 00 | ^- | | 10 | | | | | = = | |
| BOOTHEEL | 40 | 29 | 23 | 17 | 12 | 0 | 17.3 | 12.5 | 9.9 | 7.3× | |
| OZARK FOOTHILLS | 9 | 7 | 6 | 3 | 4 | 0 | 9.8 × | 7.6* | 6.5× | ÷ 3.3* | 4.3* |
| MAJOR METRO TOTAL | 596 | 512 | 270 | 326 | 186 | 2 | 13.7 | 11.7 | 6.2 | 7.5 | 4.3 |
| MINOR METRO TOTAL | 151 | 113 | 75 | 76 | 37 | 1 | 11.4 | 8.6 | 5.7 | 5.8 | 2.8 |
| NONMETRO TOTAL | 234 | 174 | 127 | 107 | 67 | 1 | 12.8 | 9.5 | 6.9 | 5.8 | 3.7 |
| STATE TOTAL | 981 | 799 | 472 | 509 | 290 | 4 | 13.1 | 10.6 | 6.3 | 6.8 | 3.9 |

*RATE UNSTABLE BECAUSE IT IS BASED ON FEWER THAN 20 DEATHS

| CAUSE | RACE | NUMBER | RATE | NEO- NATAL DEATHS | POST- NEO- NATAL DEATHS | | | UNDER | OVER 7 DAS UNDER 28 DAS | OVER 28 DAS UNDER 3 MOS | OVER 3 MOS UNDER 6 MOS | OVER 6 MOS UNDER 1 YEAR | UNDER 1 YEAR UNKNOWN UNITS |
|-------------------------------|----------------|--------|------|-------------------------|----------------------------------|----|-----|-------|----------------------------------|----------------------------------|---------------------------------|----------------------------------|----------------------------|
| 0,002 | | | | | | | | | | | | | |
| ALL CAUSES | WHITE | 575 | 9.2 | 370 | 205 | 40 | 169 | 98 | 62 | 93 | 68 | 44 | 1 |
| | BLK/OTH | 224 | 17.5 | 139 | 85 | 18 | 57 | 40 | 24 | | 30 | 12 | 0 |
| | TOTAL | 799 | 10.6 | 509 | 290 | 58 | 226 | 138 | 86 | 136 | 98 | 56 | 1 |
| GASTROINTESTINAL DISEASES | WHITE | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| (008-009, 535, 555-558) | BLK/OTH | 2 | 0.2 | 0 | _ | 0 | 0 | 0 | 0 | _ | 0 | 0 | 0 |
| | TOTAL | 2 | 0.0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| PNEUMONIA AND INFLUENZA | WHITE | 6 | 0.1 | 1 | _ | 0 | 0 | 0 | 1 | _ | 3 | 0 | 0 |
| (480-487) | BLK/OTH | 3 | 0.2 | 0 | 3 | 0 | 0 | 0 | 0 | - | 3 | 0 | 0 |
| | TOTAL | 9 | 0.1 | 1 | 8 | 0 | 0 | 0 | 1 | 2 | 6 | 0 | 0 |
| CONGENITAL ANOMALIES | WHITE | 158 | 2.5 | 109 | 49 | 9 | 40 | 38 | 22 | 16 | 14 | 19 | 0 |
| (740-759) | BLK/OTH | 39 | 3.1 | 21 | 18 | 1 | 8 | 9 | 3 | 8 | 6 | 4 | 0 |
| | TOTAL | 197 | 2.6 | 130 | 67 | 10 | 48 | 47 | 25 | 24 | 20 | 23 | 0 |
| DISORDERS RELATING TO SHORT | WHITE | 30 | 0.5 | 29 | 1 | | | 1 | 1 | | 0 | 0 | 0 |
| GESTATION AND UNSPECIFIED | BLK/OTH | 25 | 2.0 | 24 | | | | 0 | 1 | | 1 | 0 | 0 |
| BIRTHWEIGHT (765) | TOTAL | 55 | 0.7 | 53 | 2 | 9 | 41 | 1 | 2 | 1 | 1 | 0 | 0 |
| BIRTH TRAUMA | WHITE | 6 | 0.1 | 6 | | 0 | | 3 | 1 | | 0 | 0 | 0 |
| (767) | BLK/OTH | 3 | 0.2 | 3 | | 0 | | 1 | 2 | | 0 | 0 | Ō |
| | TOTAL | 9 | 0.1 | 9 | 0 | 0 | 2 | 4 | 3 | 0 | 0 | 0 | . 0 |
| INTRAUTERINE HYPOXIA AND | WHITE | 15 | 0.2 | 14 | | | | 2 | 2 | | 1 | . 0 | 0 |
| BIRTH ASPHYXIA | BLK/OTH | 6 | 0.5 | 6 | | 1 | | 1 | 2 | | 0 | 0 | 0 |
| (768) | TOTAL | 21 | 0.3 | 20 | 1 | 4 | 9 | 3 | 4 | 0 | 1 | 0 | 0 |
| RESPIRATORY DISTRESS SYNDROME | WHITE | 61 | 1.0 | 59 | | 2 | | 17 | 11 | | 0 | 0 | 0 |
| (769) | BLK/OTH | 19 | 1.5 | 19 | | | | 11 | 2 | | 0 | 0 | 0 |
| | TOTAL | 80 | 1.1 | 78 | 2 | 2 | 35 | 28 | 13 | 2 | 0 | 0 | 0 |
| OTHER CONDITIONS ORIGINATING | WHITE | 141 | 2.3 | 131 | | 19 | | 33 | 11 | 5 | 2 | 3 | 0 |
| IN THE PERINATAL PERIOD | BLK/OTH | 64 | 5.0 | 59 | | | | 17 | 8 | | 0 | 3 | 0 |
| (760-764,766,770-779) | TOTAL | 205 | 2.7 | 190 | 15 | 33 | 88 | 50 | 19 | 7 | 2 | 6 | 0 |
| SUDDEN INFANT DEATH SYNDROME | WHITE | 77 | 1.2 | 2 | | 0 | 0 | 0 | 2 | | 21 | 4 | 0 |
| (798.0) | BLK/OTH | 45 | 3.5 | 2 | | 0 | | 0 | - | | 15 | 1 | 0 |
| | TOTAL | 122 | 1.6 | 4 | 118 | 0 | 0 | 0 | 4 | 77 | 36 | 5 | 0 |
| ACCIDENTS | WHITE | 14 | 0.2 | 1 | | 0 | 0 | 0 | 1 | _ | 5 | 5 | 0 |
| (800-949) | BLK/OTH | 4 | 0.3 | , 1 | | | 0 | 1 | 0 | | 1 | 2 | 0 |
| | TOTAL | 18 | 0.2 | 2 | 16 | 0 | 0 | 1 | 1 | 3 | 6 | 7 | 0 |
| ALL OTHER CAUSES | WHITE | 67 | 1.1 | 18 | | 0 | 3 | 4 | 10 | | 22 | 13 | 1 |
| RESIDUAL | BLK/OTH | 14 | 1.1 | 4 | | 0 | 0 | 0 | 4 | | 4 | 2 | 0 |
| | TATAL | 81 | 1.1 | 22 | 59 | 0 | . 3 | 4 | 14 | 18 | 26 | 15 | 1 |

NUMBER IN PARENTHESIS REFERS TO CODE NUMBERS IN THE 9TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES

72 -

TABLE 25 RESIDENT INFANT DEATHS AND RATES PER 1,000 LIVE BIRTHS BY AGE OF MOTHER BY BIRTH ORDER:
MISSOURI 1986

| | • | | JMBER TH ORDER | | | | - | ATES | | |
|---------------|----------------------|-----|-------------------|---------------|----------------|---------------------|----------|-------------------|---------------|----------------|
| AGE OF MOTHER | ALL BIRTHS ORDERS | 1ST | 2ND OR 3RD | 4TH OR 5TH | 6TH OR MORE | ALL BIRTH ORDERS | I 1ST | 2ND OR 3RD | 4TH OR 5TH | 6TH OR MORE |
| ALL AGES | 799 | 237 | 384 | 122 | 56 | 10.6 | 9.2 | 10.2 | 12.9 | 24.4 |
| UNDER 18 | 67 | 51 | 16 | 0 | 0 | 18.0 | 16.6 | 25.4 * | 0.0* | 0.0* |
| 18-19 | 86 | 42 | 42 | 2 | 0 | 13.5 | 10.4 | 19.1 | 14.6* | 0.0* |
| 20-24 | 252 | 65 | 139 | 33 | 15 | 10.8 | 7.0 | 11.7 | 17.0 | 64.9× |
| 25-29 | 227 | 46 | 110 | 51 | 20 | 9.4 | 6.9 | 8.2 | 15.1 | 30.2 |
| 30-34 | 113 | 24 | 56 | 25 | 8 | 8.6 | 10.7 | 7.5 | 8.9 | 11.1* |
| 35-39 | 47 | 7 | 20 | 11 | 9 | 12.6 | 16.2* | 11.5 | 10.4* | 17.3* |
| 40 AND OVER | 5 | 0 | 1 | 0 | 4 | 10.0* | 0.0* | 6.7 × | 0.0* | 25.6* |

TABLE 26 RESIDENT INFANT DEATHS AND RATES PER 1,000 LIVE BIRTHS BY BIRTH WEIGHT BY RACE:
MISSOURI 1986

| | ı | NUMBER | | | RATES | |
|-------------------------|-----------|--------|-------|-----------|------------------|-------------------|
| | ALL RACES | WHITE | BLACK | ALL RACES | WHITE | BLACK |
| BIRTH WEIGHT (GRAMS) | | | | | | |
| ALL WEIGHTS | 799 | 568 | 231 | 10.6 | 9.1 | 18.1 |
| UNDER 500 | 112 | 57 | 55 | 982.5 | 982.8 | 982.1 |
| 500-999 | 187 | 132 | 55 | 520.9 | 600.0 | 395.7 |
| 1,000-1,499 | 61 | 43 | 18 | 144.9 | 149.8 | 134.3× |
| 1,500-1,999 | 62 | 44 | 18 | 62.1 | 63.8 | 58.4* |
| 2,000-2,499 | 66 | 49 | 17 | 20.3 | 21.1 | 18.1 * |
| 2,500-2,999 | 83 | 57 | 26 | 7.0 | 6.4 | 8.6 |
| 3,000-3,499 | 125 | 96 | 29 | 4.6 | 4.3 | 5.9 |
| 3,500-3,999 | 70 | 63 | 7 | 3.1 | 3.2 | 2.7* |
| 4,000 AND OVER | 20 | 17 | 3 | 2.4 | 2.2 * | 4.8* |

TOTALS IN TABLES 25 AND 26 DO NOT AGREE WITH THE TOTALS IN TABLES 23 AND 24 BECAUSE TABLES 25 AND 26 INCLUDE ONLY INFANT DEATHS WHICH HAVE BEEN MATCHED WITH THEIR CORRESPONDING BIRTH RECORD.

* RATE UNSTABLE BECAUSE IT IS BASED ON FEWER THAN 20 DEATHS

| | | | ATE TO | TAL | | EAST- | | COLITAINECT | MTD |
|---|--------------|---------------|-----------------|--------|------------------|-----------------|-----------------|-----------------------|------------------|
| | ALL Races | CRUDE RATE | AGE-ADJ RATE | WHITE | BLACK & OTHER | WEST Gatemay | MID- America | SOUTHWEST MISSOURI | MID- Missouri |
| ALL CAUSES | 49,971 | 986.4 | 853.8 | 44,893 | 5,078 | 17,102 | 7,981 | 3,888 | 2,186 |
| TUBERCULOSIS | 36 | 0.7 | 0.6 | 26 | 10 | 12 | 7 | 3 0 | 1 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 3 | 0.1 | 0.1 | 1 | 2 | 3 | 0 | - | |
| & PARASITIC DISEASES | 584 | 11.5 | 9.9 | 486 | 98 | 233 | 98 | 34 | 22 |
| MALIGNANT NEOPLASMS | 10,813 | 213.4 | 194.4 | 9,670 | 1,143 | 3,962 | 1,766 | 831 | 474 |
| DIGESTIVE ORGANS | 2,528 | 49.9 | 44.4 | 2,221 | 307 | 1,015 | 370 | 169 | 119 |
| RESPIRATORY ORGANS | 3,234 | 63.8 | 60.1 | 2,895 | 339 | 1,164 | 566 | . 227 | 133 |
| BREAST | 867 | 17.1 | 15.7 | 795 | 72 | 321 | 150 | 68 | 44 |
| GENITAL ORGANS | 1,179 | 23.3 | 20.4 | 1,044 | 135 | 434 | 173 | 94 | 52 |
| URINARY ORGANS | 425 | 8.4 | 7.5 | 377 | 48 | 143 | 66 | 41 | 19 |
| LEUKEMIA | 386 | 7.6 | 6.9 | 355 | 31 | 131 | 59 | 41 | 22 |
| OTHER MALIG. NEOPL. | 2,194 | 43.3 | 39.4 | 1,983 | 211 | 754 | 382 | 191 | 85 |
| DIABETES MELLITUS | 847 | 16.7 | 14.6 | 718 | 129 | 330 | 134 | 61 | 30 |
| MAJOR CARDIOVASC. DISEASE | 22,958 | 453.2 | 378.9 | 21,067 | 1,891 | 7,887 | 3,474 | 1,779 | 985 |
| DISEASES OF HEART RHEUMATIC FEVER & | 18,114 | 357.6 | 300.9 | 16,630 | 1,484 | 6,346 | 2,781 | 1,339 | 753 |
| RHEUM. HEART DISEASE | 134 | 2.6 | 2.4 | 127 | 7 | 51 | 31 | . 8 | 6 |
| | 461 | 9.1 | 7.7 | 346 | 115 | 246 | 67 | 11 | 20 |
| HYPERTENSIVE HEART | 12,786 | 252.4 | 213.0 | 11,896 | 890 | 4,790 | 1,798 | 948 | 542 |
| ISCHEMIC HEART | - | | 77.7 | 4,261 | 472 | 1,259 | 885 | 372 | 185 |
| OTHER HEART DISEASE | 4,733 | 93.4 | 2.9 | 157 | 21 | 65 | 25 | 14 | 8 |
| HYPERTENSION | 178 | 3.5 | | | 316 | 1,140 | 499 | 336 | 179 |
| CEREBROVASCULAR DISEASE | 3,612 | 71.3 | 58.2 | 3,296 | | 142 | 79 79 | 42 | 26 |
| ATHEROSCLEROSIS | 494 | 9.8 | 7.4 | 472 | 22 | _ | | | 19 |
| OTHER MAJOR CARDIOVASC. | 560 | 11.1 | 9.5 | 512 | 48 | 194 | 90 | 48 | 19 |
| PNEUMONIA & INFLUENZA | 1,726 | 34.1 | 27.0 | 1,582 | 144 | 544 | 258 | 129 | 90 |
| CHRONIC PULMONARY DISEASE | 1,913 | 37.8 | 33.3 | 1,819 | 94 | 546 | 346 | 173 | 92 |
| ULCER OF STOMACH | 147 | 2.9 | 2.4 | 137 | 10 | 65 | 17 | 7 | 8 |
| LIVER DISEASE & CIRRHOSIS | 404 | 8.0 | 7.7 | 343 | 61 | 165 | 85 | 20 | 14 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 574 | 11.3 | 9.3 | 488 | 86 | 186 | 107 | 22 | 24 |
| CHILDBIRTH & PUERPERIUM | 4 | 0.1 | 0.1 | 2 | 2 | 1 | 1 | 0 | 1 |
| CONGENITAL ANOMALIES | 280 | 5.5 | 5.9 | 225 | 55 | 118 | 56 | 18 | 7 |
| DISEASES OF EARLY INFANCY | 372 | 7.3 | 8.0 | 254 | 118 | 159 | 84 | 29 | 13 |
| SYMPTOMS & ILL-DEF. COND. | 1,503 | 29.7 | 26.4 | 1,358 | 145 | 207 | 119 | 207 | 40 |
| ALL OTHER DISEASES | 4,245 | 83.8 | 70.8 | 3,711 | 534 | 1,462 | 772 | 330 | 228 |
| ALL OTHER DISEASES | - | | | - | | | | | _ |
| ACCIDENTAL DEATHS | 2,221 | 43.8 | 40.7 | 1,998 | 223 | 652 | 366 | 176 | 102 |
| MOTOR VEHICLE | 1,140 | 22.5 | 21.4 | 1,060 | 80 | 302 | 188 | 105 | 61 |
| OTHER ACC. DEATHS | 1,081 | 21.3 | 19.3 | 938 | 143 | 350 | 178 | 71 | 41 |
| SUICIDE | 728 | 14.4 | 13.2 | 686 | 42 | 259 | 144 | 51 | 41 |
| HOMICIDE & LEGAL INTERV | 487 | 9.6 | 8.4 | 208 | 279 | 274 | 122 | 12 | 9 |
| ALL OTHER EXTERNAL CAUSES | 126 | 2.5 | 2.3 | 114 | 12 | 37 | 25 | 6 | 5 |

3

TABLE 27A (CONT) RESIDENT DEATHS BY SELECTED CAUSES OF DEATH; FOR STATE TOTAL BY RACE WITH RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 1986

| | | NORTHWEST | GREEN | MISSOURI | NORTHEAST | MARK | | OZARK |
|---|---------|-----------|-------|----------|-----------|-------|-----------|---------|
| | MO-KAN | MISSOURI | HILLS | VALLEY | MISSOURI | MIAWT | BOONSLICK | GATEMAY |
| ALL CAUSES | 1,424 | 568 | 1,185 | 598 | 492 | 1,512 | 586 | 1,807 |
| TUBERCULOSIS | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 2 |
| SYPHILIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS & PARASITIC DISEASES | 17 | 7 | 12 | 8 | 3 | 14 | 6 | 14 |
| MALIGNANT NEOPLASMS | 260 | 117 | 221 | 109 | 76 | 278 | 116 | 395 |
| DIGESTIVE ORGANS | 65 | 35 | 53 | 26 | 18 | 71 | 24 | 85 |
| RESPIRATORY ORGANS | 72 | 28 | 42 | 28 | 23 | 68 | 35 | 142 |
| BREAST | 20 | 8 | 24 | 7 | 2 | 26 | 5 | 24 |
| GENITAL ORGANS | 26 | 10 | 32 | 16 | 7 | 41 | 12 | 42 |
| URINARY ORGANS | 11 | 5 | 12 | 6 | 2 | 9 | 5 | 18 |
| LEUKEMIA | 8 | 7 | 6 | 8 | 6 | 9 | 7 | 9 |
| OTHER MALIG. NEOPL. | 58 | 24 | 52 | 18 | 18 | 54 | 28 | 75 |
| DIABETES MELLITUS | 38 | 8 | 10 | 7 | 2 | 26 | 7 | 28 |
| MAJOR CARDIOVASC. DISEASE | 648 | 310 | 639 | 288 | 268 | 747 | 231 | 843 |
| DISEASES OF HEART RHEUMATIC FEVER & | 499 | 244 | 490 | 231 | 192 | 600 | 160 | 644 |
| RHEUM. HEART DISEASE | 2 | 1 | 2 | 1 | 2 | 5 | 0 | 5 |
| HYPERTENSIVE HEART | 7 | 2 | 4 | 2 | 4 | 29 | 2 | 15 |
| ISCHEMIC HEART | 363 | 174 | 330 | 157 | 129 | 365 | 120 | 438 |
| OTHER HEART DISEASE | 127 | 67 | 154 | 71 | 57 | 201 | 38 | 186 |
| HYPERTENSION | | 4 | 4 | 1 | 0 | 8 | 3 | 6 |
| CEREBROVASCULAR DISEASE | 102 | 49 | 118 | 48 | 54 | 100 | 50 | 153 |
| ATHEROSCLEROSIS | 24 | 7 | 17 | 5 | 11 | 22 | 10 | 13 |
| OTHER MAJOR CARDIOVASC. | 17 | 6 | 10 | 3 | 11 | 17 | 8 | 27 |
| PNEUMONIA & INFLUENZA | 51 | 20 | 50 | 27 | 27 | 65 | 27 | 43 |
| CHRONIC PULMONARY DISEASE | 75 | 28 | 45 | 25 | 16 | 71 | 20 | 70 |
| ULCER OF STOMACH | 3 | 1 | 2 | 2 | 4 | 7 | 1 | 6 |
| LIVER DISEASE & CIRRHOSIS | 9 | 4 | 4 | 3 | 0 | 7 | 2 | 16 |
| NEPHRITIS & NEPHROSIS | 18 | 4 | 18 | 5 | 8 | 27 | 9 | 20 |
| COMPLICATIONS OF PREG., | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHILDBIRTH & PUERPERIUM | _ | 0 | 1 | 1 | 2 | 7 | i | 10 |
| CONGENITAL ANOMALIES | 4 | 2 | 2 | 7 | 3 | 5 | ī | 9 |
| DISEASES OF EARLY INFANCY | 6 83 | 6 | 36 | 33 | 26 | 67 | 57 | 68 |
| SYMPTOMS & ILL-DEF. COND. | | 40 | 89 | 33 37 | 35 | 110 | 43 | 146 |
| ALL OTHER DISEASES | 137 | 40 | 07 | 37 | | | | |
| ACCIDENTAL DEATHS | 54 | 15 | 38 | 31 | 18 | 62 | 47 | 101 |
| MOTOR VEHICLE | 19 | 5 | 17 | 16 | 7 | 26 | 30 | 53 |
| OTHER ACC. DEATHS | 35 | 10 | 21 | 15 | 11 | 36 | 17 | 48 |
| SUICIDE | 14 | 6 | 13 | 9 | 3 | 15 | 11 | 22 |
| HOMICIDE & LEGAL INTERV | 4 | 0 | 2 | 1 | 0 | 2 | 4 | 8 |
| ALL OTHER EXTERNAL CAUSES | 2 | 0 | 3 | 4 | 1 | 1 | 2 | 6 |

TABLE 27A (CONT) RESIDENT DEATHS BY SELECTED CAUSES OF DEATH; FOR STATE TOTAL BY RACE WITH RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 1986

| | KAYSIN- GER BASIN | SHOW-ME | SOUTH CEN. OZARK | MERAMEC | LAKE OF THE OZARKS | SOUTHEAST MISSOURI | BOOTHEEL | OZARK FOOTHILLS |
|---|----------------------|---------|---------------------|---------|-----------------------|-----------------------|----------|--------------------|
| ALL CAUSES | 1,412 | 1,026 | 1,239 | 1,175 | 1,184 | 1,744 | 1,910 | 948 |
| TUBERCULOSIS | 0 | 0 | 2 | 0 | 2 | 0 | 2 | 1 |
| SYPHILIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | | | | | | | | |
| & PARASITIC DISEASES | 12 | 8 | 10 | 19 | 17 | 15 | 23 | 12 |
| MALIGNANT NEOPLASMS | 287 | 203 | 265 | 215 | 253 | 399 | 396 | 188 |
| DIGESTIVE ORGANS | 70 | 35 | 45 | 52 | 48 | 99 | 82 | 47 |
| RESPIRATORY ORGANS | 88 | 56 | 87 | 63 | 83 | 133 | 130 | 65 |
| BREAST | 23 | 15 | 24 | 21 | 20 | 29 | 25 | 11 |
| GENITAL ORGANS | 23 | 29 | 25 | 30 | 20 | 46 | 48 | 19 |
| URINARY ORGANS | 9 | 9 | 18 | 7 | 15 | 17 | 11 | 2 |
| LEUKEMIA | 9 | 7 | 11 | 3 | 7 | 11 | 15 | 10 |
| OTHER MALIG. NEOPL. | 65 | 52 | 55 | 39 | 60 | 64 | 85 | 34 |
| DIABETES MELLITUS | 14 | 13 | 24 | 24 | 15 | 32 | 31 | 13 |
| MAJOR CARDIOVASC. DISEASE | 687 | 481 | 539 | 553 | 546 | 818 | 860 | 373 |
| DISEASES OF HEART | 546 | 353 | 441 | 445 | 429 | 642 | 694 | 283 |
| RHEUMATIC FEVER & | | | | • • • | | | | |
| RHEUM. HEART DISEASE | 3 | 1 | 2 | 3 | 3 | 6 | 1 | 1 |
| HYPERTENSIVE HEART | 3 | 4 | 3 | 7 | 6 | 13 | 12 | 4 |
| ISCHEMIC HEART | 347 | 248 | 306 | 326 | 286 | 461 | 471 | 185 |
| OTHER HEART DISEASE | 193 | 100 | 130 | 109 | 134 | 162 | 210 | 93 |
| HYPERTENSION | 4 | 4 | 4 | 5 | 5 | 9 | 3 | 0 |
| CEREBROVASCULAR DISEASE | 112 | 95 | 78 | 82 | 81 | 121 | 134 | 81 |
| ATHEROSCLEROSIS | 11 | 18 | 6 | 7 | 13 | 26 | 10 | 5 |
| OTHER MAJOR CARDIOVASC. | 14 | 11 | 10 | 14 | 18 | 20 | 19 | 4 |
| OTHER MAJOR CARDIOVASC. | 14 | | | | | | | |
| PNEUMONIA & INFLUENZA | 57 | 60 | 30 | 35 | 33 | 70 | 74 | 36 |
| CHRONIC PULMONARY DISEASE | 52 | 43 | 57 | 47 | 49 | 60 | 63 | 35 |
| ULCER OF STOMACH | 5 | 3 | 1 | 2 | 1 | 6 | 3 | 3 |
| LIVER DISEASE & CIRRHOSIS | 6 | 7 | 4 | 8 | 12 | 19 | 13 | 6 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 22 | 7 | 17 | 11 | 17 | 21 | 24 | 7 |
| CHILDBIRTH & PUERPERIUM | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 6 | 8 | 10 | 4 | 5 | 5 | 15 | 2 |
| DISEASES OF EARLY INFANCY | 11 | 6 | 5 | 3 | 6 | 9 | 10 | 2 |
| SYMPTOMS & ILL-DEF. COND. | 58 | 24 | 73 | 52 | 41 | 55 | 134 | 117 |
| ALL OTHER DISEASES | 91 | 87 | 112 | 95 | 86 | 134 | 122 | 89 |
| ALL OTHER DISEASES | • | | | | | | | |
| ACCIDENTAL DEATHS | 76 | 44 | 68 | 84 | 65 | 78 | 96 | 48 |
| MOTOR VEHICLE | 47 | 20 | 44 | 45 | 44 | 35 | 48 | 28 |
| OTHER ACC. DEATHS | 29 | 24 | 24 | 39 | 21 | 43 | 48 | 20 |
| SUICIDE | 20 | 18 | 18 | 14 | 25 | 15 | 19 | 11 |
| HOMICIDE & LEGAL INTERV | 5 | 7 | 3 | 8 | .5 | 5 | 14 | 2 |
| ALL OTHER EXTERNAL CAUSES | 3 | 6 | 1 | 1 | 6 | 3 | 11 | 3 |

| | ADAIR | ANDREW | ATCHISON | AUDRAIN | BARRY | BARTON | BATES | BENTON |
|--|-------|--------|----------|---------|-------|--------|-------|--------|
| ALL CAUSES | 194 | 131 | 111 | 243 | 347 | 158 | 222 | 206 |
| TUBERCULOSIS | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| SYPHILIS | Ŏ | ō | 0 | 0 | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS & PARASITIC DISEASES | 0 | 2 | 0 | 3 | 1 | 2 | 2 | 4 |
| MALIGNANT NEOPLASMS | 35 | 23 | 20 | 40 | 75 | 21 | 38 | 44 |
| DIGESTIVE ORGANS | 10 | 6 | 7 | 10 | 18 | 2 | 9 | 11 |
| RESPIRATORY ORGANS | 9 | 9 | 6 | 13 | 16 | 4 | 15 | 16 |
| BREAST | i | 0 | 2 | 5 | 7 | 2 | 2 | 2 |
| GENITAL ORGANS | 3 | 2 | 0 | 3 | 5 | 6 | 3 | 2 |
| URINARY ORGANS | ī | 3 | 0 | 0 | 7 | 1 | 1 | 1 |
| LEUKEMIA | î | ō | 1 | 2 | 4 | 0 | 1 | 0 |
| OTHER MALIG. NEOPL. | 10 | 3 | 4 | 7 | 18 | 6 | 7 | 12 |
| DIABETES MELLITUS | 1 | 3 | 2 | 6 | 4 | 5 | 3 | . 1 |
| MAJOR CARDIOVASC. DISEASE | 101 | 52 | 71 | 119 | 171 | 88 | 107 | 94 |
| DISEASES OF HEART | 82 | 41 | 54 | 85 | 129 | 69 | 83 | 79 |
| RHEUMATIC FEVER & | | | | | _ | _ | • | • |
| RHEUM. HEART DISEASE | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 0 |
| HYPERTENSIVE HEART | 0 | 1 | 0 | 2 | 0 | 4 | 1 | 0 |
| ISCHEMIC HEART | 58 | 28 | 41 | 61 | 95 | 54 | 64 | 38 |
| OTHER HEART DISEASE | 23 | 12 | 12 | 22 | 32 | 11 | 18 | 41 |
| HYPERTENSION | 0 | 0 | 2 | 2 | 1 | 0 | 1 | 0 |
| CEREBROVASCULAR DISEASE | 15 | 10 | 10 | 26 | 31 | 16 | 15 | 12 |
| ATHEROSCLEROSIS | 2 | 0 | 3 | 6 | 5 | 0 | 6 | 0 |
| OTHER MAJOR CARDIOVASC. | 2 | 1 | 2 | 0 | 5 | 3 | 2 | 3 |
| PNEUMONIA & INFLUENZA | 12 | 6 | 2 | 8 | 8 | 3 | 6 | 8 |
| CHRONIC PULMONARY DISEASE | 7 | 5 | 8 | 16 | 18 | 6 | 5 | 7 |
| ULCER OF STOMACH | 2 | 0 | 0 | 1 | 2 | 2 | 0 | 1 |
| LIVER DISEASE & CIRRHOSIS | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 1 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 3 | 2 | 0 | 2 | 2 | 2 | 4 | 4 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | ĭ | Ö | Ö | Ö | 2 | 1 | 0 | 1 |
| DISEASES OF EARLY INFANCY | î | ŏ | Õ | Õ | 2 | 0 | 4 | 1 |
| SYMPTOMS & ILL-DEF. COND. | 3 | 10 | ů | 5 | 13 | 5 | 20 | 5 |
| | 19 | 22 | 6 | 29 | 21 | 14 | 10 | 22 |
| ALL OTHER DISEASES | 17 | | _ | | | | | |
| ACCIDENTAL DEATHS | 8 | 5 | 2 | 9 | 20 | 8 | 14 | 12 |
| MOTOR VEHICLE | 2 | 2 | 1 | 8 | 8 | 7 | 11 | 7 |
| OTHER ACC. DEATHS | 6 | 3 | 1 | 1 | 12 | 1 | 3 . | 5 |
| SUICIDE | 1 | 1 | 0 | 2 | 3 | 0 | 6 | 1 |
| HOMICIDE & LEGAL INTERV | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| ALL OTHER EXTERNAL CAUSES | 0 | 0 | 0 | 2 | 1 | 1 | 1 | 0 |

| | BOLLINGER | BOONE | BUCHANAN | BUTLER | CALDWELL | CALLAWAY | CAMDEN | CAPE GIRARDEAU |
|--|-----------|--------|----------|----------|----------|-------------------|--------|-------------------|
| ALL CAUSES | 132 | 594 | 1,017 | 470 | 109 | 272 | 259 | 529 |
| TUDEDOU OCTO | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| TUBERCULOSIS SYPHILIS | 0 | Ö | Ō | ō | 0 | Ŏ | ŏ | ő |
| RESIDUAL OF INFECTIOUS | · · | · · | · · | J | • | • | - | _ |
| & PARASITIC DISEASES | 1 | 9 | 12 | 7 | 2 | 1 | 7 | 8 |
| MALIGNANT NEOPLASMS | 33 | 134 | 186 | 99 | 17 | 62 | 64 | 120 |
| DIGESTIVE ORGANS | 5 | 33 | 45 | 23 | 3 | 16 | 9 | 31 |
| RESPIRATORY ORGANS | 16 | 37 | 52 | 36 | 3 | 21 | 21 | 38 |
| BREAST | 1 | 10 | 19 | 7 | 2 | 4 | 7 | 9 |
| GENITAL ORGANS | 4 | 16 | 20 | 6 | 3 | 6 | 6 | 16 |
| URINARY ORGANS | 0 | 5 | 5 | 2 | 1 | 2 | 6 | 7 |
| LEUKEMIA | 1 | 8 | 6 | 4 | 2 | 2 | 2 | 3 |
| OTHER MALIG. NEOPL. | 6 | 25 | 39 | 21 | 3 | 11 | 13 | 16 |
| DIABETES MELLITUS | 2 | 6 | 28 | 4 | 0 | 4 | 1 | 5 |
| MAJOR CARDIOVASC. DISEASE | 62 | 219 | 459 | 186 | 56 | 121 | 121 | 271 |
| DISEASES OF HEART | 48 | 169 | 356 | 138 | 46 | 85 | 93 | 200 |
| RHEUMATIC FEVER & | , - | | | | | | | |
| RHEUM, HEART DISEASE | 1 | 4 | 2 | 0 | 0 | 0 | 0 | 2 |
| HYPERTENSIVE HEART | 1 | 3 | 6 | 1 | 0 | 4 | 1 | 1 |
| ISCHEMIC HEART | 37 | 118 | 265 | 99 | 27 | 50 | 60 | 136 |
| OTHER HEART DISEASE | 9 | 44 | 83 | 38 | 19 | 31 | 32 | 61 |
| HYPERTENSION | 3 | 3 | 5 | 0 | 2 | 1 | 4 | 3 |
| CEREBROVASCULAR DISEASE | 9 | 36 | 71 | 44 | 7 | 29 | 17 | 50 |
| ATHEROSCLEROSIS | 0 | 3 | 16 | 2 | 0 | 1 | 3 | 12 |
| OTHER MAJOR CARDIOVASC. | 2 | 8 | 11 | 2 | 1 | 5 | 4 | 6 |
| PNEUMONIA & INFLUENZA | 5 | 21 | 35 | 19 | 7 | 19 | 6 | 16 |
| CHRONIC PULMONARY DISEASE | 5 | 24 | 60 | 16 | 2 | 10 | 11 | 12 |
| ULCER OF STOMACH | 0 | 1 | 2 | 1 | 1 | 1 | 0 | 0 |
| LIVER DISEASE & CIRRHOSIS | 1 | 5 | 8 | 5 | 0 | 1 | 3 | 7 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 1 | 8 | 12 | 5 | 0 | 3 | 2 | 4 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | Ŏ | 6 | 2 | Ō | 0 | 0 | 0 | 2 |
| DISEASES OF EARLY INFANCY | ì | 6 | 6 | 1 | 0 | 3 | 0 | 5 |
| SYMPTOMS & ILL-DEF. COND. | 7 | 13 | 64 | 42 | 10 | 5 | 1 | 14 |
| ALL OTHER DISEASES | 8 | 85 | 92 | 48 | 5 | 26 | 16 | 34 |
| | | | | | 7 | 9 | 18 | 24 |
| ACCIDENTAL DEATHS | 4 | 38 | 37 | 23 13 | , 5 | 4 | 18 | 24 8 |
| MOTOR VEHICLE | 3 | 23 | 12 | 13 | 2 | 4 5 | 6 | 16 |
| OTHER ACC. DEATHS | 1 | 15 | 25 10 | 10 8 | 2 | 7 | 7 | 6 |
| SUICIDE | 1 | 13 | | | 0 | ó | 2 | 1 |
| HOMICIDE & LEGAL INTERV ALL OTHER EXTERNAL CAUSES | 1 0 | 5 1 | 2 1 | 2 3 | 0 | 0 | 0 | 0 |

| | CARROLL | CARTER | CASS | CEDAR | CHARITON | CHRISTIAN | CLARK | CLAY |
|---|---------|--------|------|-------|----------|-----------|-------|-------|
| ALL CAUSES | 165 | 75 | 428 | 188 | 135 | 205 | 84 | 1,013 |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| SYPHILIS | ŏ | ō | Ō | Ŏ | Ō | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS & PARASITIC DISEASES | 0 | 0 | 5 | 1 | 2 | 2 | 1 | 10 |
| & PARASITIC DISEASES | U | · · | 5 | • | - | 5 | - | |
| MALIGNANT NEOPLASMS | 28 | 13 | 94 | 35 | 21 | 43 | 8 | 209 |
| DIGESTIVE ORGANS | 7 | 4 | 19 | 12 | 6 | 11 | 0 | 51 |
| RESPIRATORY ORGANS | 9 | 5 | 37 | 11 | 4 | 11 | 3 | 67 |
| BREAST | 1 | 0 | 5 | 4 | 1 | 3 | 0 | 18 |
| GENITAL ORGANS | 3 | 1 | 12 | 0 | 5 | 2 | 1 | 16 |
| URINARY ORGANS | ī | Ō | 2 | 1 | 1 | 1 | 0 | 6 |
| LEUKEMIA | 3 | ŏ | 3 | 2 | ī | ī | 2 | 3 |
| | 4 | 3 | 16 | 5 | 3 | 14 | 2 | 48 |
| OTHER MALIG. NEOPL. | 4 | 3 | 10 | 9 | 3 | 44 | _ | 40 |
| DIABETES MELLITUS | 0 | 0 | 4 | 0 | 3 | 2 | 0 | 25 |
| MAJOR CARDIOVASC. DISEASE | 90 | 16 | 196 | 103 | 59 | 93 | 40 | 457 |
| DISEASES OF HEART | 76 | 14 | 152 | 83 | 40 | 68 | 27 | 358 |
| RHEUMATIC FEVER & | | | | - | | | | |
| RHEUM. HEART DISEASE | 1 | 0 | 4 | 0 | 0 | 0 | 0 | 4 |
| | i | 1 | ĭ | Ö | ő | ĭ | ĭ | 9 |
| HYPERTENSIVE HEART | _ | | _ | 43 | 31 | 39 | 17 | 262 |
| ISCHEMIC HEART | 35 | 7 | 107 | | | | 9 | 83 |
| OTHER HEART DISEASE | 39 | 6 | 40 | 40 | . 9 | 28 | - | |
| HYPERTENSION | 0 | 0 | 2 | 2 | 0 | _1 | 0 | 7 |
| CEREBROVASCULAR DISEASE | 14 | 2 | 33 | 17 | 15 | 17 | 6 | 66 |
| ATHEROSCLEROSIS | 0 | 0 | 4 | 1 | 3 | 4 | 2 | 9 |
| OTHER MAJOR CARDIOVASC. | 0 | 0 | 5 | 0 | 1 | 3 | 5 | 17 |
| PNEUMONIA & INFLUENZA | 3 | 0 | 15 | 11 | 4 | 8 | 9 | 30 |
| CHRONIC PULMONARY DISEASE | 5 | 1 | 14 | 7 | 13 | 7 | 2 | 51 |
| ULCER OF STOMACH | ō | ō | 0 | Ô | 0 | 0 | 1 | 3 |
| LIVER DISEASE & CIRRHOSIS | ĭ | Õ | 2 | Ō | 1 | 3 | 0 | 10 |
| NEPHRITIS & NEPHROSIS | 2 | 2 | 7 | 5 | ī | 2 | Ö | 10 |
| COMPLICATIONS OF PREG., | | ٤ | , | , | - | _ | • | |
| | • | • | 0 | 0 | 0 | 0 | 0 | 0 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | _ | _ | | 0 | i | 6 |
| CONGENITAL ANOMALIES | 0 | 1 | 4 | 2 | 1 | _ | 0 | |
| DISEASES OF EARLY INFANCY | 0 | 0 | 5 | 0 | 1 | <u>1</u> | • | _8 |
| SYMPTOMS & ILL-DEF. COND. | 23 | 31 | 19 | 5 | 3 | 7 | 16 | 13 |
| ALL OTHER DISEASES | 6 | 5 | 24 | 9 | 14 | 24 | 4 | 103 |
| ACCIDENTAL DEATHS | 5 | 5 | 28 | 5 | 10 | 10 | 2 | 44 |
| MOTOR VEHICLE | 2 | 3 | 18 | 4 | 6 | 8 | Ō | 25 |
| OTHER ACC. DEATHS | 3 | 2 | 10 | i | 4 | 2 | 2 | 19 |
| | 1 | í | 6 | 4 | 0 | 3 | ō | 23 |
| SUICIDE | _ | _ | | 1 | 0 | 0 | 0 | 8 |
| HOMICIDE & LEGAL INTERV | 0 | 0 | 1 | _ | - | 0 | 0 | 1 |
| ALL OTHER EXTERNAL CAUSES | 1 | 0 | 4 | 0 | 1 | U | U | 1 |

| | | | | | | | | DE 4410 |
|---|---------|------|--------|----------|------|---------|---------|---------|
| | CLINTON | COLE | COOPER | CRAWFORD | DADE | DALLAS | DAVIESS | DE KALB |
| ALL CAUSES | 171 | 513 | 162 | 209 | 108 | 150 | 103 | 105 |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| & PARASITIC DISEASES | 2 | 6 | 0 | 2 | 0 | 1 | 3 | 1 |
| MALIGNANT NEOPLASMS | 33 | 108 | 38 | 46 | 19 | 39 | 28 | 18 |
| DIGESTIVE ORGANS | 12 | 20 | 7 | 11 | 3 | 4 | 7 | 2 |
| RESPIRATORY ORGANS | 5 | 30 | 9 | 15 | 6 | 14 | 4 | 6 |
| BREAST | 0 | 15 | 4 | 3 | 0 | 4 | 5 | 1 |
| GENITAL ORGANS | 2 | 13 | 5 | 7 | 2 | 5 | 3 | 2 |
| URINARY ORGANS | 2 | 6 | 5 | 2 | 0 | 4 | 1 | 1 |
| LEUKEMIA | ī | 4 | ī | Ō | 1 | 2 | 3 | 1 |
| OTHER MALIG. NEOPL. | 11 | 20 | 7 | 8 | 7 | 6 | 5 | 5 |
| DIABETES MELLITUS | 5 | 9 | 0 | 4 | 1 | 1 | 2 | 2 |
| MAJOR CARDIOVASC. DISEASE | 84 | 250 | 79 | 88 | 55 | 52 | 51 | 53 |
| DISEASES OF HEART RHEUMATIC FEVER & | 60 | 196 | 64 | 75 | 41 | 46 | 33 | 42 |
| RHEUM. HEART DISEASE | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| HYPERTENSIVE HEART | Õ | 7 | Ô | 2 | ō | 0 | 1 | 0 |
| ISCHEMIC HEART | 42 | 152 | 51 | 60 | 27 | 34 | 25 | 28 |
| OTHER HEART DISEASE | 18 | 36 | 13 | 13 | 14 | 12 | 7 | 14 |
| HYPERTENSION | 10 | 2 | 0 | 0 | 0 | | Ô | 0 |
| CEREBROVASCULAR DISEASE | 12 | 48 | 11 | 10 | 11 | 4 | 15 | 9 |
| | 7 | 2 | 4 | 0 | 1 | i | 2 | 1 |
| ATHEROSCLEROSIS | 4 | 2 | 0 | 3 | 2 | î | ī | ī |
| OTHER MAJOR CARDIOVASC. | 4 | 2 | _ | _ | | _ | | |
| PNEUMONIA & INFLUENZA | 5 | 14 | 9 | .5 | 2 | 3 11 | 2 5 | 5 4 |
| CHRONIC PULMONARY DISEASE | 6 | 18 | 4 | 11 | 8 | | 1 | 0 |
| ULCER OF STOMACH | 1 | 2 | 1 | 2 | 0 | 0 | 0 | 0 |
| LIVER DISEASE & CIRRHOSIS | 1 | 4 | 1 | 2 | 0 | 0 | 0 | 1 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 3 | 3 | 2 | 7 | 1 | 2 | U | |
| CHILDBIRTH & PUERPERIUM | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| DISEASES OF EARLY INFANCY | ō | Ō | 1 | 0 | 0 | 3 | 0 | 0 |
| SYMPTOMS & ILL-DEF. COND. | 6 | 10 | 2 | 7 | 7 | 12 | 4 | 3 |
| ALL OTHER DISEASES | 13 | 44 | 15 | 17 | 11 | 18 | 4 | 10 |
| ALL OTHER DISCASES | | • • | | | | | _ | - |
| ACCIDENTAL DEATHS | 5 | 27 | 6 | 14 | 4 | 8 | 3 | 7 |
| MOTOR VEHICLE | 3 | 16 | 2 | 8 | 4 | 5 | 1 | 2 |
| OTHER ACC. DEATHS | 2 | 11 | 4 | 6 | 0 | 3 | 2 | 5 |
| SUICIDE | 2 | 14 | 2 | 2 | 0 | 0 | 0 | 1 |
| HOMICIDE & LEGAL INTERV | 2 | 3 | 0 | 1 | 0 | 0 | 0. | 0 |
| ALL OTHER EXTERNAL CAUSES | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | on the |
|---|------|---------|---------|----------|-----------|--------|----------|--------|
| | DENT | DOUGLAS | DUNKLIN | FRANKLIN | GASCONADE | GENTRY | GREENE | GRUNDY |
| ALL CAUSES | 155 | 117 | 428 | 668 | 193 | 95 | 1,762 | 175 |
| TUBERCULOSIS | 0 | 1 | 1 | 1 | 0 | 0 | 2 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| & PARASITIC DISEASES | 2 | 0 | 6 | 10 | 4 | 1 | 24 | 0 |
| MALIGNANT NEOPLASMS | 28 | 14 | 90 | 141 | 29 | 16 | 369 | 35 |
| DIGESTIVE ORGANS | 8 | 2 | 15 | 34 | 6 | 3 | 79 | 13 |
| RESPIRATORY ORGANS | 4 | 3 | 31 | 53 | 6 | 3 | 100 | 5 |
| BREAST | 5 | 2 | 8 | 8 | 4 | 0 | 33 | 3 |
| GENITAL ORGANS | 3 | 4 | 11 | 13 | 6 | 2 | 36 | 6 |
| URINARY ORGANS | 1 | 0 | 1 | 5 | 2 | 1 | 11 | 2 |
| LEUKEMIA | 0 | 0 | 8 | 6 | 0 | 3 | 19 | 0 |
| OTHER MALIG. NEOPL. | 7 | 3 | 16 | 22 | 5 | 4 | 91 | 6 |
| DIABETES MELLITUS | 2 | 3 | 6 | 12 | 7 | 0 | 36 | 2 |
| MAJOR CARDIOVASC. DISEASE | 80 | 41 | 203 | 296 | 105 | 53 | 761 | 90 |
| DISEASES OF HEART RHEUMATIC FEVER & | 64 | 30 | 165 | 240 | 86 | 40 | 562 | 65 |
| RHEUM. HEART DISEASE | 0 | 0 | 0 | 3 | 1 | 0 | 4 | 0 |
| HYPERTENSIVE HEART | ŏ | Ō | 3 | 3 | ī | 0 | 7 | 0 |
| ISCHEMIC HEART | 38 | 20 | 109 | 167 | 68 | 30 | 393 | 48 |
| OTHER HEART DISEASE | 26 | 10 | 53 | 67 | 16 | 10 | 158 | 17 |
| HYPERTENSION | 2 | 0 | 0 | 6 | 0 | 0 | 8 | 1 |
| CEREBROVASCULAR DISEASE | 12 | 9 | 33 | 35 | 15 | 11 | 159 | 22 |
| ATHEROSCLEROSIS | 2 | ó | 1 | 3 | 2 | 2 | 20 | 0 |
| OTHER MAJOR CARDIOVASC. | Õ | 2 | 4 | 12 | 2 | ō | 12 | 2 |
| OTHER PLAGOR CARDIOVASC. | • | | • | | _ | _ | | _ |
| PNEUMONIA & INFLUENZA | 3 | 3 | 15 | 22 | 6 | 7 | 64 | 7 |
| CHRONIC PULMONARY DISEASE | 6 | 3 | 15 | 20 | 3 | 4 | 79 | 8 |
| ULCER OF STOMACH | 0 | 0 | 0 | 0 | 0 | 0 | 2 · | 0 |
| LIVER DISEASE & CIRRHOSIS | 3 | 2 | 1 | 2 | 1 | 0 | 8 | 1 3 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 0 | 2 | 5 | 14 | 2 | 0 | 5 | 3 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | Ö | 1 | 2 | 3 | 1 | 0 | 9 | 1 |
| DISEASES OF EARLY INFANCY | Ö | ī | 0 | 6 | 0 | 0 | 16 | 0 |
| SYMPTOMS & ILL-DEF. COND. | 10 | 19 | 18 | 47 | 4 | 1 | 122 | 4 |
| ALL OTHER DISEASES | -9 | 16 | 33 | 42 | 14 | 7 | 160 | 17 |
| | - | | _ | | | - | (0 | 7 |
| ACCIDENTAL DEATHS | 10 | 8 | 22 | 30 | 11 | 5 | 69 | 3 3 |
| MOTOR VEHICLE | 6 | 3 | 12 | 19 | 7 | 1 | 42 27 | 0 |
| OTHER ACC. DEATHS | 4 | 5 | 10 | 11 | 4 | 4 | 27 24 | 3 |
| SUICIDE | 1 | 3 | 3 | 15 | 5 | 1 | | 0 |
| HOMICIDE & LEGAL INTERV | 1 | 0 | 1 | 3 | 1 | 0 | 8 | 1 |
| ALL OTHER EXTERNAL CAUSES | 0 | 0 | 7 | 4 | 0 | 0 | 4 | 1 |

| | HARRISON | HENRY | HICKORY | HOLT | HOWARD | HOWELL | IRON | JACKSON |
|---|----------|-------|---------|------|--------|--------|------|---------|
| ALL CAUSES | 144 | 295 | 106· | 107 | 123 | 363 | 126 | 6,056 |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | Ō | Ō | 0 | 0 | 0 |
| & PARASITIC DISEASES | 2 | 3 | 0 | 3 | 1 | 2 | 1 | 78 |
| MALIGNANT NEOPLASMS | 24 | 55 | 21 | 23 | 28 | 86 | 27 | 1,363 |
| DIGESTIVE ORGANS | 5 | 19 | . 0 | 7 | 11 | 15 | 7 | 283 |
| RESPIRATORY ORGANS | 6 | 14 | 8 | 5 | 6 | 27 | 13 | 427 |
| BREAST | Ô | 6 | 2 | 1 | 1 | 7 | 1 | 121 |
| GENITAL ORGANS | 5 | 7 | 1 | 4 | 3 | 9 | 2 | 136 |
| URINARY ORGANS | 2 | 0 | ī | 2 | Ō | 6 | 0 | 54 |
| LEUKEMIA | ō | ő | ō | ī | 3 | 4 | Ô | 50 |
| OTHER MALIG. NEOPL. | 6 | 9 | 9 | 3 | 4 | 18 | 4 | 293 |
| DIABETES MELLITUS | 1 | 3 | 4 | 1 | 1 | 11 | 2 | 94 |
| MAJOR CARDIOVASC. DISEASE | 79 | 154 | 50 | 55 | 48 | 172 | 49 | 2,600 |
| DISEASES OF HEART RHEUMATIC FEVER & | 59 | 119 | 42 | 48 | 34 | 143 | 39 | 2,091 |
| RHEUM. HEART DISEASE | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 21 |
| HYPERTENSIVE HEART | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 56 |
| ISCHEMIC HEART | 45 | 87 | 27 | 31 | 22 | 106 | 31 | 1,316 |
| OTHER HEART DISEASE | 14 | 31 | 14 | 16 | 12 | 37 | 6 | 698 |
| HYPERTENSION | 0 | 0 | Ó | 0 | 0 | 3 | 0 | 13 |
| CEREBROVASCULAR DISEASE | 16 | 30 | 8 | 6 | 8 | 20 | 9 | 370 |
| ATHEROSCLEROSIS | 3 | 2 | 0 | 1 | 6 | 3 | 0 | 63 |
| OTHER MAJOR CARDIOVASC. | ī | 3 | 0 | ō | Ō | 3 | 1 | 62 |
| PNEUMONIA & INFLUENZA | 6 | 6 | 3 | 4 | 12 | 3 | 1 | 203 |
| CHRONIC PULMONARY DISEASE | 4 | 11 | 4 | 7 | 9 | 14 | 6 | 261 |
| ULCER OF STOMACH | Ô | 2 | 2 | 0 | 1 | 0 | 0 | 14 |
| LIVER DISEASE & CIRRHOSIS | 1 | 2 | 1 | 1 | 0 | 0 | 5 | 69 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 2 | 2 | 3 | 2 | 3 | 8 | 1 | 78 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| CONGENITAL ANOMALIES | Õ | 1 | Ó | 0 | 0 | 3 | 1 | 40 |
| DISEASES OF EARLY INFANCY | Ö | 3 | 0 | 1 | 1 | 3 | 1 | 69 |
| SYMPTOMS & ILL-DEF. COND. | 5 | 13 | 5 | ī | 3 | 8 | 12 | 74 |
| ALL OTHER DISEASES | 16 | 18 | 6 | 7 | 11 | 27 | 13 | 605 |
| ACCIDENTAL DEATHS | 2 | 16 | 5 | 1 | 5 | 18 | 7 | 272 |
| MOTOR VEHICLE | ī | 9 | 3 | 1 | 3 | 8 | 4 | 133 |
| OTHER ACC. DEATHS | ī | 7 | 2 | Ō | 2 | 10 | 3 | 139 |
| SUICIDE | Õ | 3 | ī | ī | ō | 5 | 0 | 101 |
| HOMICIDE & LEGAL INTERV | i | 2 | ō | ō | 0 | 1 | 0 | 111 |
| ALL OTHER EXTERNAL CAUSES | ī | ī | 1 | o | 0 | 1 | 0 | 18 |

| | | | | | | | | . = . = . |
|---|--------|-----------|---------|------|---------|-----------|----------|-----------|
| | JASPER | JEFFERSON | JOHNSON | KNOX | LACLEDE | LAFAYETTE | LAWRENCE | LEWIS |
| ALL CAUSES | 1,040 | 1,039 | 250 | 71 | 258 | 327 | 381 | 131 |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| & PARASITIC DISEASES | 6 | 12 | 1 | 1 | 2 | 2 | 3 | 0 |
| MALIGNANT NEOPLASMS | 247 | 251 | 32 | 10 | 63 | 77 | 81 | 18 |
| DIGESTIVE ORGANS | 54 | 50 | 10 | 1 | 13 | 10 | 12 | 5 |
| RESPIRATORY ORGANS | 85 | 97 | 5 | 4 | 20 | 23 | 21 | 3 |
| BREAST | 14 | 19 | 1 | 0 | 5 | 8 | 3 | 1 |
| GENITAL ORGANS | 22 | 13 | 5 | 1 | 9 | 13 | 15 | 3 |
| URINARY ORGANS | 13 | 5 | 3 | 0 | 1 | 2 | 7 | 0 |
| LEUKEMIA | 7 | 11 | 0 | 1 | 2 | 2 | 8 | 2 |
| OTHER MALIG, NEOPL. | 52 | 56 | 8 | 3 | 13 | 19 | 15 | 4 |
| DIABETES MELLITUS | 15 | 17 | 2 | 0 | 4 | 2 | 5 | 1 |
| MAJOR CARDIOVASC. DISEASE | 487 | 438 | 127 | 40 | 111 | 149 | 197 | 68 |
| DISEASES OF HEART | 372 | 355 | 96 | 26 | 97 | 118 | 160 | 59 |
| | 316 | 200 | 70 | | · · | | | |
| RHEUMATIC FEVER & | 4 | 3 | 0 | 1 | 0 | 0 | 1 | 0 |
| RHEUM. HEART DISEASE | 10 | 5 | i | i | ĭ | 2 | ō | 3 |
| HYPERTENSIVE HEART | | _ | 72 | 13 | 66 | 80 | 116 | 23 |
| ISCHEMIC HEART | 245 | 238 | | 11 | 30 | 36 | 43 | 33 |
| OTHER HEART DISEASE | 113 | 109 | 23 | 0 | 0 | 0 | i | 1 |
| HYPERTENSION | 5 | 2 | 2 | _ | 12 | 20 | 23 | 8 |
| CEREBROVASCULAR DISEASE | 85 | 67 | 21 | 13 | | | - 2 | 0 |
| ATHEROSCLEROSIS | 9 | 6 | 7 | 0 | 1 | 5 | | 0 |
| OTHER MAJOR CARDIOVASC. | 16 | 8 | 1 | 1 | 1 | 6 | 11 | U |
| PNEUMONIA & INFLUENZA | 24 | 27 | 13 | 0 | 7 | 22 | 13 | 4 2 |
| CHRONIC PULMONARY DISEASE | 49 | 34 | 13 | 3 | 9 | 13 | 14 | |
| ULCER OF STOMACH | 4 | 6 | 2 | 1 | 0 | 0 | 2 | 2 |
| LIVER DISEASE & CIRRHOSIS | 10 | . 8 | 1 | 0 | 1 | 2 | 1 | 1 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 8 | 11 | 3 | 3 | 4 | 0 | 2 | 3 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 7 | 13 | 5 | ٥ | 1 | 0 | 2 | 1 |
| DISEASES OF EARLY INFANCY | 4 | 11 | ī | Ō | 4 | 1 | 2 | 0 |
| SYMPTOMS & ILL-DEF. COND. | 19 | 7 | 10 | 6 | 17 | 4 | 5 | 17 |
| ALL OTHER DISEASES | 84 | 83 | 21 | 3 | 18 | 28 | 34 | 9 |
| ALL DINER DISEASES | • | | | _ | | | | |
| ACCIDENTAL DEATHS | 51 | 88 | 10 | 2 | 8 | 15 | 9 | 4 |
| MOTOR VEHICLE | 20 | 61 | 6 | 1 | 5 | 5 | 5 | 1 |
| OTHER ACC. DEATHS | 31 | 27 | 4 | 1 | 3 | 10 | 4 | 3 |
| SUICIDE | 18 | 23 | 6 | 1 | 5 | 8 | 8 | 1 |
| HOMICIDE & LEGAL INTERV | 5 | 8 | 2 | 0 | 1 | 2 | 1 | 0 |
| ALL OTHER EXTERNAL CAUSES | 2 | 2 | 0 | 1 | 1 | 2 | 1 | 0 |

| | | | | | | | | 144 D T ON |
|---|---------|------|------------|-----------|-------|---------|--------|------------|
| | LINCOLN | LINN | LIVINGSTON | MC DONALD | MACON | MADISON | MARIES | MARION |
| ALL CAUSES | 254 | 232 | 169 | 190 | 245 | 133 | 90 | 362 |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| & PARASITIC DISEASES | 1 | 4 | 0 | 2 | 2 | 0 | 2 | 3 |
| MALIGNANT NEOPLASMS | 53 | 42 | 32 | 42 | 42 | 22 | 21 | 65 |
| DIGESTIVE ORGANS | 7 | 13 | 6 | 13 | 9 | 4 | 9 | 19 |
| RESPIRATORY ORGANS | 18 | 9 | 6 | 13 | 7 | 6 | 6 | 14 |
| BREAST | 1 | 3 | 5 | 2 | 6 | 2 | 1 | 6 |
| GENITAL ORGANS | 7 | 6 | 6 | 4 | 9 | 2 | 2 | 11 |
| URINARY ORGANS | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 2 |
| LEUKEMIA | 5 | 1 | 0 | 0 | 2 | 1 | 0 | 2 |
| OTHER MALIG. NEOPL. | 14 | 8 | 7 | 8 | 8 | 6 | 2 | 11 |
| DIABETES MELLITUS | 2 | 4 | 0 | 0 | 10 | 7 | 0 | 7 |
| MAJOR CARDIOVASC. DISEASE | 93 | 130 | 87 | 85 | 123 | 56 | 35 | 174 |
| DISEASES OF HEART RHEUMATIC FEVER & | 64 | 101 | 68 | 68 | 109 | 46 | 28 | 138 |
| RHEUM, HEART DISEASE | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 3 |
| HYPERTENSIVE HEART | 0 | 1 | 1 | 0 | 6 | 1 | 0 | 3 |
| ISCHEMIC HEART | 49 | 72 | 43 | 49 | 70 | 27 | 15 | 77 |
| OTHER HEART DISEASE | 15 | 27 | 24 | 19 | 32 | 17 | 13 | 55 |
| HYPERTENSION | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| CEREBROVASCULAR DISEASE | 19 | 22 | 18 | 17 | 10 | 6 | 5 | 22 |
| ATHEROSCLEROSIS | 4 | 5 | 0 | 0 | 2 | 2 | 1 | 5 |
| OTHER MAJOR CARDIOVASC. | 6 | ī | 1 | 0 | 2 | 2 | 1 | 7 |
| PNEUMONIA & INFLUENZA | 7 | 7 | 11 | 4 | 11 | 9 | 4 | 8 |
| CHRONIC PULMONARY DISEASE | 6 | 6 | 9 | 5 | 15 | 4 | 5 | 26 |
| ULCER OF STOMACH | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 |
| LIVER DISEASE & CIRRHOSIS | 1 | 1 | 1 | 2 | 0 | 1 | 1 | 3 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 5 | 7 | 2 | 4 | 4 | 2 | 0 | 7 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | i | Ö | ŏ | ĭ | ĭ | 2 | Ō | 1 |
| DISEASES OF EARLY INFANCY | Ô | Ö | i | î | ō | ō | Ō | 2 |
| | 30 | 3 | 5 | 18 | 2 | 6 | 5 | 17 |
| SYMPTOMS & ILL-DEF. COND. | 19 | 14 | 15 | 8 | 26 | 12 | 9 | 24 |
| ALL OTHER DISEASES | 19 | 14 | 25 | • | 20 | | · | |
| ACCIDENTAL DEATHS | 25 | 10 | 4 | 15 | 9 | 8 | 7 | 20 |
| MOTOR VEHICLE | 16 | 4 | 2 | 9 | 4 | 2 | 4 | 8 |
| OTHER ACC. DEATHS | 9 | 6 | 2 | 6 | 5 | 6 | 3 | 12 |
| SUICIDE | 6 | 3 | 2 | 1 | 0 | 1 | 0 | 3 |
| HOMICIDE & LEGAL INTERV | 3 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| ALL OTHER EXTERNAL CAUSES | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |

| | MERCER | MILLER | MISSISS- SIPPI | MONITEAU | MONROE | MONTGOMERY | MORGAN | NEW Madrid |
|--|--------|--------|-------------------|----------|--------|------------|---------|---------------|
| ALL CAUSES | 72 | 216 | 204 | 157 | 106 | 164 | 210 | 245 |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 0 | 1 0 | 0 0 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | _ | _ | - | |
| & PARASITIC DISEASES | 0 | 1 | 2 | 2 | 1 | 1 | 2 | 4 |
| MALIGNANT NEOPLASMS | 18 | 44 | 40 | 34 | 23 | 30 | 43 9 | 51 12 |
| DIGESTIVE ORGANS | 2 | 8 | 12 | 14 | 7 | 11 | | 15 |
| RESPIRATORY ORGANS | 5 | 15 | 11 | 8 | 5 | 7 3 | 11 5 | 3 |
| BREAST | 2 | 1 | 1 | 2 | 2 | 1 | 3 | 5 |
| GENITAL ORGANS | 1 | 0 | 7 | 2 | 4 0 | 1 | 2 | 1 |
| URINARY ORGANS | 0 | 5 | 1 | 1 0 | 1 | ō | 1 | î |
| LEUKEMIA | 0 | 2 | 1 | 7 | 4 | 7 | 12 | 14 |
| OTHER MALIG. NEOPL. | 8 | 13 | 7 | , | 4 | | | |
| DIABETES MELLITUS | 1 | 5 | 3 | 2 | 1 | 3 | 4 | 7 |
| MAJOR CARDIOVASC. DISEASE | 37 | 99 | 94 | 86 | 52 | 69 | 115 | 91 |
| DISEASES OF HEART RHEUMATIC FEVER & | 28 | 76 | 73 | 67 | 39 | 41 | 76 | 66 |
| RHEUM. HEART DISEASE | 1 | 2 | 0 | 1 | 0 | 0 | 1 | 0 |
| HYPERTENSIVE HEART | ô | ō | 2 | 2 | 2 | Ō | Ō | 2 |
| ISCHEMIC HEART | 13 | 59 | 50 | 49 | 24 | 34 | 53 | 42 |
| OTHER HEART DISEASE | 14 | 15 | 21 | 15 | 13 | 7 | 22 | 22 |
| HYPERTENSION | 0 | 0 | 1 | 0 | 2 | 2 | 1 | 1 |
| CEREBROVASCULAR DISEASE | 6 | 12 | 17 | 13 | 8 | 20 | 28 | 20 |
| ATHEROSCLEROSIS | 2 | 3 | í | 3 | 2 | 4 | 6 | 1 |
| OTHER MAJOR CARDIOVASC. | i | 8 | 2 | 3 | ī | ż | 4 | 3 |
| | _ | | | _ | _ | _ | - | _ |
| PNEUMONIA & INFLUENZA | 4 | 5 | 11 | 4 | 6 | 11 | 6 | 7 |
| CHRONIC PULMONARY DISEASE | 2 | 8 | 4 | 5 | 3 | 10 | 7 | 6 0 |
| ULCER OF STOMACH | ,0 | 0 | 0 | 0 | 0 | 1 0 | 1 | 3 |
| LIVER DISEASE & CIRRHOSIS | 0 | 1 | 2 | 2 | 0 | 2 | 4 2 | 3 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 2 | 5 | 2 | 3 | 2 | _ | _ | |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 0 | 3 | 3 | 1 | 0 | 0 | 0 | 2 |
| DISEASES OF EARLY INFANCY | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 |
| SYMPTOMS & ILL-DEF. COND. | 2 | 7 | 14 | 1 | 3 | 16 | 1 | 37 |
| ALL OTHER DISEASES | 4 | 17 | 14 | 11 | 8 | 13 | 15 | 15 |
| ACCIDENTAL DEATHS | 1 | 15 | 9 | 4 | 4 | 5 2 | 8 4 | 13 6 |
| MOTOR VEHICLE | 0 | 12 | 3 | 2 | 1 3 | 3 | 4 | 7 |
| OTHER ACC. DEATHS | 1 | 3 | 6 | 2 | 2 | 2 | 1 | 2 |
| SUICIDE | 1 | 4 | 4 | 1 | 2 | 0 | 0 | 1 |
| HOMICIDE & LEGAL INTERV ALL OTHER EXTERNAL CAUSES | 0 0 | 0 2 | 1 | 0 0 | 0 | 0 | 1 | ì |

| | NEWTON | NODAWAY | OREGON | OSAGE | OZARK | PEMISCOT | PERRY | PETTIS |
|---|--------|---------|--------|-------|--------|----------|-------|----------|
| ALL CAUSES | 419 | 211 | 147 | 122 | 97 | 287 | 174 | 449 |
| TUBERCULOSIS | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| & PARASITIC DISEASES | 4 | 2 | 1 | 0 | 2 | 4 | 0 | 5 |
| MALIGNANT NEOPLASMS | 85 | 46 | 20 | 30 | 21 | 55 | 40 | 94 |
| DIGESTIVE ORGANS | 16 | 14 | 7 | 8 | 2 | 9 | 15 | 15 |
| RESPIRATORY ORGANS | 40 | 13 | 8 | 9 | 3 | 17 | 8 | 28 |
| BREAST | 6 | 3 | 2 | 3 | 3 | 3 | 1 | 6 |
| GENITAL ORGANS | 10 | 3 | 1 | 4 | 2 | 6 | 8 | 11 |
| URINARY ORGANS | 2 | 2 | 0 | 0 | 2 | 1 | 1 | 4 |
| LEUKEMIA | 2 | 2 | Ō | 2 | ī | 2 | 2 | 5 |
| OTHER MALIG. NEOPL. | 9 | 9 | 2 | 4 | 8 | 17 | 5 | 25 |
| DIABETES MELLITUS | 8 | 4 | 4 | 2 | 1 | 1 | 1 | 9 |
| MAJOR CARDIOVASC. DISEASE | 183 | 107 | 74 | 63 | 43 | 122 | 88 | 205 |
| DISEASES OF HEART RHEUMATIC FEVER & | 135 | 84 | 65 | 53 | 32 | 89 | 75 | 139 |
| RHEUM, HEART DISEASE | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| HYPERTENSIVE HEART | ī | ì | Ŏ | 2 | Ō | 1 | 3 | 1 |
| ISCHEMIC HEART | 90 | 61 | 48 | 39 | 21 | 54 | 56 | 96 |
| OTHER HEART DISEASE | 43 | 22 | 17 | 12 | 11 | 34 | 15 | 41 |
| HYPERTENSION | 1 | 2 | 0 | 0 | | i | 1 | 2 |
| CEREBROVASCULAR DISEASE | 35 | 17 | 7 | 8 | 8 | 28 | 11 | 54 |
| | 4 | 1 | ó | î | 2 | 2 | ō | 6 |
| ATHEROSCLEROSIS | 8 | 3 | 2 | i | ī | 2 | ĭ | 4 |
| OTHER MAJOR CARDIOVASC. | 0 | 3 | 2 | _ | _ | _ | | |
| PNEUMONIA & INFLUENZA | 12 | 6 | 2 | 3 | 3 4 | 10 | 7 | 25 17 |
| CHRONIC PULMONARY DISEASE | 10 | 9 | 4 | 6 | • | 8 | 10 | |
| ULCER OF STOMACH | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 |
| LIVER DISEASE & CIRRHOSIS | 4 | 2 | 2 | 1 | 0 | 3 | 0 | 4 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 6 | 1 | 2 | 0 | 1 | 5 | 1 | 4 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 1 | 0 | 1 | 0 | 1 | 5 | 0 | 3 |
| DISEASES OF EARLY INFANCY | 4 | 1 | 0 | 1 | 0 | 2 | 0 | 4 |
| SYMPTOMS & ILL-DEF. COND. | 26 | 4 | 11 | 1 | 8 | 39 | 1 | 10 |
| ALL OTHER DISEASES | 40 | 18 | 17 | 7 | 5 | 12 | 16 | 38 |
| ACCIDENTAL DEATHS | 27 | 6 | 8 | 4 | 6 | 10 | 6 | 19 |
| MOTOR VEHICLE | 17 | 1 | 4 | 3 | 5 | 4 | 2 | 9 |
| OTHER ACC. DEATHS | 10 | 5 | 4 | 1 | 1 | 6 | 4 | 10 |
| SUICIDE | 3 | 4 | 1 | 2 | 2 | 2 | 2 | 4 |
| HOMICIDE & LEGAL INTERV | 2 | Ó | Ō | ī | 0 | 7 | 1 | 3 |
| ALL OTHER EXTERNAL CAUSES | 2 | ō | Ŏ | ō | 0 | 0 | 0 | 4 |

| | PHELPS | PIKE | PLATTE | POLK | PULASKI | PUTNAM | RALLS | RANDOLPH |
|---|--------|--------|--------|------|---------|--------|-------|----------|
| ALL CAUSES | 351 | 228 | 259 | 250 | 241 | 66 | 85 | 253 |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYPHILIS RESIDUAL OF INFECTIOUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| & PARASITIC DISEASES | 7 | 3 | 5 | 1 | 5 | 0 | 1 | 3 |
| MALIGNANT NEOPLASMS | 60 | 55 | 60 | 52 | 39 | 11 | 11 | 48 |
| DIGESTIVE ORGANS | 13 | 11 | 14 | 11 | 9 | 2 | 1 | 12 |
| RESPIRATORY ORGANS | 21 | 15 | 20 | 10 | 16 | 0 | 4 | 18 |
| BREAST | 4 | 6 | 4 | 6 | 2 | 1 | 2 | 3 |
| GENITAL ORGANS | 8 | 9 | 4 | 12 | 2 | 1 | 0 | 2 |
| URINARY ORGANS | 1 | 2 | 2 | 3 | 1 | 1 | 1 | 3 |
| LEUKEMIA | ī | Ō | 1 | 0 | 0 | 0 | 1 | 0 |
| OTHER MALIG. NEOPL. | 12 | 12 | 15 | 10 | 9 | 6 | 2 | 10 |
| DIABETES MELLITUS | 7 | 2 | 6 | 7 | 1 | 0 | 2 | 3 |
| MAJOR CARDIOVASC. DISEASE | 163 | 97 | 110 | 126 | 100 | 41 | 48 | 118 |
| DISEASES OF HEART RHEUMATIC FEVER & | 122 | 71 | 95 | 97 | 87 | 32 | 39 | 98 |
| RHEUM. HEART DISEASE | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| HYPERTENSIVE HEART | 2 | o o | Ô | ŏ | 4 | ŏ | ŏ | 3 |
| ISCHEMIC HEART | 87 | 49 | . 61 | 71 | 48 | 25 | 27 | 67 |
| OTHER HEART DISEASE | 32 | 22 | 33 | 26 | 35 | 7 | 12 | 28 |
| HYPERTENSION | 3 | 1 | 0 | 1 | 0 | ó | 0 | 1 |
| CEREBROVASCULAR DISEASE | 29 | 16 | 13 | 23 | 12 | 4 | 7 | 15 |
| | 2 | 7 | 1 | 1 | 0 | 5 | i | 1 |
| ATHEROSCLEROSIS OTHER MAJOR CARDIOVASC. | 7 | 2 | i | 4 | ĭ | õ | ī | 3 |
| PNEUMONIA & INFLUENZA | 11 | 11 | 6 | 4 | 9 | 1 | 4 | 17 |
| CHRONIC PULMONARY DISEASE | 12 | 8 | 9 | 11 | 14 | 3 | 3 | 11 |
| ULCER OF STOMACH | 0 | 1 | ó | 0 | 0 | ő | í | 2 |
| LIVER DISEASE & CIRRHOSIS | 0 | î | 4 | Ŏ | 3 | ő | ī | ī |
| NEPHRITIS & NEPHROSIS | 1 | 5 | 7 | 2 | 4 | ŏ | 2 | 3 |
| COMPLICATIONS OF PREG., | • | 9 | • | - | • | • | - | _ |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | ĭ | Ö | 4 | 2 | ĭ | Ŏ | Ö | 4 |
| DISEASES OF EARLY INFANCY | 3 | 2 | 2 | 2 | 2 | ĭ | Ŏ | o O |
| SYMPTOMS & ILL-DEF. COND. | 24 | 10 | 3 | 11 | 15 | ō | 2 | 13 |
| | 29 | 13 | 20 | 14 | 20 | 3 | 5 | 21 |
| ALL OTHER DISEASES | 27 | 13 | 20 | 14 | 20 | _ | _ | |
| ACCIDENTAL DEATHS | 25 | 16 | 11 | 15 | 16 | 4 | 2 | . 5 |
| MOTOR VEHICLE | 12 | 6 | 6 | 6 | 11 | 1 | 2 | . 3 |
| OTHER ACC. DEATHS | 13 | 10 | 5 | 9 | 5 | 3 | 0 | 2 |
| SUICIDE | 6 | 3 | 8 | 3 | 8 | 2 | 2 | 3 |
| HOMICIDE & LEGAL INTERV | 1 | 0 | 2 | O | 2 | 0 | 1 | 1 |
| ALL OTHER EXTERNAL CAUSES | 1 | 1 | 2 | 0 | 2 | 0 | 0 | 0 |

| | RAY | REYNOLDS | RIPLEY | ST Charles | ST Clair | ST FRANCOIS | STE GENEVIEVE | ST LOUIS CITY |
|--|--------|----------|--------|---------------|-------------|----------------|------------------|------------------|
| ALL CAUSES | 226 | 72 | 179 | 896 | 135 | 524 | 126 | 6,106 |
| TUBERCULOSIS SYPHILIS | 0 0 | 0 0 | 0 0 | 1 0 | 0 | 0 0 | 0 0 | 8 2 |
| RESIDUAL OF INFECTIOUS & PARASITIC DISEASES | 0 | 2 | 1 | 3 | 0 | 3 | 2 | 107 |
| MALIGNANT NEOPLASMS | 40 | 10 | 38 | 201 | 32 | 124 | 33 | 1,298 |
| DIGESTIVE ORGANS | 3 | 2 | 15 | 43 | 6 | 28 | 9 | 361 |
| RESPIRATORY ORGANS | 16 | 2 | 8 | 63 | 8 | 44 | 8 | 378 |
| BREAST | 2 | 1 | 2 | 28 | 4 | 11 | 4 | 86 |
| GENITAL ORGANS | 5 | 3 | 4 | 19 | 3 | 8 | 6 | 143 |
| URINARY ORGANS | 2 | 0 | 0 | 11 | 2 | 7 | 1 | 48 |
| LEUKEMIA | 2 | 0 | 5 | 9 | 2 | 4 | 0 | 39 |
| OTHER MALIG. NEOPL. | 10 | 2 | 4 | 28 | 7 | 22 | 5 | 243 |
| DIABETES MELLITUS | 5 | 0 | 2 | 13 | 0 | 12 | 3 | 134 |
| MAJOR CARDIOVASC. DISEASE | 112 | 29 | 76 | 409 | 66 | 235 | 57 | 2,841 |
| DISEASES OF HEART | 85 | 17 | 62 | 318 | 53 | 188 | 46 | 2,312 |
| RHEUMATIC FEVER & RHEUM. HEART DISEASE | 1 | 0 | 1 | 5 | 0 | 1 | 0 | 15 |
| HYPERTENSIVE HEART | 1 | ŏ | 2 | 10 | i | 5 | Ō | 128 |
| | 52 | 14 | 31 | 229 | 26 | 140 | 34 | 1,734 |
| ISCHEMIC HEART | 31 | 3 | 28 | 74 | 26 | 42 | 12 | 435 |
| OTHER HEART DISEASE | 3 | 0 | 0 | 10 | Ö | 2 | 0 | 19 |
| HYPERTENSION | 17 | 10 | 11 | 61 | 10 | 25 | 11 | 414 |
| CEREBROVASCULAR DISEASE | 2 | 2 | i | 10 | 0 | 12 | 0 | 41 |
| ATHEROSCLEROSIS | 5 | 0 | 2 | 10 | 3 | 8 | Ō | 55 |
| OTHER MAJOR CARDIOVASC. | 9 | | _ | | _ | _ | - | 700 |
| PNEUMONIA & INFLUENZA | 4 | 4 | 8 | 35 | 4 | 27 | 5 | 192 |
| CHRONIC PULMONARY DISEASE | 11 | 2 | 10 | 29 | 3 | 19 | 4 | 183 |
| ULCER OF STOMACH | 0 | 0 | 0 | 3 | 0 | 2 | 0 | 22 |
| LIVER DISEASE & CIRRHOSIS | 0 | 0 | 1 | 8 | 0 | 4 | 1 | 80 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 5 | 0 | 0 | 10 | 0 | 12 | 0 | 61 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | .1 |
| CONGENITAL ANOMALIES | 2 | 0 | 1 | 9 | 2 | 0 | 0 | 43 |
| DISEASES OF EARLY INFANCY | 0 | 0 | 1 | 16 | 1 | 2 | 0 | 68 |
| SYMPTOMS & ILL-DEF. COND. | 10 | 11 | 18 | 11 | 1 | 14 | 1 | 62 |
| ALL OTHER DISEASES | 20 | 10 | 17 | 60 | 11 | 39 | 12 | 549 |
| ACCIDENTAL DEATHS | 11 | 2 | 6 | 56 | 12 | 22 | 7 | 188 |
| MOTOR VEHICLE | 6 | 1 | 1 | 39 | 7 | 12 | 4 | 58 |
| OTHER ACC. DEATHS | 5 | 1 | 5 | 17 | 5 | 10 | 3 | 130 |
| SUICIDE | 6 | 2 | 0 | 25 | 3 | 5 | 0 | 73 |
| HOMICIDE & LEGAL INTERV | 0 | 0 | 0 | 6 | 0 | 2 | 0 | 181 |
| ALL OTHER EXTERNAL CAUSES | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 13 |

| | ST LOUIS | | | | | | | 07000400 |
|---------------------------|----------|--------|----------|----------|-------|---------|--------|----------|
| | COUNTY | SALINE | SCHUYLER | SCOTLAND | SCOTT | SHANNON | SHELBY | STODDARD |
| ALL CAUSES | 8,393 | 298 | 64 | 79 | 408 | 78 | 102 | 338 |
| TUBERCULOSIS | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYPHILIS | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | | | | _ | | | _ | |
| & PARASITIC DISEASES | 101 | 6 | 0 | 1 | 3 | 0 | 1 | 4 |
| MALIGNANT NEOPLASMS | 2,071 | 60 | 10 | 13 | 90 | 20 | 16 | 70 |
| DIGESTIVE ORGANS | 527 | 13 | 6 | 1 | 16 | 6 | 7 | 18 |
| RESPIRATORY ORGANS | 573 | 15 | 2 | 5 | 36 | 6 | 2 | 20 |
| BREAST | 180 | 5 | 0 | 1 | 5 | 1 | 0 | 5 |
| GENITAL ORGANS | 246 | 8 | 0 | 2 | 12 | 1 | 3 | 7 |
| URINARY ORGANS | 74 | 4 | 0 | 1 | 3 | 0 | 0 | 4 |
| LEUKEMIA | 66 | 4 | 0 | 2 | 1 | 0 | 1 | 2 |
| OTHER MALIG. NEOPL. | 405 | 11 | 2 | 1 | 17 | 6 | 3 | 14 |
| DIABETES MELLITUS | 154 | 4 | 1 | 0 | 8 | 0 | 0 | 6 |
| MAJOR CARDIOVASC. DISEASE | 3,903 | 139 | 37 | 50 | 192 | 38 | 67 | 158 |
| DISEASES OF HEART | 3,121 | 115 | 28 | 29 | 168 | 31 | 47 | 133 |
| RHEUMATIC FEVER & | J,121 | 113 | | -/ | | | ••• | |
| RHEUM. HEART DISEASE | 25 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| HYPERTENSIVE HEART | 100 | ĭ | ĭ | ĭ | 4 | Ŏ | 12 | ō |
| ISCHEMIC HEART | 2,422 | 91 | 15 | 26 | 115 | 23 | 28 | 101 |
| | 574 | 23 | 12 | 2 | 49 | 8 | 6 | 31 |
| OTHER HEART DISEASE | 28 | 1 | 0 | Ó | 0 | ő | ĭ | 0 |
| HYPERTENSION | | | 7 | 13 | 17 | 6 | 14 | 19 |
| CEREBROVASCULAR DISEASE | 563 | 19 | - | | 4 | Ö | 4 | í |
| ATHEROSCLEROSIS | 82 | 2 | 2 | 5 | 3 | 1 | 1 | 5 |
| OTHER MAJOR CARDIOVASC. | 109 | 2 | 0 | 3 | 3 | 1 | 1 | 9 |
| PNEUMONIA & INFLUENZA | 268 | 20 | 3 | 3 | 22 | 5 | 4 | 9 |
| CHRONIC PULMONARY DISEASE | 280 | 7 | 3 | 1 | 20 | 2 | 3 | 10 |
| ULCER OF STOMACH | 34 | 2 | 0 | 0 | 1 | 0 | 0 | 1 |
| LIVER DISEASE & CIRRHOSIS | 67 | 1 | 0 | 0 | 2 | 0 | 0 | 2 |
| NEPHRITIS & NEPHROSIS | 90 | 2 | 0 | 2 | 6 | 1 | 1 | 3 |
| COMPLICATIONS OF PREG., | | | | | | | | _ |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 50 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| DISEASES OF EARLY INFANCY | 58 | 6 | 0 | 2 | 4 | 0 | 0 | 2 |
| SYMPTOMS & ILL-DEF. COND. | 80 | 7 | 0 | 1 | 7 | 1 | 3 | 19 |
| ALL OTHER DISEASES | 728 | 17 | 6 | 3 | 24 | 7 | 4 | 24 |
| | 000 | 1. | ~ | 3 | 19 | 3 | 2 | 23 |
| ACCIDENTAL DEATHS | 290 | 16 | 3 | | 6 | 3 | 1 | 17 |
| MOTOR VEHICLE | 125 | 8 | 2 | 2 | _ | 0 | 1 | 6 |
| OTHER ACC. DEATHS | 165 | 8 | 1 | 1 | 13 | - | | 3 |
| SUICIDE | 123 | 8 | 1 | 0 | 5 | 0 | 1. | |
| HOMICIDE & LEGAL INTERV | 76 | 1 | 0 | 0 | 2 | 0 | 0 | 2 |
| ALL OTHER EXTERNAL CAUSES | 17 | 2 | 0 | 0 | 2 | 0 | 0 | U |

| | STONE | SULLIVAN | TANEY | TEXAS | VERNON | WARREN | WASHINGTON | WAYNE |
|---------------------------|-------|----------|-------|-------|--------|--------|------------|-------|
| ALL CAUSES | 194 | 115 | 277 | 234 | 260 | 168 | 177 | 152 |
| ALL CAUSES | 174 | 113 | | 234 | 200 | 200 | | |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYPHILIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | _ | _ | _ | _ | _ | , | • | • |
| & PARASITIC DISEASES | 1 | 1 | 0 | 2 | 2 | 4 | 2 | 2 |
| MALIGNANT NEOPLASMS | 42 | 14 | 66 | 61 | 62 | 33 | 31 | 28 |
| DIGESTIVE ORGANS | 9 | 2 | 14 | 8 | 13 | 6 | 5 | 3 |
| RESPIRATORY ORGANS | 18 | 4 | 16 | 19 | 16 | 10 | 11 | 14 |
| BREAST | 1 | 3 | 6 | 6 | 3 | 1 | 4 | 1 |
| GENITAL ORGANS | 3 | 1 | 9 | 5 | 7 | 4 | 4 | 5 |
| URINARY ORGANS | 2 | 1 | 4 | 4 | 3 | 3 | 0 | 0 |
| LEUKEMIA | 1 | 0 | 3 | 6 | 4 | 2 | 2 | 1 |
| OTHER MALIG. NEOPL. | 8 | 3 | 14 | 13 | 16 | 7 | 5 | 4 |
| DIABETES MELLITUS | 3 | 0 | 1 | 2 | 3 | 2 | 4 | 7 |
| MAJOR CARDIOVASC. DISEASE | 75 | 68 | 143 | 102 | 113 | 69 | 82 | 66 |
| DISEASES OF HEART | 50 | 58 | 112 | 84 | 87 | 55 | 70 | 52 |
| RHEUMATIC FEVER & | | _ | | | | | | |
| RHEUM. HEART DISEASE | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 0 |
| HYPERTENSIVE HEART | 0 | 1 | 2 | 3 | 0 | 2 | 2 | 0 |
| ISCHEMIC HEART | 31 | 32 | 85 | 51 | 62 | 37 | 58 | 34 |
| OTHER HEART DISEASE | 19 | 25 | 25 | 29 | 23 | 16 | 9 | 18 |
| HYPERTENSION | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 |
| CEREBROVASCULAR DISEASE | 21 | 8 | 22 | 15 | 20 | 11 | 11 | 14 |
| ATHEROSCLEROSIS | 0 | 0 | 3 | 1 | 2 | 2 | 0 | 0 |
| OTHER MAJOR CARDIOVASC. | 4 | 2 | 5 | 1 | 3 | 0 | 1 | 0 |
| PNEUMONIA & INFLUENZA | 8 | 5 | 9 | 3 | 19 | 9 | 6 | 5 |
| CHRONIC PULMONARY DISEASE | 7 | 6 | 8 | 18 | 15 | 4 | 10 | 6 |
| ULCER OF STOMACH | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| LIVER DISEASE & CIRRHOSIS | 3 | 0 | 1 | 0 | 1 | 1 | 1 | 0 |
| NEPHRITIS & NEPHROSIS | 2 | 2 | 3 | 1 | 4 | 2 | 1 | 0 |
| COMPLICATIONS OF PREG., | | | | | | | | |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| DISEASES OF EARLY INFANCY | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 |
| SYMPTOMS & ILL-DEF. COND. | 21 | 3 | 3 | 7 | 9 | 11 | 2 | 15 |
| ALL OTHER DISEASES | 17 | 11 | 20 | 18 | 15 | 11 | 17 | 9 |
| ACCIDENTAL DEATHS | 12 | 4 | 15 | 15 | 12 | 17 | 17 | 12 |
| MOTOR VEHICLE | 8 | 0 | 11 | 13 | 6 | 12 | 8 | 10 |
| OTHER ACC. DEATHS | 4 | 4 | 4 | 2 | 6 | 5 | 9 | 2 |
| SUICIDE | 0 | 0 | 7 | 2 | 2 | 3 | 0 | 0 |
| HOMICIDE & LEGAL INTERV | 2 | 1 | 0 | 2 | 1 | 1 | 3 | 0 |
| ALL OTHER EXTERNAL CAUSES | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | WEBSTER | WORTH | WRIGHT |
|---------------------------|---------|--------|--------|
| ALL CAUSES | 214 | 44 | 203 |
| A11 0/10010 | | | |
| TUBERCULOSIS | 0 | 0 | 0 |
| SYPHILIS | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | | | |
| & PARASITIC DISEASES | 1 | 1 | . 3 |
| MALIGNANT NEOPLASMS | 45 | 12 | 43 |
| DIGESTIVE ORGANS | 8 | 4 | 5 |
| RESPIRATORY ORGANS | 15 | 1 | 21 |
| BREAST | 5 | 2 | 3 |
| GENITAL ORGANS | 5 | 1 | 3 |
| URINARY ORGANS | 2 | 0 | 6 |
| LEUKEMIA | 2 | 0 | 0 |
| OTHER MALIG. NEOPL. | 8 | 4 | 5 |
| DIABETES MELLITUS | 1 | 1 | 3 |
| MAJOR CARDIOVASC. DISEASE | 106 | 24 | 69 |
| DISEASES OF HEART | 74 | 18 | 56 |
| RHEUMATIC FEVER & | | | |
| RHEUM, HEART DISEASE | 1 | 0 | 1 |
| HYPERTENSIVE HEART | 1 | 0 | 0 |
| ISCHEMIC HEART | 57 | 11 | 37 |
| OTHER HEART DISEASE | 15 | 7 | 18 |
| HYPERTENSION | 1 | 0 | 0 |
| CEREBROVASCULAR DISEASE | 25 | 5 | 13 |
| ATHEROSCLEROSIS | 5 | 0 | 0 |
| OTHER MAJOR CARDIOVASC. | 1 | 1 | 0 |
| PNEUMONIA & INFLUENZA | 10 | 1 | 11 |
| CHRONIC PULMONARY DISEASE | 10 | 0 | 12 |
| ULCER OF STOMACH | 0 | 0 | 0 |
| LIVER DISEASE & CIRRHOSIS | 1 | 1 | Ō |
| NEPHRITIS & NEPHROSIS | 1 | 1 | 2 |
| COMPLICATIONS OF PREG., | _ | _ | |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 |
| CONGENITAL ANOMALIES | 2 | 0 | 3 |
| DISEASES OF EARLY INFANCY | 3 | 0 | 1 |
| SYMPTOMS & ILL-DEF. COND. | 6 | 2 | 19 |
| ALL OTHER DISEASES | 11 | Z | 22 |
| ACCIDENTAL DEATHS | 14 | 1 | 10 |
| MOTOR VEHICLE | 8 | 1 | 8 |
| OTHER ACC. DEATHS | 6 | 0 | 2 |
| SUICIDE | 3 | 0 | 5 |
| HOMICIDE & LEGAL INTERV | 0 | 0 0 | 0 0 |
| ALL OTHER EXTERNAL CAUSES | 0 | U | U |

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1986

| | | | • | | | | |
|---|-----------------|-------------------|----------|------------|-------------------|-------------------|--------|
| | BLUE SPRINGS | CAPE GIRARDEAU | COLUMBIA | FLORISSANT | INDE- PENDENCE | JEFFERSON CITY | JOPLIN |
| ALL CAUSES | 154 | 322 | 386 | 432 | 907 | 394 | 545 |
| TUBERCULOSIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SYPHILIS | Ö | ő | Ö | Ö | ŏ | Ö | Ö |
| RESIDUAL OF INFECTIOUS | ū | • | • | - | _ | | |
| & PARASITIC DISEASES | 1 | 2 | 7 | 6 | 15 | 5 | 4 |
| MALIGNANT NEOPLASMS | 48 | 80 | 82 | 112 | 212 | 84 | 132 |
| DIGESTIVE ORGANS | 11 | 23 | 22 | 26 | 54 | 16 | 35 |
| RESPIRATORY ORGANS | 12 | 25 | 21 | 34 | 70 | 25 | 44 |
| BREAST | 3 | 6 | 5 | 9 | 26 | 9 | 7 |
| GENITAL ORGANS | 9 | 9 | 10 | 14 | 12 | 8 | 14 |
| URINARY ORGANS | ó | 6 | 4 | 6 | 7 | 5 | 8 |
| LEUKEMIA | 2 | 2 | 4 | 3 | 5 | 4 | 2 |
| OTHER MALIG. NEOPL. | 11 | 9 | 16 | 20 | 38 | 17 | 22 |
| DIABETES MELLITUS | 1 | 2 | 6 | 8 | 15 | 9 | 7 |
| MAJOR CARDIOVASC. DISEASE | 56 | 157 | 138 | 191 | 413 | 195 | 250 |
| DISEASES OF HEART | 53 | 108 | 102 | 162 | 342 | 155 | 187 |
| RHEUMATIC FEVER & | ررن | 100 | 102 | 101 | 5.2 | | |
| RHEUM. HEART DISEASE | 1 | 1 | 2 | 5 | 6 | 1 | 3 |
| HYPERTENSIVE HEART | i | ō | 3 | ī | 15 | 6 | 5 |
| ISCHEMIC HEART | 33 | 77 | 69 | 129 | 195 | 116 | 125 |
| OTHER HEART DISEASE | 18 | 30 | 28 | 27 | 126 | 32 | 54 |
| HYPERTENSION | 0 | 2 | 2 | 0 | 0 | 2 | 2 |
| CEREBROVASCULAR DISEASE | ĭ | 34 | 25 | 25 | 51 | 35 | 53 |
| ATHEROSCLEROSIS | Ŏ | 10 | 2 | 2 | 7 | 1 | 5 |
| | 2 | 3 | 7 | 2 | 13 | 2 | 3 |
| OTHER MAJOR CARDIOVASC. | 2 | _ | _ | | | _ | |
| PNEUMONIA & INFLUENZA | 7 | 11 | 16 | 18 | 33 | 11 | 12 |
| CHRONIC PULMONARY DISEASE | 7 | 10 | 15 | 18 | 39 | 13 | 26 |
| ULCER OF STOMACH | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| LIVER DISEASE & CIRRHOSIS | 2 | 7 | 4 | 3 | 12 | 3 | 6 |
| NEPHRITIS & NEPHROSIS COMPLICATIONS OF PREG., | 1 | 2 | 7 | 7 | 6 | 2 | 4 |
| CHILDBIRTH & PUERPERIUM | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| CONGENITAL ANOMALIES | 2 | 2 | 3 | 2 | 6 | 0 | 1 |
| DISEASES OF EARLY INFANCY | 3 | 3 | 6 | 2 | 8 | 0 | 2 |
| SYMPTOMS & ILL-DEF. COND. | Ō | 6 | 11 | 7 | 7 | 10 | 13 |
| ALL OTHER DISEASES | 13 | 21 | 62 | 37 | 71 | 36 | 50 |
| ACCIDENTAL DEATHS | 8 | 13 | 18 | 8 | 44 | 10 | 23 |
| MOTOR VEHICLE | 6 | 3 | 12 | 5 | 24 | 8 | 10 |
| OTHER ACC. DEATHS | 2 | 10 | 6 | 3 | 20 | 2 | 13 |
| SUICIDE | 2 | 5 | 6 | 8 | 20 | 11 | 9 |
| HOMICIDE & LEGAL INTERV | 1 | 1 | 4 | 2 | 4 | 3 | 3 |
| ALL OTHER EXTERNAL CAUSES | 2 | 0 | 1 | 2 | 2 | 0 | 0 |

T.

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1986

| | KANSAS | K.C. | ĸ.c. | ĸ.c. | | LEES | | |
|--------------------------|------------|-----------|---------------------------------------|----------|----------|--------|----------|------------|
| | CITY (TOT) | (JACKSON) | (CLAY) | (PLATTE) | KIRKWOOD | SUMMIT | RAYTOWN | ST CHARLES |
| ALL CAUSES | 4,525 | 4,020 | 403 | 102 | 271 | 319 | 278 | 367 |
| TUBERCULOSIS | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| SYPHILIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | 68 | 58 | 7 | 3 | 2 | 3 | 1 | 3 |
| & PARASITIC DISEASES | 66 | 50 | , | , | - | , | - | _ |
| MALIGNANT NEOPLASMS | 979 | 873 | 82 | 24 | 67 | 67 | 67 | 73 |
| DIGESTIVE ORGANS | 206 | 182 | 18 | 6 | 16 | 8 | 11 | 15 |
| RESPIRATORY ORGANS | 305 | 273 | 23 | 9 | 18 | 16 | 21 | 29 |
| BREAST | 78 | 70 | 6 | 2 | 9 | 11 | 4 | 11 |
| GENITAL ORGANS | 94 | 85 | 7 | 2 | 7 | 7 | 10 | 6 |
| URINARY ORGANS | 40 | 37 | 3 | 0 | 1 | 5 | 2 | 4 |
| LEUKEMIA | 35 | 34 | 1 | 0 | 3 | 2 | _ 2 | 1 |
| OTHER MALIG. NEOPL. | 221 | 192 | 24 | 5 | 13 | 18 | 17 | 7 |
| DIABETES MELLITUS | 77 | 59 | 15 | 3 | 1 | 7 | 7 | 4 |
| MAJOR CARDIOVASC. DISEAS | E 1,911 | 1,708 | 162 | 41 | 132 | 149 | 128 | 183 |
| DISEASES OF HEART | 1,525 | 1,366 | 125 | 34 | 101 | 119 | 100 | 142 |
| RHEUMATIC FEVER & | _ | | _ | _ | _ | | 1 | 2 |
| RHEUM. HEART DISEAS | | 12 | 1 | 1 | 1 | 1 | 0 | 2 |
| HYPERTENSIVE HEART | 43 | 40 | 3 | 0 | 2 | 0 | _ | |
| ISCHEMIC HEART | 968 | 856 | 91 | 21 | 84 | 78 | 76 23 | 110 28 |
| OTHER HEART DISEASE | 500 | 458 | 30 | 12 | 14 | 40 | | 26 3 |
| HYPERTENSION | 12 | 11 | 1 | 0 | 1 | 1 | 1 | |
| CEREBROVASCULAR DISEAS | | 247 | 22 | 6 | 25 | 26 | 19 | 32 |
| ATHEROSCLEROSIS | 50 | 46 | 4 | 0 | 2 | 1 | 5 | 3 3 |
| OTHER MAJOR CARDIOVASC | . 49 | 38 | 10 | 1 | 3 | 2 | 3 | 3 |
| PNEUMONIA & INFLUENZA | 141 | 130 | 8 | 3 | 8 | 17 | 9 | 19 |
| CHRONIC PULMONARY DISEAS | E 184 | 161 | 21 | 2 | 16 | 15 | 12 | 8 |
| ULCER OF STOMACH | 12 | 11 | 1 | 0 | 1 | 0 | 1 | 1 |
| LIVER DISEASE & CIRRHOSI | S 52 | 45 | 5 | 2 | 3 | 3 | 2 | 4 |
| NEPHRITIS & NEPHROSIS | 66 | 59 | 4 | 3 | 4 | 4 | 4 | 4 |
| COMPLICATIONS OF PREG., | | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHILDBIRTH & PUERPERIUM | | 24 | 4 | 1 | 2 | 2 | ĭ | 5 |
| CONGENITAL ANOMALIES | 29 | | · · · · · · · · · · · · · · · · · · · | i | 2 | 2 | ō | 4 |
| DISEASES OF EARLY INFANC | | 54 | 6 6 | 2 | 5 | 0 | 2 | 5 |
| SYMPTOMS & ILL-DEF. COND | | 61 | 46 | 6 | 20 | 31 | 25 | 27 |
| ALL OTHER DISEASES | 483 | 431 | 40 | • | 20 | 21 | 25 | Li |
| ACCIDENTAL DEATHS | 199 | 173 | 21 | 5 | 4 | 13 | 10 | 19 12 |
| MOTOR VEHICLE | 87 | 73 | 12 | 2 | 2 | 8 | 5 | |
| OTHER ACC. DEATHS | 112 | 100 | 9 | 3 | 2 | 5 | 5 | 7 |
| SUICIDE | 74 | 59 | 11 | 4 | 3 | 2 | 9 | 6 |
| HOMICIDE & LEGAL INTERV | 103 | 99 | 3 | 1 | 0 | 1 2 | 0 | 1 |
| ALL OTHER EXTERNAL CAUSE | S 13 | 11 | 1 | 1 | 0 | Z | U | 1 |

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1986

| | ST. JOSEPH | ST LOUIS CITY | SPRING- FIELD | UNIVERSITY CITY |
|-------------------------------------|------------|------------------|------------------|--------------------|
| ALL CAUSES | 928 | 6,106 | 1,413 | 401 |
| TUBERCULOSIS | 1 | 8 | 1 | 1 |
| SYPHILIS | 0 | 2 | 0 | 0 |
| RESIDUAL OF INFECTIOUS | • • | 3.07 | | |
| & PARASITIC DISEASES | 12 | 107 | 20 | 8 |
| MALIGNANT NEOPLASMS | 170 | 1,298 | 296 | 94 |
| DIGESTIVE ORGANS | 43 | 361 | 67 | 30 |
| RESPIRATORY ORGANS | 49 | 378 | 80 | 21 |
| BREAST | 15 | 86 | 26 | 6 |
| GENITAL ORGANS | 20 | 143 | 27 | 13 |
| URINARY ORGANS | 4 | 48 | 10 | 3 |
| LEUKEMIA | 5 | 39 | 16 | 2 |
| OTHER MALIG. NEOPL. | 34 | 243 | 70 | 19 |
| DIABETES MELLITUS | 26 | 134 | 30 | 6 |
| MAJOR CARDIOVASC. DISEASE | 418 | 2,841 | 608 | 187 |
| DISEASES OF HEART RHEUMATIC FEVER & | 323 | 2,312 | 443 | 147 |
| RHEUM. HEART DISEASE | 2 | 15 | 4 | 1 |
| HYPERTENSIVE HEART | 6 | 128 | 7 | - 6 |
| ISCHEMIC HEART | 240 | 1,734 | 313 | 113 |
| OTHER HEART DISEASE | 75 | 435 | 119 | 27 |
| HYPERTENSION | 5 | 19 | 5 | 1 |
| CEREBROVASCULAR DISEASE | _ | 414 | 134 | 28 |
| ATHEROSCLEROSIS | 15 | 41 | 19 | 7 |
| OTHER MAJOR CARDIOVASC. | 11 | 55 | 7 | 4 |
| PNEUMONIA & INFLUENZA | 34 | 192 | 59 | 8 |
| CHRONIC PULMONARY DISEASE | 50 | 183 | 58 | 10 |
| ULCER OF STOMACH | 2 | 22 | 0 | 1 |
| LIVER DISEASE & CIRRHOSIS | 7 | 80 | 6 | 2 |
| NEPHRITIS & NEPHROSIS | 10 | 61 | 4 | 7 |
| COMPLICATIONS OF PREG., | | _ | _ | _ |
| CHILDBIRTH & PUERPERIUM | 0 | . 1 | 0 | 0 |
| CONGENITAL ANOMALIES | 2 | 43 | 8 | 2 |
| DISEASES OF EARLY INFANCY | | 68 | 13 | 5 |
| SYMPTOMS & ILL-DEF. COND. | 61 | 62 | 99 | 4 |
| ALL OTHER DISEASES | 89 | 549 | 132 | 43 |
| ACCIDENTAL DEATHS | 29 | 188 | 49 | 11 |
| MOTOR VEHICLE | 7 | 58 | 27 | 2 |
| OTHER ACC. DEATHS | 22 | 130 | 22 | 9 |
| SUICIDE | 8 | 73 | 19 | 2 |
| HOMICIDE & LEGAL INTERV | 2 | 181 | 8 | 10 |
| ALL OTHER EXTERNAL CAUSES | 1 | 13 | 3 | 0 |

נעט

| | ALL | AGES | 0. | -4 | 5. | -14 | 15 | -24 | 25-44 | | | 45-64 | | 65-74 | | R 74 |
|---|----------|---------|--------|--------|--------|--------|--------|--------|---------|--------|----------|---------|----------|---------|---------|---------|
| | М | F | М | F | M | F | M | F | М | F | М | F | М | F | M | F |
| GRAND TOTAL | 1,508 | 802 | 41 | 44 | 72 | 33 | 374 | 126 | 450 | 133 | 223 | 108 | 131 | 91 | 215 | 267 |
| WORK TOTAL | 81 | 3 | 0 | 0 | 1 | 0 | 8 | 0 | 33 | 1 0 | 25 | 1 0 | 6 | 1 | 8 8 | 0 |
| AGRICULTURE | 34 3 | 1 | 0 | 0 | 1 0 | 0 | 2 | 0 | 6 2 | 0 | 11 1 | 0 | 6 | 0 | 0 | 0 |
| MINING, QUARRYING, OIL & GAS WELLS | 3 19 | 0 0 | 0 | 0 | 0 | 0 | 2 | Ö | 12 | Ö | 5 | ő | ő | ő | Ö | Ö |
| CONSTRUCTION MANUFACTURING | 8 | 0 | 0 | Ô | ŏ | ŏ | 2 | Ö | 5 | ŏ | ī | Ö | ō | ō | Ō | Ö |
| TRANSPORTATION & PUBLIC UTILITIES | 9 | ì | ō | Õ | Ō | 0 | 1 | 0 | 4 | 1 | 4 | 0 | 0 | 0 | 0 | 0 |
| TRADE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SERVICE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GOVERNMENT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OTHER & UNSPECIFIED | 5 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 | 1 | 0 | 0 | 0 | 0 |
| HOME TOTAL | 293 | 188 | 26 | 18 | 22 | 2 | 26 | 6 | 52 | 22 | 58 | 23 | 41 | 17 | 68 | 100 |
| POISONINGS (GAS EXCEPTED) | 29 | 15 | 0 | 2 | 0 | 0 | 6 | 2 | 18 | 9 | 4 | 2 | 0 | 0 | 1 | 0 |
| POISONINGS BY GASES & VAPORS | 10 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 5 | 0 11 | 1 | 0 11 | 1 42 | 4 70 |
| FALLS | 82 | 94 | 1 | 0 | 1 4 | 0 1 | 0 3 | 0 3 | 3 12 | 2 6 | 17 16 | 5 | 18 12 | 2 | 15 | 14 |
| FIRES | 70 26 | 39 6 | 8 8 | 8 2 | 8 | 0 | 1 | 0 | 4 | 1 | 10 | ō | 2 | 1 | 2 | 2 |
| DROWNING SUFFOCATION, INGESTED FOOD/OBJECT | 4 | 5 | 1 | 1 | 0 | ő | ī | ŏ | ŏ | ī | ī | ŏ | ī | ī | ō | 2 |
| SUFFOCATION, MECHANICAL | 8 | 4 | 3 | 3 | ĭ | Õ | 1 | ō | 2 | Ō | 0 | 0 | 1 | 0 | 0 | 1 |
| FIREARMS | 17 | 3 | ī | ō | 4 | 1 | 5 | 1 | 2 | 0 | 4 | 1 | 0 | 0 | 1 | 0 |
| OTHER & UNSPECIFIED | 47 | 16 | 3 | 2 | 4 | 0 | 9 | 0 | 9 | 1 | 10 | 4 | 6 | 2 | 6 | 7 |
| MOTOR VEHICLE TOTAL | 822 | 396 | 10 | 14 | 35 | 24 | 290 | 114 | 292 | 102 | 91 | 60 | 52 | 43 | 51 | 39 |
| INJURY TO PEDESTRIAN | 77 | 45 | 3 | 2 | 8 | 2 | 10 | 11 | 23 | 10 | 14 | 4 | 8 | 8 | 10 | 8 |
| INJURY TO PEDAL CYCLIST Injury to rider of animal or | 12 | 1 | 0 | 0 | 6 | 1 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| OCCUPANT OF ANIMAL-DRAWN VEHICLE | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| COLLISION WITH RAILROAD TRAIN | 13 | 11 | 0 | 0 | 0 | 1 | 4 | 3 | 6 | 4 | 0 | 1 | 2 | 1 | 1 | 1 |
| COLLISION WITH OTHER MOTOR VEHICLE | 308 | 183 | 5 | 7 | 10 | 8 | 95 | 38 | 110 | 51 | 41 | 35 | 19 | 22 | 28 | 22 |
| COLLISION WITH FIXED OBJECT | 289 | 110 | 1 | 4 | 8 | 9 | 137 | 39 | 97 | 28 | 23 | 15 | 16 | 9 | 7 | 6 |
| NONCOLLISION | 94 | 36 | 0 | 1 | 3 | 3 | 32 | 21 | 44 | 7 | 10 | 3 | 3 | 1 | 2 | 0 2 |
| OTHER & UNSPECIFIED | 29 | 8 | 1 | 0 | 0 | 0 | 9 | 2 | 10 | 2 | 3 | 1 | 4 | 1 | 2 | 2 |
| PUBLIC NON-MOTOR VEHICLE TOTAL | 307 | 211 | 5 | 12 | 14 | 7 | 49 | 6 | 72 | 8 | 47 | 23 | 31 | 29 | 88 | 126 |
| RAILROAD NOT WITH MOTOR VEHICLE | 5 | 2 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 0 | 0 | 0 | 0 0 | 1 0 | 0 | 0 |
| OTHER ROAD VEH. NOT WITH MOTOR VEH. | 1 | 1 | 0 | 0 | 0 | 1 2 | 1 0 | 0 | 0 7 | 0 1 | 4 | 2 | 0 | 0 | 0 | 0 |
| WATER TRANSPORT | 11 9 | 5 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | ō | 3 | ō | 2 | ő | Ö | Ö |
| AIR TRANSPORT Falls | 50 | 57 | ő | ì | Ö | ĭ | 3 | ĭ | 6 | ō | 6 | 4 | 5 | 3 | 30 | 47 |
| FIRES | 8 | í | Ö | õ | ŏ | ō | ī | ī | 3 | ō | 3 | Ó | 1 | 0 | 0 | 0 |
| DROWNING | 60 | 11 | ì | 3 | 9 | 2 | 25 | 0 | 19 | 0 | 5 | 4 | 1 | 0 | 0 | 2 |
| FIREARMS | 9 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| OTHER & UNSPECIFIED | 154 | 134 | 4 | 8 | 3 | 1 | 13 | 3 | 29 | 7 | 25 | 13 | 22 | 25 | 57 | 77 |
| ACCIDENT TYPE UNKNOWN & LATE EFFECTS | 5 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 1 | 1 | 1 | 0 | 2 |

ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 1986
TOTAL POPULATION

| AGE INTERVAL | PROPORTION DYING | OF 100,000 BOR | N ALIVE | STATIONARY | POPULATION | AVERAGE REMAINING LIFETIME |
|--|--|--|--|------------------------|--|--|
| PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS | PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL | NUMBER LIVING AT BEGINNING OF AGE INTERVAL | NUMBER DYING DURING AGE INTERVAL | IN THE AGE INTERVAL | IN THIS AND ALL SUBSEQUENT AGE INTERVALS | AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL |
| X TO X + N | N X | 1 X | N X | L N X | T X | E X |
| 00 TO 01 | .0106 | 100,000 | 1,064 | 99,050 | 7,493,778 | 74.9 |
| 01 TO 05 | .0020 | 98,936 | 193 | 395,282 | 7,394,728 | 74.7 |
| 05 TO 10 | .0012 | 98,743 | 122 | 493,386 | 6,999,446 | 70.9 |
| 10 TO 15 | .0014 | 98,621 | 138 | 492,794 | 6,506,060 | 66.0 |
| 15 TO 20 | .0051 | 98,483 | 504 | 491,259 | 6,013,266 | 61.1 |
| 20 TO 25 | .0058 | 97,979 | 571 | 488,493 | 5,522,007 | 56.4 |
| 25 TO 30 | .0057 | 97,408 | 555 | 485,672 | 5,033,514 | 51.7 |
| 30 TO 35 | .0069 | 96,853 | 666 | 482,677 | 4,547,842 | 47.0 |
| 35 TO 40 | .0082 | 96,187 | 789 | 479,093 | 4,065,165 | 42.3 |
| 40 TO 45 | .0110 | 95,398 | 1,047 | 474,559 | 3,586,072 | 37.6 |
| 45 TO 50 | .0175 | 94,351 | 1,648 | 467,935 | 3,111,513 | 33.0 |
| 50 TO 55 | .0305 | 92,703 | 2,823 | 456,874 | 2,643,578 | 28.5 |
| 55 TO 60 | .0471 | 89,880 | 4,237 | 439,392 | 2,186,704 | 24.3 |
| 60 TO 65 | .0739 | 85,643 | 6,325 | 413,163 | 1,747,312 | 20.4 |
| 65 TO 70 | .1111 | 79,318 | 8,810 | 375,400 | 1,334,149 | 16.8 |
| 70 TO 75 | .1614 | 70,508 | 11,380 | 324,912 | 958,749 | 13.6 |
| 75 TO 80 | .2313 | 59,128 | 13,674 | 262,036 | 633,837 | 10.7 |
| 80 TO 85 | .3275 | 45,454 | 14,885 | 189,303 | 371,801 | 8.2 |
| 85 AND UP | 1.0000 | 30,569 | 30,569 | 182,498 | 182,498 | 6.0 |

TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 1986


MALE POPULATION

| AGE INTERVAL | PROPORTION DYING | OF 100,000 BOR | N ALIVE | STATIONARY | POPULATION | AVERAGE REMAINING LIFETIME |
|--|--|--|--|------------------------|--|--|
| PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS | PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL | NUMBER LIVING AT BEGINNING OF AGE INTERVAL | NUMBER DYING DURING AGE INTERVAL | IN THE AGE INTERVAL | IN THIS AND ALL SUBSEQUENT AGE INTERVALS | AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL |
| X TO X + N | N X | 1 X | N X | N X | T X | E X |
| 00 TO 01 | .0118 | 100,000 | 1,177 | 98,942 | 7,126,190 | 71.3 |
| 01 TO 05 | .0020 | 98,823 | 198 | 394,820 | 7,027,248 | 71.1 |
| 05 TO 10 | .0014 | 98,625 | 138 | 492,756 | 6,632,428 | 67.2 |
| 10 TO 15 | .0018 | 98,487 | 176 | 492,049 | 6,139,672 | 62.3 |
| 15 TO 20 | .0075 | 98,311 | 736 | 489,885 | 5,647,623 | 57.4 |
| 20 TO 25 | .0093 | 97,575 | 906 | 485,639 | 5,157,738 | 52.9 |
| 25 TO 30 | .0083 | 96,669 | 804 | 481,330 | 4,672,099 | 48.3 |
| 30 TO 35 | .0101 | 95,865 | 964 | 477,013 | 4,190,769 | 43.7 |
| 35 TO 40 | .0112 | 94,901 | 1,064 | 472,024 | 3,713,756 | 39.1 |
| 40 TO 45 | .0144 | 93,837 | 1,349 | 466,062 | 3,241,732 | 34.5 |
| 45 TO 50 | .0232 | 92,488 | 2,150 | 457,475 | 2,775,670 | 30.0 |
| 50 TO 55 | .0396 | 90,338 | 3,582 | 443,273 | 2,318,195 | 25.7 |
| 55 TO 60 | .0604 | 86,756 | 5,244 | 421,350 | 1,874,922 | 21.6 |
| 60 TO 65 | .0974 | 81,512 | 7,941 | 388,533 | 1,453,572 | 17.8 |
| 65 TO 70 | .1477 | 73,571 | 10,864 | 341,370 | 1,065,039 | 14.5 |
| 70 TO 75 | .2139 | 62,707 | 13,412 | 280,377 | 723,669 | 11.5 |
| 75 TO 80 | .3042 | 49,295 | 14,996 | 208,894 | 443,292 | 9.0 |
| 80 TO 85 | .4141 | 34,299 | 14,202 | 134,617 | 234,398 | 6.8 |
| 85 AND UP | 1.0000 | 20,097 | 20,097 | 99,781 | 99,781 | 5.0 |

TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 1986
FEMALE POPULATION

| AGE INTERVAL | PROPORTION DYING | OF 100,000 BOR | N ALIVE | STATIONARY | POPULATION | AVERAGE REMAINING LIFETIME |
|--|--|--|--|------------------------|--|--|
| PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS | PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL | NUMBER LIVING AT BEGINNING OF AGE INTERVAL | NUMBER DYING DURING AGE INTERVAL | IN THE AGE INTERVAL | IN THIS AND ALL SUBSEQUENT AGE INTERVALS | AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL |
| X TO X + N | N X | 1 X | N X | L N X | T X | E X |
| 00 TO 01 | .0094 | 100,000 | 944 | 99,164 | 7,850,762 | 78.5 |
| 01 TO 05 | .0019 | 99,056 | 188 | 395,769 | 7,751,598 | 78.3 |
| 05 TO 10 | .0011 | 98,868 | 105 | 494,052 | 7,355,829 | 74.4 |
| 10 TO 15 | .0010 | 98,763 | 98 | 493,583 | 6,861,777 | 69.5 |
| 15 TO 20 | .0026 | 98,665 | 261 | 492,714 | 6,368,194 | 64.5 |
| 20 TO 25 | .0025 | 98,404 | 241 | 491,438 | 5,875,480 | 59.7 |
| 25 TO 30 | .0031 | 98,163 | 308 | 490,079 | 5,384,042 | 54.8 |
| 30 TO 35 | .0038 | 97,855 | 369 | 488,404 | 4,893,963 | 50.0 |
| 35 TO 40 | .0053 | 97,486 | 517 | 486,221 | 4,405,559 | 45.2 |
| 40 TO 45 | .0077 | 96,969 | 751 | 483,092 | 3,919,338 | 40.4 |
| 45 TO 50 | .0120 | 96,218 | 1,152 | 478,398 | 3,436,246 | 35.7 |
| 50 TO 55 | .0219 | 95,066 | 2,077 | 470,425 | 2,957,848 | 31.1 |
| 55 TO 60 | .0349 | 92,989 | 3,249 | 457,315 | 2,487,423 | 26.7 |
| 60 TO 65 | .0533 | 89,740 | 4,783 | 437,434 | 2,030,108 | 22.6 |
| 65 TO 70 | .0803 | 84,957 | 6,823 | 408,669 | 1,592,674 | 18.7 |
| 70 TO 75 | .1211 | 78,134 | 9,462 | 368,204 | 1,184,005 | 15.2 |
| 75 TO 80 | .1825 | 68,672 | 12,532 | 313,214 | 815,801 | 11.9 |
| 80 TO 85 | .2785 | 56,140 | 15,635 | 241,461 | 502,587 | 9.0 |
| 85 AND UP | 1.0000 | 40,505 | 40,505 | 261,126 | 261,126 | 6.4 |

Graph F
Marriage Rates Per 1,000 Population
Missouri 1949-1986



AGE OF BRIDE

| AGE OF | | 15 AND | | | | | | | | | | | | | | |
|----------------------|--------|-----------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GROOM | TOTAL | UNDER | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| TOTAL | 49,579 | 451 | 656 | 1,322 | 2,846 | 3,163 | 3,123 | 3,218 | 3,497 | 3,251 | 2,827 | 2,569 | 2,134 | 1,869 | 1,729 | 1,589 |
| 15 AND UNDER | 7 | 1 | 4 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 YEARS | 68 | 14 | 16 | 14 | 11 | 4 | 2 | 2 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| 17 YEARS | 309 | 56 | 54 | 69 | 60 | 25 | 22 | 9 | 4 | 2 | 3 | 0 | 2 | 0 | 0 | 1 |
| 18 YEARS | 1,215 | 103 | 135 | 224 | 322 | 204 | 98 | 50 | 21 | 18 | 5 | 10 | 13 | 2 | 1 | 1 |
| 19 YEARS | 1,889 | 76 | 139 | 272 | 496 | 430 | 205 | 110 | 42 | 40 | 24 | 15 | 11 | 6 | 5 | 2 |
| 20 YEARS | 2,335 | 74 | 92 | 223 | 503 | 501 | 396 | 199 | 105 | 76 | 37 | 32 | 18 | 27 | 13 | 8 |
| 21 YEARS | 2,858 | 40 | 70 | 187 | 418 | 526 | 505 | 441 | 275 | 127 | 66 | 46 | 34 | 21 | 23 | 20 |
| 22 YEARS | 3,339 | 26 | 49 | 125 | 343 | 433 | 475 | 504 | 568 | 289 | 140 | 108 | 67 | 31 | 39 | 25 |
| 23 YEARS | 3,364 | 25 | 26 | 87 | 238 | 299 | 396 | 474 | 580 | 507 | 238 | 116 | 97 | 74 | 57 | 36 |
| 24 YEARS | 3,432 | 8 | 21 | 33 | 121 | 225 | 303 | 418 | 528 | 539 | 423 | 249 | 146 | 105 | 74 | 53 |
| 25 YEARS | 2,911 | 13 | 12 | 25 | 94 | 147 | 184 | 264 | 365 | 393 | 368 | 341 | 178 | 109 | 86 | 88 |
| 26 YEARS | 2,587 | 4 | 7 | 20 | 69 | 96 | 133 | 186 | 274 | 273 | 292 | 337 | 249 | 159 | 123 | 93 |
| 27 YEARS | 2,223 | 6 | 5 | 8 | 42 | 57 | 104 | 131 | 178 | 234 | 252 | 263 | 208 | 198 | 136 | 103 |
| 28 YEARS | 2,116 | 3 | 5 | 6 | 36 | 48 | 75 | 97 | 128 | 179 | 223 | 193 | 209 | 193 | 192 | 134 |
| 29 YEARS | 1,848 | 2 | 7 | 12 | 10 | 44 | 50 | 75 | 110 | 122 | 153 | 175 | 164 | 166 | 156 | 157 |
| 30 YEARS | 1,655 | 0 | 4 | 3 | 19 | 26 | 31 | 46 | 63 | 109 | 141 | 140 | 131 | 132 | 142 | 146 |
| 31 YEARS | 1,352 | 0 | 1 | 4 | 10 | 20 | 30 | 46 | 56 | 66 | 92 | 110 | 101 | 111 | 104 | 123 |
| 32 YEARS | 1,255 | 0 | 2 | 2 | 8 | 13 | 26 | 39 | 41 | 66 | 68 | 93 | 90 | 94 | 97 | 86 |
| 33 YEARS | 1,111 | 0 | 2 | 2 | 5 | 12 | 19 | 34 | 29 | 40 | 60 | 64 | 65 | 76 | 77 | 64 |
| 34 YEARS | 1,010 | 0 | 0 | 1 | 8 | 8 | 15 | 20 | 17 | 40 | 56 | 37 | 66 | 75 | 63 | 69 |
| 35-39 YEARS | 4,121 | 0 | 3 | 2 | 19 | 28 | 32 | 40 | 69 | 91 | 126 | 163 | 198 | 192 | 225 | 227 |
| 40-44 YEARS | 2,437 | 0 | 0 | 2 | 8 | 9 | 15 | 18 | 23 | 19 | 31 | 46 | 56 | 57 | 75 | 92 |
| 45-49 YEARS | 1,619 | 0 | 1 | 0 | 2 | 1 | 2 | 8 | 10 | 5 | 16 | 11 | 15 | 30 | 26 | 39 |
| 50-54 YEARS | 1,068 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 4 | 4 | 6 | 8 | 8 | 5 | 9 | 15 |
| 55-59 YEARS | 815 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 2 | 0 | 7 | 3 | 1 | 6 | 2 |
| 60-64 YEARS | 645 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 2 | 2 | 3 | 1 | 1 | 0 | 2 |
| 65-69 YEARS | 452 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 1 | 0 | 1 |
| 70-74 YEARS | 312 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| 75 YEARS AND OVER | 314 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| NOT STATED | 912 | 0 | 1 | 0 | 1 | 6 | 1 | 1 | 3 | 4 | 3 | 2 | 3 | 2 | 0 | 1 |

٧

| | | | | | | | AG | E OF BRI | (DE | | | | | | |
|--------------|-------|-------|-------|-----|--------|----------|-------|----------|-----|-----|-----|-----|-----|-----|--------|
| | | | | | | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | | |
| AGE OF | | | | | | TO | TO | TO | TO | TO | TO | TO | TO | | NOT |
| GROOM | 30 | 31 | 32 | 33 | 34 | 39 | 44 | 49 | 54 | 59 | 64 | 69 | 74 | 75+ | STATED |
| TOTAL | 1,429 | 1,144 | 1,098 | 922 | 914 | 3,484 | 2,007 | 1,147 | 709 | 447 | 407 | 332 | 195 | 140 | 960 |
| | _ | _ | | _ | _ | _ | _ | • | • | • | | 0 | 0 | 0 | 0 |
| 15 AND UNDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 YEARS | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 0 | 0 | o o | 0 | 0 | 0 | 0 | î |
| 17 YEARS | 0 | 0 | 0 | 0 | 1 | 0 3 | 0 | 0 | 0 | . 0 | Ö | Ö | 0 | ő | õ |
| 18 YEARS | 2 | 2 | 0 | 1 | 0 | 2 | 3 | 0 | 0 | 0 | Ö | Ö | Õ | Ô | 3 |
| 19 YEARS | 5 | 0 | 1 | 0 | 2 4 | 7 | 1 | 2 | 0 | 1 | Ô | 0 | Ŏ | ő | 3 |
| 20 YEARS | 5 | 0 | 6 | 2 | - | 11 | 4 | 0 | 0 | Ō | 0 | Ô | Ô | 0 | 6 |
| 21 YEARS | 10 | 10 | 7 | .5 | 6 | | 5 | 2 | 1 | 0 | Ö | 0 | Ö | ő | 6 |
| 22 YEARS | 29 | 25 | 16 | 11 | 5 | 17 18 | 7 | 2 | Ō | Ö | 0 | 0 | Ô | ő | 6 |
| 23 YEARS | 25 | 14 | 15 | 15 | 12 | 37 | 5 | 1 | 0 | 0 | Ö | Ö | ő | ő | 4 |
| 24 YEARS | 49 | 36 | 26 | 18 | 10 | 37 | 5 | 1 | U | U | U | U | Ū | · | • |
| 25 YEARS | 56 | 38 | 37 | 28 | 20 | 48 | 8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 8 |
| 26 YEARS | 72 | 46 | 36 | 26 | 20 | 49 | 12 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 27 YEARS | 66 | 50 | 48 | 37 | 24 | 59 | 9 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 YEARS | 89 | 69 | 47 | 35 | 40 | 83 | 20 | 7 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| 29 YEARS | 105 | 77 | 43 | 53 | 38 | 91 | 24 | 5 | 3 | 0 | 1 | 0 | 0 | 0 | 5 |
| 30 YEARS | 133 | 65 | 68 | 55 | 41 | 118 | 29 | 5 | 1 | 1 | 0 | 0 | 1 | 0 | 5 |
| 31 YEARS | 102 | 87 | 74 | 37 | 37 | 111 | 21 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 32 YEARS | 94 | 91 | 81 | 55 | 40 | 124 | 30 | 9 | 2 | 0 | 0 | 2 | 0 | 0 | 2 |
| 33 YEARS | 85 | 82 | 70 | 66 | 52 | 142 | 52 | 4 | 7 | 1 | 1 | 0 | 0 | 0 | 0 |
| 34 YEARS | 77 | 70 | 60 | 60 | 46 | 163 | 49 | 5 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| 35-39 YEARS | 260 | 233 | 271 | 245 | 258 | 981 | 332 | 90 | 18 | 6 | 1 | 2 | 0 | 0 | 9 |
| 40-44 YEARS | 99 | 84 | 115 | 91 | 145 | 722 | 495 | 172 | 39 | 10 | 4 | 2 | 0 | 0 | 8 |
| 45-49 YEARS | 37 | 40 | 32 | 41 | 62 | 403 | 439 | 275 | 87 | 16 | 14 | 3 | 0 | 0 | 4 |
| 50-54 YEARS | 14 | 15 | 24 | 28 | 34 | 166 | 217 | 257 | 166 | 49 | 23 | 4 | 1 | 3 | 3 |
| 55-59 YEARS | 10 | 4 | 14 | 6 | 7 | 73 | 164 | 150 | 177 | 110 | 53 | 13 | 4 | 2 | 3 |
| 60-64 YEARS | 1 | 3 | 2 | 4 | 7 | 36 | 56 | 88 | 120 | 120 | 129 | 52 | 9 | 2 | 1 |
| 65-69 YEARS | 3 | ō | 3 | 1 | 1 | 10 | 9 | 42 | 56 | 79 | 109 | 99 | 25 | 9 | 0 |
| 70-74 YEARS | Õ | ĭ | Ō | ō | ī | 4 | 10 | 12 | 17 | 36 | 48 | 91 | 66 | 21 | 1 |
| 75 YEARS | ŏ | ō | Õ | ì | ō | 4 | 5 | 3 | 6 | 17 | 24 | 62 | 89 | 102 | 0 |
| AND OVER | · | · | J | - | • | · | _ | | | | | | | | |
| NOT STATED | 1 | 2 | 2 | 0 | 1 | 2 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 873 |

TABLE 31 REPORTED MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: MISSOURI 1986

BRIDE GROOM

| | | DK | TDC | | | GR | OUN | |
|------------------------|--------|-----------------|---------|----------|--------|--------|---------|-----------------|
| AGE | TOTAL | SINGLE | MIDOMED | DIVORCED | TOTAL | SINGLE | MIDOWED | DIVORCED |
| TOTAL | 49,579 | 29,162 | 1,851 | 17,084 | 49,579 | 29,220 | 1,667 | 17,183 |
| UNDER 15 YEARS | 23 | 23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 YEARS | 428 | 426 | 0 | 1 | 7 | 7 | 0 | 0 |
| 16 YEARS | 656 | 647 | 1 | 4 | 68 | 65 | 0 | 1 |
| 17 YEARS | 1,322 | 1,300 | 0 | 13 | 309 | 307 | 0 | 1 |
| 18 YEARS | 2,846 | 2,759 | 0 | 60 | 1,215 | 1,205 | 0 | 4 |
| 19 YEARS | 3,163 | 3,004 | 3 | 134 | 1,889 | 1,859 | 1 | 20 |
| 20 YEARS | 3,123 | 2,870 | 5 | 229 | 2,335 | 2,251 | 2 | 59 |
| 21 YEARS | 3,218 | 2,824 | 3 | 358 | 2,858 | 2,738 | 2 | 95 |
| 22 YEARS | 3,497 | 2,967 | 10 | 486 | 3,339 | 3,087 | 1 | 217 |
| 23 YEARS | 3,251 | 2,540 | 16 | 650 | 3,364 | 2,994 | 1 | 336 |
| 24 YEARS | 2,827 | 2,032 | 13 | 753 | 3,432 | 2,923 | 3 | 472 |
| 25 YEARS | 2,569 | 1,730 | 15 | 802 | 2,911 | 2,338 | 6 | 542 |
| 26 YEARS | 2,134 | 1,248 | 22 | 837 | 2,587 | 1,930 | 3 | 630 |
| 27 YEARS | 1,869 | 1,025 | 21 | 804 | 2,223 | 1,539 | 10 | 650 |
| 28 YEARS | 1,729 | 825 | 12 | 871 | 2,116 | 1,306 | 4 | 771 |
| 29 YEARS | 1,589 | 651 | 22 | 895 | 1,848 | 1,009 | 10 | 810 |
| 30 YEARS | 1,429 | 514 | 22 | 866 | 1,655 | 839 | 10 | 78 9 |
| 31 YEARS | 1,144 | 358 | 25 | 744 | 1,352 | 566 | 14 | 755 |
| 32 YEARS | 1,098 | 26 9 | 19 | 793 | 1,255 | 477 | 14 | 747 |
| 33 YEARS | 922 | 218 | 19 | 671 | 1,111 | 360 | 7 | 725 |
| 34 YEARS | 914 | 177 | 23 | 696 | 1,010 | 266 | 11 | 714 |
| 35-39 YEARS | 3,484 | 450 | 133 | 2,843 | 4,121 | 713 | 62 | 3,258 |
| 40-44 YEARS | 2,007 | 122 | 151 | 1,694 | 2,437 | 182 | 70 | 2,134 |
| 45-49 YEARS | 1,147 | 50 | 170 | 902 | 1,619 | 93 | 84 | 1,413 |
| 50-54 YEARS | 709 | 36 | 194 | 465 | 1,068 | 57 | 133 | 847 |
| 55-59 YEARS | 447 | 29 | 180 | 224 | 815 | 31 | 198 | 567 |
| 60-64 YEARS | 407 | 12 | 242 | 137 | 645 | 26 | 277 | 324 |
| 65-69 YEARS | 332 | 5 | 242 | 72 | 452 | 14 | 275 | 154 |
| 70-74 YEARS | 195 | 0 | 164 | 28 | 312 | 0 | 211 | 86 |
| 75 YEARS AND OVER | 140 | 2 | 120 | 14 | 314 | 7 | 258 | 43 |
| UNKNOWN | 960 | 49 | 4 | 38 | 912 | 31 | 0 | 19 |
| MEDIAN AGE AT MARRIAGE | 25.0 | 22.2 | 55.7 | 32.0 | 27.0 | 24.0 | 63.4 | 35.4 |

TABLE 32 REPORTED MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: MISSOURI 1986

| | | | GROOM | | |
|----------|--------|--------|---------|----------|---------|
| BRIDE | TOTAL | SINGLE | MIDOMED | DIVORCED | UNKNOWN |
| TOTAL | 49,579 | 29,220 | 1,667 | 17,183 | 1,509 |
| SINGLE | 29,162 | 23,833 | 123 | 5,113 | 93 |
| MIDOMED | 1,851 | 197 | 835 | 798 | 21 |
| DIVORCED | 17,084 | 5,103 | 693 | 11,197 | 91 |
| UNKNOWN | 1,482 | 87 | 16 | 75 | 1,304 |

TABLE 33 REPORTED MARRIAGES BY RACE OF BRIDE BY RACE OF GROOM: MISSOURI 1986

RACE OF GROOM RACE OF BRIDE TOTAL WHITE BLACK OTHER UNKNOWN TOTAL 49,579 43,016 4,561 232 1,770 WHITE 43,235 42,747 353 101 34 BLACK 4,279 93 4,179 1 OTHER 279 136 20 123 UNKNOWN 1,786 40 9 2 1,735

| TABLE 34A | REPORTED MARRIAGES | BY COUNTY (| OF RECORDING W | IITH RATES PER 1,000 | POPULATION: MISSO | URI 1986 | |
|----------------|--------------------|-------------|----------------|----------------------|-------------------|----------|------|
| COUNTIES | POPULATION | MARR: | [AGES | COUNTIES | POPULATION | MARRI | AGES |
| | (ALL AGES) | NUMBER | RATE | | (ALL AGES) | NUMBER | RATE |
| STATE TOTAL | 5,066,000 | 49,579 | 9.8 | GRUNDY | 11,200 | 105 | 9.4 |
| ADAIR | 23,900 | 258 | 10.8 | HARRISON | 9,400 | 95 | 10.1 |
| ANDREW | 14,900 | 115 | 7.7 | HENRY | 20,000 | 192 | 9.6 |
| ATCHISON | 8,000 | 100 | 12.5 | HICKORY | 7,000 | 52 | 7.4 |
| AUDRAIN | 25,400 | 219 | 8.6 | HOLT | 6,500 | 54 | 8.3 |
| BARRY | 26,300 | 231 | 8.8 | HOWARD | 9,800 | 53 | 5.4 |
| BARTON | 11,400 | 77 | 6.8 | HOWELL | 30,000 | 316 | 10.5 |
| BATES | 15,800 | 130 | 8.2 | IRON | 10,800 | 83 | 7.7 |
| BENTON | 12,900 | 75 | 5.8 | JACKSON | 636,400 | 6,823 | 10.7 |
| BOLLINGER | 10,700 | 81 | 7.6 | JASPER | 89,500 | 877 | 9.8 |
| BOONE | 106,300 | 1,016 | 9.6 | JEFFERSON | 163,800 | 1,350 | 8.2 |
| BUCHANAN | 85,800 | 850 | 9.9 | JOHNSON | 38,000 | 396 | 10.4 |
| BUTLER | 38,300 | 492 | 12.8 | KNOX | 4,900 | 42 | 8.6 |
| CALDWELL | 8,100 | 59 | 7.3 | LACLEDE | 26,300 | 298 | 11.3 |
| CALLAWAY | 31,800 | 200 | 6.3 | LAFAYETTE | 30,500 | 227 | 7.4 |
| CAMDEN | 25,200 | 286 | 11.3 | LAWRENCE | 30,400 | 287 | 9.4 |
| CAPE GIRARDEAU | 61,300 | 701 | 11.4 | LEWIS | 10,600 | 66 | 6.2 |
| CARROLL | 11,400 | 85 | 7.5 | LINCOLN | 26,100 | 250 | 9.6 |
| CARTER | 5,800 | 66 | 11.4 | LINN | 14,700 | 108 | 7.3 |
| CASS | 57,300 | 674 | 11.8 | LIVINGSTON | 15,100 | 141 | 9.3 |
| CEDAR | 12,400 | 60 | 4.8 | MC DONALD | 15,900 | 145 | 9.1 |
| CHARITON | 10,000 | 86 | 8.6 | MACON | 16,700 | 131 | 7.8 |
| CHRISTIAN | 27,100 | 232 | 8.6 | MADISON | 11,400 | 123 | 10.8 |
| CLARK | 8,000 | 120 | 15.0 | MARIES | 8,000 | 69 | 8.6 |
| CLAY | 144,900 | 1,411 | 9.7 | MARION | 28,600 | 427 | 14.9 |
| CLINTON | 16,400 | 85 | 5.2 | MERCER | 4,100 | 42 | 10.2 |
| COLE | 63,600 | 799 | 12.6 | MILLER | 21,100 | 196 | 9.3 |
| COOPER | 15,300 | 139 | 9.1 | MISSISSIPPI | 15,500 | 167 | 10.8 |
| CRAWFORD | 19,200 | 190 | 9.9 | MONITEAU | 12,800 | 102 | 8.0 |
| DADE | 7,500 | 48 | 6.4 | MONROE | 9,500 | 52 | 5.5 |
| DALLAS | 12,800 | 87 | 6.8 | MONTGOMERY | 11,400 | 75 | 6.6 |
| DAVIESS | 8,500 | 62 | 7.3 | MORGAN | 15,600 | 143 | 9.2 |
| DE KALB | 8,100 | 70 | 8.6 | NEW MADRID | 21,800 | 193 | 8.9 |
| DENT | 14,300 | 149 | 10.4 | NEWTON | 43,400 | 397 | 9.1 |
| DOUGLAS | 12,200 | 102 | 8.4 | NODAWAY | 21,100 | 167 | 7.9 |
| DUNKLIN | 34,400 | 404 | 11.7 | OREGON | 9,900 | 69 | 7.0 |
| FRANKLIN | 77,900 | 794 | 10.2 | OSAGE | 12,100 | 70 | 5.8 |
| GASCONADE | 13,500 | 112 | 8.3 | OZARK | 8,700 | 68 | 7.8 |
| GENTRY | 7,400 | 52 | 7.0 | PEMISCOT | 23,600 | 223 | 9.4 |
| GREENE | 198,200 | 2,142 | 10.8 | PERRY | 17,100 | 155 | 9.1 |

TABLE 34A (CONT) REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 1986

| COUNTIES | S POPULATION MARRIAGES | | AGES | COUNTIES | POPULATION | MARRIAGES | | |
|------------------|------------------------|--------|-------------|-------------------|------------|-----------|------|--|
| | (ALL AGES) | NUMBER | RATE | | (ALL AGES) | NUMBER | RATE | |
| PETTIS | 36,000 | 386 | 10.7 | SALINE | 24,500 | 215 | 8.8 | |
| PHELPS | 34,300 | 355 | 10.3 | SCHUYLER | 4,500 | 44 | 9.8 | |
| PIKE | 16,700 | 212 | 12.7 | SCOTLAND | 5,100 | 82 | 16.1 | |
| PLATTE | 51,000 | 474 | 9.3 | SCOTT | 40,200 | 471 | 11.7 | |
| POLK | 20,300 | 169 | 8.3 | SHANNON | 7,800 | 50 | 6.4 | |
| PULASKI | 44,500 | 556 | 12.5 | SHELBY | 7,300 | 49 | 6.7 | |
| PUTNAM | 5,500 | 53 | 9.6 | STODDARD | 28,700 | 343 | 12.0 | |
| RALLS | 8,900 | 105 | 11.8 | STONE | 18,000 | 150 | 8.3 | |
| RANDOLPH | 26,200 | 279 | 10.6 | SULLIVAN | 6,800 | 43 | 6.3 | |
| RAY | 22,100 | 195 | 8.8 | TANEY | 24,700 | 281 | 11.4 | |
| REYNOLDS | 6,600 | 47 | 7.1 | TEXAS | 21,500 | 196 | 9.1 | |
| RIPLEY | 12,800 | 132 | 10.3 | VERNON | 19,800 | 216 | 10.9 | |
| ST. CHARLES | 181,900 | 1,724 | 9.5 | WARREN | 18,200 | 177 | 9.7 | |
| ST. CLAIR | 8,400 | 65 | 7 .7 | WASHINGTON | 19,000 | 159 | 8.4 | |
| ST. FRANCOIS | 44,200 | 506 | 11.4 | WAYNE | 11,700 | 98 | 8.4 | |
| STE. GENEVIEVE | 16,000 | 122 | 7.6 | WEBSTER | 22,700 | 213 | 9.4 | |
| ST. LOUIS CITY | 426,100 | 5,480 | 12.9 | WORTH | 2,700 | 26 | 9.6 | |
| ST. LOUIS COUNTY | 993,300 | 8,080 | 8.1 | WRIGHT | 16,400 | 138 | 8.4 | |


TABLE 34B REPORTED MARRIAGES WITH RATES BY REGIONAL PLANNING COMMISSION OF RECORDING: MISSOURI 1986

| RPC'S | POPULATION | MARRIAGES | RATE | RPC'S | POPULATION | MARRIAGES | RATE |
|---------------------|------------|-----------|------|---------------------|------------|-----------|------|
| MAJOR METRO REGIONS | | | | BOONSLICK | 55,700 | 502 | 9.0 |
| EAST-WEST GATEWAY | 1,843,000 | 17,428 | 9.5 | KAYSINGER BASIN | 96,300 | 790 | 8.2 |
| MID-AMERICA | 911,700 | 9,577 | 10.5 | SHOW-ME | 104,500 | 1,009 | 9.7 |
| MINOR METRO REGIONS | | | | SOUTH CENTRAL OZARK | 106,500 | 939 | 8.8 |
| SOUTHWEST MISSOURI | 388,000 | 3,840 | 9.9 | MERAMEC | 108,300 | 1,034 | 9.5 |
| MID-MISSOURI | 277,100 | 2,598 | 9.4 | LAKE OF THE OZARKS | 132,700 | 1,479 | 11.1 |
| MO-KAN | 125,200 | 1,120 | 8.9 | | | | |
| OZARK GATEWAY | 160,200 | 1,496 | 9.3 | SOUTHEAST MISSOURI | 171,500 | 1,771 | 10.3 |
| | | | | BOOTHEEL | 164,200 | 1,801 | 11.0 |
| NONMETRO REGIONS | | | | OZARK FOOTHILLS | 75,200 | 835 | 11.1 |
| NORTHWEST MISSOURI | 45,700 | 399 | 8.7 | | | | |
| GREEN HILLS | 83,400 | 708 | 8.5 | MAJOR METRO TOTAL | 2,754,700 | 27,005 | 9.8 |
| MISSOURI VALLEY | 45,900 | 386 | 8.4 | MINOR METRO TOTAL | 950,500 | 9,054 | 9.5 |
| | • | | | NONMETRO TOTAL | 1,360,800 | 13,520 | 9.9 |
| NORTHEAST MISSOURI | 46,400 | 546 | 11.8 | | | | |
| MARK TWAIN | 124,500 | 1,321 | 10.6 | STATE TOTAL | 5,066,000 | 49,579 | 9.8 |

Graph G

Dissolution Rates Per 1,000 Population

Missouri 1949-1986



TYPE OF DECREE

TOTAL DISSOLUTION INVALIDITY LEGAL SEPARATION
25,575 25,420 46 109

TABLE 36

REPORTED DISSOLUTIONS AND INVALIDITIES BY NUMBER OF PREVIOUS MARRIAGES, HUSBAND BY WIFE: MISSOURI 1986

WIFE

| | | | | | | | FIVE | |
|--------------|--------|--------|-------|-------|-------|------|---------|---------|
| HUSBAND | TOTAL | NONE | ONE | TWO | THREE | FOUR | OR MORE | UNKNOWN |
| TOTAL | 25,466 | 16,445 | 5,819 | 1,792 | 530 | 158 | 84 | 638 |
| NONE | 16,047 | 13,763 | 1,805 | 324 | 80 | 21 | 8 | 46 |
| ONE | 5,991 | 2,093 | 2,832 | 776 | 187 | 47 | 35 | 21 |
| THO | 1,965 | 420 | 838 | 473 | 153 | 45 | 19 | 17 |
| THREE | 515 | 94 | 183 | 124 | 73 | 25 | 12 | 4 |
| FOUR | 189 | 24 | 73 | 51 | 20 | 13 | . 5 | 3 |
| FIVE OR MORE | 95 | 13 | 37 | 24 | 10 | 4 | 5 | 2 |
| UNKNOWN | 664 | 38 | 51 | 20 | 7 | 3 | 0 | 545 |

TABLE 37 REPORTED DISSOLUTIONS AND INVALIDITIES BY DURATION OF MARRIAGE: MISSOURI 1986

| DURATION | DISSOLUTIONS | DURATION | DISSOLUTIONS | DURATION | DISSOLUTIONS |
|--------------|--------------|----------|--------------|-------------------|--------------|
| TOTAL | 25,466 | 8 YEARS | 1,008 | 17 YEARS | 398 |
| UNDER 1 YEAR | 1,287 | 9 YEARS | 911 | 18 YEARS | 366 |
| 1 YEAR | 2,428 | 10 YEARS | 850 | 19 YEARS | 314 |
| 2 YEARS | 2,559 | 11 YEARS | 735 | 20-24 YEARS | 1,272 |
| 3 YEARS | 2,386 | 12 YEARS | 633 | 25-29 YEARS | 703 |
| 4 YEARS | 2,028 | 13 YEARS | 647 | 30-34 YEARS | 362 |
| 5 YEARS | 1,822 | 14 YEARS | 553 | 35-39 YEARS | 192 |
| 6 YEARS | 1,592 | 15 YEARS | 470 | 40 YEARS AND OVER | 110 |
| 7 YEARS | 1,234 | 16 YEARS | 486 | UNKNOWN | 120 |

| TABLE 38 | REPORTED DISSOLU | JTIONS AND INVALIDI | TIES BY NUMBER OF | CHILDREN AFFECTED | MISSOURI 1986 |
|-------------|------------------|---------------------|-------------------|-------------------|---------------|
| CHILDREN | DISSOLUTIONS | CHILDREN | DISSOLUTIONS | CHILDREN | DISSOLUTIONS |
| TOTAL | 25,466 | TWO CHILDREN | 5,040 | FIVE CHILDREN | 66 |
| NO CHILDREN | 11,509 | THREE CHILDREN | 1,589 | SIX CHILDREN | 14 |
| ONE CHILD | 6,547 | FOUR CHILDREN | 340 | SEVEN OR MORE | 3 |

TABLE 39 REPORTED DISSOLUTIONS AND INVALIDITIES BY PETITIONER BY DISPOSITION OF CHILDREN: MISSOURI 1986

CUSTODY GIVEN TO

| PETITIONER | TOTAL | HUSBAND | WIFE | GUARDIAN | вотн | OTHER | NO CHILDREN | UNKNOMN |
|------------------|--------|---------|--------|----------|-------|-------|-------------|---------|
| TOTAL | 25,466 | 1,205 | 10,587 | 4 | 1,143 | 50 | 11,380 | 1,097 |
| HUSBAND | 8,520 | 833 | 2,475 | 3 | 532 | 20 | 4,305 | 352 |
| WIFE | 16,059 | 339 | 7,877 | 1 | 555 | 28 | 6,612 | 647 |
| HUSBAND AND WIFE | 429 | 18 | 128 | 0 | 45 | 0 | 217 | 21 |
| OTHER | 3 | 0 | 1 | 0 | 0 | 0 | 2 | 0 |
| UNKNOWN | 455 | 15 | 106 | 0 | 11 | 2 | 244 | 77 |

TABLE 40 REPORTED DISSOLUTIONS AND INVALIDITIES BY TYPE OF MAINTENANCE AND SETTLEMENT: MISSOURI 1986

| TYPE SETTLEMENT | DISSOLUTIONS | TYPE Settlement | DISSOLUTIONS |
|---------------------------|--------------|----------------------------------|--------------|
| TOTAL | 25,466 | SUPPORT TO CHILDREN | 9,162 |
| NO MAINTENANCE OR SUPPORT | 12,265 | MAINTENANCE AND CHILD SUPPORT | 1,127 |
| MAINTENANCE TO WIFE | 582 | MAINTENANCE OR SUPPORT TO OTHERS | 198 |
| MAINTENANCE TO HUSBAND | 4 | UNKNOWN | 2,087 |
| PROPERTY SETTLEMENT | 41 | | |

TABLE 41 REPORTED DISSOLUTIONS AND INVALIDITIES BY AGE OF WIFE BY AGE OF HUSBAND:MISSOURI 1986 AGE OF HUSBAND AGE OF UNDER 65 AND WIFE TOTAL 20-24 25-29 30-34 35-39 40-44 45-54 55-64 OVER UNKNOWN TOTAL 25,466 3,041 5,361 4,816 4,001 2,824 2,984 1,146 UNDER 20 20-24 4,649 2,110 1,881 25-29 5,614 2,697 1,719 30-34 4,580 2,027 1,375 35-39 3,665 1,587 40-44 2,340 45-54 2,111 1,259 55-64 65 AND OVER UNKNOWN

REPORTED DISSOLUTIONS AND INVALIDITIES BY RACE, WIFE BY HUSBAND: MISSOURI 1986 TABLE 42 HUSBAND TOTAL MHITE BLACK OTHER UNKNOWN WIFE TOTAL 25,466 22,634 2,157 WHITE 22,702 22,481 BLACK 2,075 2,039 OTHER UNKNOWN

| TABLE 43A | REPORTED DISSOLUT | IONS AND INVALID | ITIES BY COUNT | TY OF RECORDING W | ITH RATES PER 1,000 | POPULATION: MIS | SSOURI 1986 |
|-----------------|-------------------|------------------|----------------|-------------------|---------------------|-----------------|-------------|
| COUNTIES | POPULATION | DISSOL | UTIONS | COUNTIES | POPULATION | DISSOL | LUTIONS |
| | (ALL AGES) | NUMBER | RATE | | (ALL AGES) | NUMBER | RATE |
| STATE TOTAL | 5,066,000 | 25,466 | 5.0 | GRUNDY | 11,200 | 65 | 5.8 |
| ADAIR | 23,900 | 135 | 5.6 | HARRISON | 9,400 | 43 | 4.6 |
| ANDREW | 14,900 | 66 | 4.4 | HENRY | 20,000 | 113 | 5.7 |
| ATCHISON | 8,000 | 29 | 3.6 | HICKORY | 7,000 | 31 | 4.4 |
| AUDRAIN | 25,400 | 114 | 4.5 | HOLT | 6,500 | 19 | 2.9 |
| BARRY | 26,300 | 109 | 4.1 | HOWARD | 9,800 | 33 | 3.4 |
| BARTON | 11,400 | 52 | 4.6 | HOWELL | 30,000 | 157 | 5.2 |
| BATES | 15,800 | 62 | 3.9 | IRON | 10,800 | 58 | 5.4 |
| BENTON | 12,900 | 44 | 3.4 | JACKSON | 636,400 | 3,937 | 6.2 |
| BOLLINGER | 10,700 | 33 | 3.1 | JASPER | 89,500 | 632 | 7.1 |
| BOONE | 106,300 | 551 | 5.2 | JEFFERSON | 163,800 | 797 | 4.9 |
| BUCHANAN | 85,800 | 551 | 6.4 | JOHNSON | 38,000 | 194 | 5.1 |
| BUTLER | 38,300 | 299 | 7.8 | KNOX | 4,900 | 11 | 2.2 |
| CALDWELL | 8,100 | 26 | 3.2 | LACLEDE | 26,300 | 171 | 6.5 |
| CALLAWAY | 31,800 | 156 | 4.9 | LAFAYETTE | 30,500 | 135 | 4.4 |
| CAMDEN | 25,200 | 119 | 4.7 | LAWRENCE | 30,400 | 120 | 3.9 |
| CAPE GIRARDEAU | | 334 | 5.4 | LEWIS | 10,600 | 43 | 4.1 |
| CARROLL | 11,400 | 50 | 4.4 | LINCOLN | 26,100 | 114 | 4.4 |
| CARTER | 5,800 | 36 | 6.2 | LINN | 14,700 | 52 | 3.5 |
| CASS | 57,300 | 302 | 5.3 | LIVINGSTON | 15,100 | 74 | 4.9 |
| CEDAR | 12,400 | 63 | 5.1 | MC DONALD | 15,900 | 19 | 1.2 |
| CHARITON | 10,000 | 31 | 3.1 | MACON | 16,700 | 75 | 4.5 |
| CHRISTIAN | 27,100 | 191 | 7.0 | MADISON | 11,400 | 44 | 3.9 |
| CLARK | 8,000 | 44 | 5.5 | MARIES | 8,000 | 36 | 4.5 |
| CLAY | 144,900 | 784 | 5.4 | MARION | 28,600 | 184 | 6.4 |
| CLINTON | 16,400 | 92 | 5.6 | MERCER | 4,100 | 20 | 4.9 |
| COLE | 63,600 | 331 | 5.2 | MILLER | 21,100 | 76 | 3.6 |
| COOPER | 15,300 | 51 | 3.3 | MISSISSIPPI | 15,500 | 94 | 6.1 |
| CRAWFORD | 19,200 | 115 | 6.0 | MONITEAU | 12,800 | 59 | 4.6 |
| DADE | 7,500 | 39 | 5.2 | MONROE | 9,500 | 37 | 3.9 |
| DALLAS | 12,800 | 52 | 4.1 | MONTGOMERY | 11,400 | 49 | 4.3 |
| DAVIESS | 8,500 | 28 | 3.3 | MORGAN | 15,600 | 66 | 4.2 |
| | 8,100 | 12 | 1.5 | NEW MADRID | 21,800 | 108 | 5.0 |
| DE KALB DENT | 14,300 | 61 | 4.3 | NEWTON | 43,400 | 168 | 3.9 |
| DOUGLAS | 12,200 | 46 | 3.8 | NODAWAY | 21,100 | 71 | 3.4 |
| DIAN/I Thi | 34,400 | 236 | 6.9 | OREGON | 9,900 | 24 | 2.4 |
| DUNKLIN | 54,400 77,900 | 256 361 | 4.6 | OSAGE | 12,100 | 17 | 1.4 |
| FRANKLIN | 77,900 13,500 | 50 | 3.7 | OZARK | 8,700 | 45 | 5.2 |
| GASCONADE | 7,400 | 20 | 2.7 | PEMISCOT | 23,600 | 143 | 6.1 |
| GENTRY | 7,400 198,200 | 1,153 | 5.8 | PERRY | 17,100 | 48 | 2.8 |
| GREENE | 170,200 | 1,123 | 9,0 | 1, FWV.1 | 17,100 | 70 | 2.5 |

TABLE 43A (CONT) REPORTED DISSOLUTIONS AND INVALIDITIES BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 1986

| COUNTIES | POPULATION | DISSOLUTIONS | | COUNTIES | POPULATION | DISSOLUTIONS | |
|------------------|------------|--------------|------|------------|------------|--------------|------|
| | (ALL AGES) | NUMBER | RATE | | (ALL AGES) | NUMBER | RATE |
| PETTIS | 36,000 | 216 | 6.0 | SALINE | 24,500 | 107 | 4.4 |
| PHELPS | 34,300 | 132 | 3.8 | SCHUYLER | 4,500 | 27 | 6.0 |
| PIKE | 16,700 | 70 | 4.2 | SCOTLAND | 5,100 | 19 | 3.7 |
| PLATTE | 51,000 | 334 | 6.5 | SCOTT | 40,200 | 263 | 6.5 |
| POLK | 20,300 | 50 | 2.5 | SHANNON | 7,800 | 35 | 4.5 |
| PULASKI | 44,500 | 218 | 4.9 | SHELBY | 7,300 | 37 | 5.1 |
| PUTNAM | 5,500 | 22 | 4.0 | STODDARD | 28,700 | 208 | 7.2 |
| RALLS | 8,900 | 43 | 4.8 | STONE | 18,000 | 65 | 3.6 |
| RANDOLPH | 26,200 | 152 | 5.8 | SULLIVAN | 6,800 | 22 | 3.2 |
| RAY | 22,100 | 141 | 6.4 | TANEY | 24,700 | 159 | 6.4 |
| REYNOLDS | 6,600 | 16 | 2.4 | TEXAS | 21,500 | 90 | 4.2 |
| RIPLEY | 12,800 | 85 | 6.6 | VERNON | 19,800 | 125 | 6.3 |
| ST. CHARLES | 181,900 | 1,056 | 5.8 | WARREN | 18,200 | 75 | 4.1 |
| ST. CLAIR | 8,400 | 58 | 6.9 | WASHINGTON | 19,000 | 68 | 3.6 |
| ST. FRANCOIS | 44,200 | 263 | 6.0 | WAYNE | 11,700 | 46 | 3.9 |
| STE. GENEVIEVE | 16,000 | 41 | 2.6 | WEBSTER | 22,700 | 122 | 5.4 |
| ST. LOUIS CITY | 426,100 | 1,761 | 4.1 | WORTH | 2,700 | 8 | 3.0 |
| ST. LOUIS COUNTY | 993,300 | 4,228 | 4.3 | WRIGHT | 16,400 | 94 | 5.7 |

TABLE 43B REPORTED DISSOLUTIONS AND INVALIDITIES WITH RATES BY REGIONAL PLANNING COMMISSION OF RECORDING: MISSOURI 1986

| RPC'S | POPULATION | DISSOLUTIONS | RATE | RPC'S | POPULATION | DISSOLUTIONS | RATE |
|---------------------|------------|--------------|------|---------------------|------------|--------------|------|
| MAJOR METRO REGIONS | | | | BOONSLICK | 55,700 | 238 | 4.3 |
| EAST-WEST GATEWAY | 1,843,000 | 8,203 | 4.5 | KAYSINGER BASIN | 96,300 | 496 | 5.2 |
| MID-AMERICA | 911,700 | 5,498 | 6.0 | SHOW-ME | 104,500 | 545 | 5.2 |
| MINOR METRO REGIONS | | | | SOUTH CENTRAL OZARK | 106,500 | 491 | 4.6 |
| SOUTHWEST MISSOUR | 388,000 | 2,060 | 5.3 | MERAMEC | 108,300 | 462 | 4.3 |
| MID-MISSOURI | 277,100 | 1,312 | 4.7 | LAKE OF THE OZARKS | 132,700 | 650 | 4.9 |
| MO-KAN | 125,200 | 721 | 5.8 | | | | |
| OZARK GATEWAY | 160,200 | 871 | 5.4 | SOUTHEAST MISSOURI | 171,500 | 821 | 4.8 |
| | | | | BOOTHEEL | 164,200 | 1,052 | 6.4 |
| NONMETRO REGIONS | | | | OZARK FOOTHILLS | 75,200 | 482 | 6.4 |
| NORTHWEST MISSOUR | 45,700 | 147 | 3.2 | | | | |
| GREEN HILLS | 83,400 | 352 | 4.2 | MAJOR METRO TOTAL | 2,754,700 | 13,701 | 5.0 |
| MISSOURI VALLEY | 45,900 | 188 | 4.1 | MINOR METRO TOTAL | 950,500 | 4,964 | 5.2 |
| | | | | NONMETRO TOTAL | 1,360,800 | 6,801 | 5.0 |
| NORTHEAST MISSOURI | 46,400 | 236 | 5.1 | | | | |
| MARK TWAIN | 124,500 | 641 | 5.1 | STATE TOTAL | 5,066,000 | 25,466 | 5.0 |

APPENDIX

RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates. Rates based on less than 20 events are very unstable.

VITAL RECORDS

Vital Statistics in Missouri are compiled from six basic records which are filed with the Department of Health by State Law. These records are: (1) live birth records, (2) death records, and (3) fetal death records each beginning with 1911; (4) marriage, and (5) divorce records, beginning with 1949; and (6) abortion records beginning in 1975.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, and deaths to include in resident data events occurring to Missouri residents in other states. Missouri also has an arrangement with Kansas and Tennessee for the exchange of abortion data. Before 1984, Missouri received abortion records from Illinois, but Missouri no longer receives these records.

The data within this report represents the 1986 calendar year of events. Records have been accepted through March 15 of 1987 before cut-off, allowing 1986 events to be as complete as possible.

SOURCES

Except where noted, historical vital statistics data are taken from annual vital statistics reports of the Missouri Department of Health.

POPULATION

County population estimates used in this report are provisional estimates of population, July 1, 1986 developed by the Bureau of the Census in cooperation with the Division of Budget and Planning, Office of Administration. The source of the 1911-1969 state total estimates is the Bureau of the Census' P-25 series. 1971-1979 state estimates were obtained from the Bureau of the Census publication "Preliminary Intercensal Estimates of the Population of Counties." Age-sex specific population estimates were developed by the Missouri Center for Health Statistics from control totals provided by the U.S. Bureau of the Census (also in the P-25 series). City population estimates for July 1, 1986 are derived from preliminary July 1, 1984 population estimates prepared by the Bureau of the Census.

RACE

The term "race" refers to the division of population into three groups, white, black, and other. Most tables in this report simply use two divisions, white and "black/other" because of the small numbers of persons from other races in Missouri. The race group designated as "black/other" consists of such races as the Negro, American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian and Malayan races.

Persons of Mexican birth or ancestry who are not definitely of Indian or other non-white race are classified as white.

Persons of mixed racial parentage are classified according to the race of the non-white parent.

TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. An exception to this involves people dying in hospitals, nursing homes, or other institutions. In such cases, the usual place of residence before admission is reported. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

UNKNOWNS

Records classified as Missouri residents with unknown county of residence are included in the state totals of this publication. In annual vital statistics reports before 1979, these records were excluded from totals. The number of 1986 records with unknown county of residence by system is as follows:

| Live Births | 5 |
|--------------|----|
| Fetal Deaths | 0 |
| Deaths | 4 |
| Abortions | 45 |

The following imputations of unknowns were made in this report:

Unknown sex is considered male.
Unknown race is considered white.
Unknown legitimacy is considered legitimate.
Unknown live birth order is considered 1st.

RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Live birth, death, natural increase, marriage, and dissolution rates are expressed in terms of 1,000 estimated midyear population. Infant, perinatal, fetal, neonatal, and postneonatal death rates are stated per 1,000 live births.

Rates per 100 live births or percentages are used in Tables 7-10C for such rates as illegitimacy or low birth weight. In Table 10, unknowns are excluded in the calculation of percents for (1) Apgar Score less than eight, (2) mother smoked during pregnancy, (3) mother under 60 inches, (4) mother under 100 lbs., (5) mother 175 lbs. or more, and (6) inadequate prenatal care.

Total Fertility Rate (Graph B) refers to the average number of births a woman would have if a given set of age-specific birth rates applied throughout her reproductive years.

General Fertility Rate (Table 3) refers to the total number of live births per 1,000 women aged 15-44 for a given year.

Age-Specific Fertility Rate (Table 3) is the number of live births born to mothers of a given age per 1,000 females of that age group for a given year.

The **Abortion Ratio** is a ratio of abortions per 1,000 live births for a given year.

Crude Death Rate is defined as the total number of deaths of area residents for the year divided by the midyear population of the area multiplied by some constant. The constants used in this report are 100,000 for cause specific rates and deaths for all causes in Tables 19 and 27A and 1,000 for death rates in all other tables and graphs.

Crude Death Rate =

<u>number of deaths during year</u> x 1,000 or 100,000

midyear population

Age Specific Death Rate (Tables 4 and 21) is calculated in the same manner as the crude death rate except that both the number of deaths and the midyear population are restricted to a given age group.

Age-Specific Death Rate =
For given age group:
number of deaths during year x 1,000
midyear population

The **Age-Adjusted Death Rate** (Age-Adj Rate) is a weighted average of age-specific death rates. Comparison of areas or time periods using crude death rates can often be misleading, since these rates are affected by the age composition of the population. For example, a county may display a high crude death rate simply because it has an older population.

To control for these differences in age compositions, age-specific rates can be weighted according to a standard population. Such a calculation produces an age-adjusted rate. The age-adjusted rates shown in this report are calculated by the direct method with the following formula:

Age-Adjusted Death Rate = \sum $M_a \times \underline{Pa}$ Pwhere Ma = age-specific rate for given age group Pa = standard population in given age group P = total standard population

This report uses five-year age groupings with 1970 Missouri population as the standard. Each figure thus represents the rate that would have existed if the age-specific rates in question prevailed in a population whose age distribution is like that of Missouri in 1970. This serves to control for differences in age compositions and makes comparisons between areas or time periods more legitimate. It is important, however, not to compare age-adjusted death rates with other rates adjusted to different standard populations.

The **Abridged Life Tables** in this report (Table 29) are generated from a computer software package originally developed by the National Center for Health Statistics, and modified by the Missouri Center for Health Statistics. It uses the technique of "reference to a standard table." These tables are technically defined as "current life tables" since they are cross-sectional in nature. In other words, these tables do not represent the life expectancy of an actual cohort of all Missourians born in a particular year and followed throughout their lifetime. Rather, the current life table considers a hypothetical cohort and assumes it is subject to the age-specific mortality rates existing for a given year. This means that the current life tables contained herein assume hypothetical cohorts subject throughout their lifetimes to the age-specific mortality rates prevailing for the year of this report.

The term "abridged" indicates that the age interval used in the tables are five-year age groupings rather than single years of age.

CAUSE OF DEATH CLASSIFICATION

Cause of death data are displayed by the underlying cause. The underlying cause of death is defined as the disease or injury which initiated the train of morbid events leading directly to death or the circumstances of the accident or violence which produced the fatal injury.

The causes of death presented here are classified in accordance with the Ninth Revision of the International Classification of Diseases (ICD-9), 1975; World Health Organization. This revision has been used to classify deaths occurring on or after January 1, 1979. Comparisons with data from earlier years must be done with caution, since these were classified under different coding schemes. Consequently, certain diseases may show changes in their trends as a result of changes in definitions. For a general measure of the extent of these changes between the eighth and ninth revisions, consult "Estimates of Selected Comparability Ratios Based on a Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revisions of the International Classification of Diseases," *Monthly Vital Statistics Report*, National Center for Health Statistics, Volume 28, Number 11, Supplement (February 29, 1980).

The specific causes of death in this report are shown in groupings of 34 causes. In those tables presenting leading causes of death, the rankings are based on a further consolidation of these 34 causes. These causes are listed below with their ICD-9 codes. Those used for ranking purposes are noted with an asterisk.

| Causes of Death | ICD-9 Codes |
|---|---------------------------|
| *Tuberculosis | 010-018 |
| *Syphilis | 090-097 |
| Residual of Infectious & Parasitic Diseases | |
| *Malignant Neoplasms | 140-208 |
| Digestive Organs | |
| Respiratory Organs | 160-165 |
| Breast | 174-175 |
| Genital Organs | |
| Urinary Organs | 188-189 |
| Leukemia | 204-208 |
| Other Malignant Neoplasms | 140-149, 170-173, 190-203 |
| *Diabetes Mellitus | 250 |
| Major Cardiovascular Disease | 390-448 |
| *Diseases of the Heart | 390-398, 402, 404-429 |
| Rheumatic Fever & Rheumatic Heart Disease | 390-398 |
| Hypertensive Heart | |
| Ischemic Heart | 410-414 |
| Other Heart Disease | 415-429 |
| *Hypertension | 401, 403 |
| *Cerebrovascular Disease | 430-438 |
| *Atherosclerosis | 440 |
| Other Major Cardiovascular | 441-448 |
| *Pneumonia & Influenza | 480-487 |
| *Chronic Pulmonary Disease | 490-496 |
| *Ulcer of Stomach | |
| *Liver Disease & Cirrhosis | |

| Causes of Death | ICD-9 | Codes |
|--|-------------------------------------|--|
| *Nephritis & Nephrosis | | .580-589 |
| *Complications of Pregnancy, Childbirth & Puerperium *Congenital Anomalies *Diseases of Early Infancy Symptoms & Ill-Def. Cond All Other Diseases | | 740-759 760-779 780-799 |
| *Accidental Deaths | .800-807, | 810-825 826-949 .950-959 960-978 |
| MEDICAL CONDITIONS ON BIRTH RECORDS | | |
| Table 5 presents selected medical conditions reported on the birth certificate conditions is considered to be very poor, thus, extreme caution should be used results in Table 5. Space is available for the reporting of two types each of complications and pregnancy and labor. Therefore, the total number of records with fewer than the sum of the specific types of complications. ICD-9 codes for specific are as follows: | when inter malforma complicat | preting the ations, and ions will be |
| Congenital Malformations | ICD-9 | Codes |
| Nervous System Eye, Ear, Face & Neck Heart and Circulatory System Cleft Palate or Lip Digestive Genital, Urinary Musculoskeletal Chromosomal. | | 743-744 .745-747 749 750-751 752-753 754-756 758 |
| Complications of Pregnancy | ICD-9 | Codes |
| Antepartum Hemorrhage Preeclampsia/Eclampsia Other Hypertension Early or Threatened Lab Prolonged Pregnancy Other | 64 6420-64 6 | 24-6427 23, 6429 140-6441 645 |

ICD-9 Codes

Complications of Labor

Concurrent Conditions Affecting Pregnancy

ICD-9 Codes

| Infectious Diseases | |
|---|--|
| Diabetes | |
| Obesity | |
| Anemia | |
| Mental Disorders | 290-319 |
| Hypertensive Disease401-405 or 6420-6423, | 6429 in Complications of Pregnancy Field |
| Other | |

ADDITIONAL DEFINITIONS

Apgar Score--An international code ranging from 0 to 10 used to measure the health of an infant at one minute and five minutes after birth. Items used to derive the score are heart rate, respiratory effort, muscle tone, reflex irritability and color. A score below eight implies a moderately or severely depressed condition. The score used in Table 10 is taken at five minutes after birth. Caution should be used in interpreting patterns of low Apgar scores by area because of a possible subjective bias in assigning scores. Different medical personnel may assign different scores to the same child.

Birth Order--Number of previous pregnancies plus one.

Fetal Death--Death taking place at 20 weeks gestation or later and before birth.

Illegitimate Birth--Birth involving mother who was unmarried at time of conception, at time of birth, and throughout time between conception and birth.

Inadequate Prenatal Care--Fewer than five prenatal visits for pregnancies less than 37 weeks, fewer than eight visits for pregnancies 37 weeks or longer or care beginning after the first four months of pregnancy. Before 1982, records with unknown prenatal care or unknown length of pregnancy were excluded. Beginning in 1982, if adequacy of prenatal care could be determined even if length of pregnancy was unknown, then these records were included.

Infant Death--Baby dying during the first year of life.

Live Birth Order--Number of previous babies born alive now living plus one.

Low Birth Weight--Less than 2500 grams or five and one-half pounds.

Maternal Death--Mother dying as a result of complications of pregnancy, childbirth and puerperium (ICD-9 codes 630-676).

Natural Increase--Resident live births minus resident deaths.

Neonatal Death--Baby dying during first 27 days of life.

Operative Delivery--Forcep or cesarean delivery (includes MCHS method of delivery codes 52-58 and 62-79).

Perinatal Death--Fetal or neonatal death.

Postneonatal Death--Death occurring after 27th day of life and before one year.

Teen-age Pregnancy--Live birth, fetal death or abortion occurring to a woman under 20 years of age.

Additional information about the Missouri birth and death data systems may be found in *User Manual for Live Birth/Fetal Death Data System*--MCHS publication No. 4.15, *User Manual for Death Data System*--MCHS publication No. 4.18, and *Birth and Death Appendix Tables*, MCHS publication No. 4.16.